



# Archer<sup>®</sup> Suite

Version 6.9.3 and Later

## Release Notes



## **Contact Information**

RSA Link at <https://community.rsa.com> contains a knowledgebase that answers common questions and provides solutions to known problems, product documentation, community discussions, and case management.

## **Trademarks**

RSA Conference Logo, RSA, and other trademarks, are trademarks of RSA Security LLC or its affiliates ("RSA"). For a list of RSA trademarks, go to <https://www.rsa.com/en-us/company/rsa-trademarks>. Other trademarks are trademarks of their respective owners.

## **License Agreement**

This software and the associated documentation are proprietary and confidential to RSA Security LLC or its affiliates are furnished under license, and may be used and copied only in accordance with the terms of such license and with the inclusion of the copyright notice below. This software and the documentation, and any copies thereof, may not be provided or otherwise made available to any other person.

No title to or ownership of the software or documentation or any intellectual property rights thereto is hereby transferred. Any unauthorized use or reproduction of this software and the documentation may be subject to civil and/or criminal liability.

This software is subject to change without notice and should not be construed as a commitment by RSA.

## **Third-Party Licenses**

This product may include software developed by parties other than RSA. The text of the license agreements applicable to third-party software in this product may be viewed on the product documentation page on RSA Link. By using this product, a user of this product agrees to be fully bound by terms of the license agreements.

## **Note on Encryption Technologies**

This product may contain encryption technology. Many countries prohibit or restrict the use, import, or export of encryption technologies, and current use, import, and export regulations should be followed when using, importing or exporting this product.

## **Distribution**

Use, copying, and distribution of any RSA Security LLC or its affiliates ("RSA") software described in this publication requires an applicable software license.

RSA believes the information in this publication is accurate as of its publication date. The information is subject to change without notice.

THE INFORMATION IN THIS PUBLICATION IS PROVIDED "AS IS." RSA MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WITH RESPECT TO THE INFORMATION IN THIS PUBLICATION, AND SPECIFICALLY DISCLAIMS IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2020-2021 RSA Security LLC or its affiliates. All Rights Reserved.

Revised: August 2021

## Fixed Issues in Release 6.9.3

This section is a cumulative list of issues that have been fixed since the last non-patch or service pack release, Archer 6.9.2.

**Note:** When users upgrade from Archer versions prior to 6.9.1.1 to Archer versions 6.9.1.1 or above, the work item cleanup to improve the Advanced Workflow performance might delay the installation.

Component	Issue	Fix Version	Description
Access Control	ARCHER-103869	6.9.2	If a group contains a large number of users, the Manage Groups page becomes unresponsive.
Access Control	ARCHER-111317	6.9.2.1	Access Control Administrators cannot add permissions to any access roles.
Access Control	ARCHER-111568	6.9.2.1	Access Control Administrators have permissions to assign System Administrator roles to any group.
Access Control	ARCHER-113183	6.9.2.1	When users set a date in the Date Disallowed section of Security Parameters, the displayed date is one day prior to the selected date.
Access Control	CE-9708	6.9.2.2	When users open the Manage Group page of any specific group, the group members are not listed in alphabetical order.
Access Control, Access Control: LDAP	CE-9770	6.9.2.2	Users can assign groups created using LDAP to Archer users through the Manage Users page.
Access Control, Navigation, Performance	ARCHER-99608	6.9.2.1	When Archer contains a large number of users, the Manage Users page does not always function as expected.
Access Control, Reports	ARCHER-109740	6.9.2.1	When users open the ellipses (More Options) menu on a report, the Print option does not display.
Access Control: Access Roles	ARCHER-111327	6.9.2.1	The dashboard selector does not show an error message or a required field icon on the Access Manager Role page.
Access Control: LDAP	ARCHER-114229	6.9.2.1	Users cannot set a User or Group Filter value over 256 characters in an LDAP Configuration.
Access Control: Reports	ARCHER-106132	6.9.2.1	The Access Control Reports allow users to select more than one user or group from the multiple value selector without a warning that only one selection is allowed.
Access Control: Reports	CE-9635	6.9.2.2	When email addresses are added to user contact information, if a default email address is not set already, the DB does not recognize existing email addresses as the default email address for the user.
ACR	ARCHER-109578	6.9.2	The CreateRecord WebAPI (SOAP) does not output the correct value for seconds in the date field.
Admin Dashboard, Data Feeds, Reports	CE-9754	6.9.2.2	The Admin Dashboard reports incorrectly display the values of DFChildFailure and DFChildUpdates.
API (Web, Rest, other), Web API suite	ARCHER-112931	6.9.2.1	ExecuteSearch and SearchRecordsByReport methods do not include User's middlename attribute in the API response.
Appearance	CE-9494	6.9.2.2	The Advanced section in the Table Properties on text area fields spells "Color" as both "Color" and "Colour."
Application Builder	ARCHER-107291	6.9.2.1	The last updated time on Global Values Lists are incorrect.
Application Builder	ARCHER-109360	6.9.2.1	When users populate the required Target field in the Findings application and save the application, a warning message is displayed that says the Target field is required.
Application Builder	CE-9498	6.9.2.2	When XML files are imported as Values List into Archer, and the Values List field is set to a custom sort order, the file is not imported with the correct sort order.
Application Builder	CE-9538	6.9.2.2	When users delete a module data level, the module layout does not load.
Application Builder, Data Driven Events	CE-9571	6.9.2.2	When applications are copied, the values of rules with Values Lists that are in Record Permission fields are removed.
Application Builder, Performance, Reports	CE-9850	6.9.2.1.4	After the upgrade to Archer 6.9.2.1.3, users experience a significant impact to performance in both the SaaS and Hosted environments.
Attachments, Section 508	CE-9788	6.9.2.2	When users upload a file and try to remove that file, JAWS announces the Remove button, but does not announce the selected file name.

Authentication, Navigation	CE-9703	6.9.2.2	In Google Chrome with Windows Authentication, when users paste a URL into Microsoft Word that copied using the Share button on an Archer record, the URL navigates users to the Archer Dashboard instead of to the record.
Charts and Graphs, Export	CE-117852	6.9.2.2	Users cannot export charts or dashboards that include charts.
Charts and Graphs, Reports	CE-9727	6.9.2.2	Statistical Reports configured with two Group By functions do not function properly.
Config Service Client, Job Framework	ARCHER-104072	6.9.2.1	At the end of a jobs lifecycle, the job attempts to incorrectly open a port.
Content Save and Delete	ARCHER-107296	6.9.2.1	Users cannot create new records in the Business Processes application.
Data Feeds	ARCHER-25223, ARCHER-57991	6.9.2	Key fields containing ampersands do not update when Archer Web Services Transporter data feeds run.
Data Feeds	ARCHER-47556, ARCHER-60308	6.9.2	Cross-reference links do not appear on the content from a feed when there is an ampersand in the key field value.
Data Feeds, Database, Job Framework, Jobs, Performance	ARCHER-107290	6.9.2.1.2	When a large number of errors occur during a data feed run, the SystemCleanupJob cannot clean the data feed history.
Data Import	ARCHER-107614	6.9.2.1	Users cannot cancel Data Import jobs using the Cancel Job button.
Data Import	ARCHER-112728	6.9.2.1	Warning message prevents importing into a sub-form if a cross reference field is required on the module and isn't mapped.
Data Import	CE-9609	6.9.2.2	When data is imported into sub-forms and the first value after the parent key field is empty, the sub-form is not created.
Data Import, Performance	ARCHER-111660	6.9.2.1	Data import performance is inconsistent between different imports.
Database, Data Feeds, Job Framework, Jobs, Performance	CE-9714	6.9.2.2	When a large number of errors occur during data feed runs, the SystemCleanupJob cannot clean the data feed history.
Database, Jobs	ARCHER-104626	6.9.2.1	When field history records with large batch sizes are deleted, database timeouts may occur, after which Archer attempts to delete the records again.
Database, Jobs, Performance	CE-9259	6.9.2.2	Improve performance and prevent transaction lock escalation on heavier work loads.
Database, Jobs, Performance	CE-9384	6.9.2.2	Job failures of the SystemCleanup job run cause DB growth.
Database, Performance	ARCHER-111970	6.9.2.1	Users see intermittent slow performance in data feeds.
Database, Performance	ARCHER-116092	6.9.2.1.2	When filtering Values Lists in large data sets using Does Not Equal, the search performance is periodically slow.
Database, Performance	CE-9465	6.9.2.2	When filtering Values Lists in large data sets using Does Not Equal, the search performance is periodically slow.
Documentation	ARCHER-102201	6.9.2	In the Archer Online Documentation, the topic "Secure Deployment and Usage Settings" does not include the section "Access-Control-Allow-Origin Header." <b>Workaround:</b> See the same topic in the English language deliverable of the Archer 6.9.1 Security Configuration Guide for the section "Access-Control-Allow-Origin Header."
Documentation	ARCHER-40769	6.9.3	Bulk update,delete option missing in search result page when history log field selected
Documentation	ARCHER-48940	6.9.2	A calculated cross-reference can filter on Related Records. The Archer Online Documentation currently lists Related Records as unsupported by calculated cross-references.
Documentation	ARCHER-99665	6.9.2	The following Archer 6.9 SP1 documentation is only available in English: - In the Enterprise and Operational Risk Management solution area overview, the documentation now includes the correct prerequisites for the Archer Top-Down Risk Assessment and Archer Operational Risk Management use cases. - "Deleting Fields" in the Archer Online Documentation clarifies that deleting fields in active AWF jobs can cause the jobs to enter into an error state. - In the Archer Online Documentation, math functions that previously said TRUNC now say TRUC. - The "Secure Deployment and Usage Settings" topic in the Archer Security Configuration Guide includes the section "Access-Control-Allow-Origin Header."

Documentation	ARCHER-110275	6.9.3	<p>The following RSA Archer 6.9 SP2 documentation is only available in English:</p> <ul style="list-style-type: none"> <li>- "User Accounts" in the Archer Online Documentation clarifies that: users cannot log into Archer with a default services account and that associating a data feed Service Account to each feed clarifies the specific feed that made updates.</li> <li>- "Understanding System Administrator and Default Services Account Passwords" in the Archer Online Documentation clarifies that password expiration settings are not enforced for the SysAdmin Account and the Services Account.</li> <li>- "Preparing Archer for Installation" in the Archer Platform Installation Guide recommends that IT Administrators ensure their system meets requirements detailed in the Archer Qualified and Supported Environments available on RSA Link.</li> <li>- "Changing SysAdmin and Services Account Passwords" in both the Archer Control Panel Help and the Archer 6.9 SP2 Security Configuration Guide clarify that password expiration settings are not enforced for the SysAdmin Account and the Services Account.</li> <li>- The Archer 6.9 SP2 Installation and Upgrade Guide and Archer 6.6 &amp; Later Planning Guide includes the following supported version updates: Windows Server 2016 or 2019, (IIS) 10, Redis 6.0, and SQL Server 2017 (64 bit), 2017 for Linux (Ubuntu), or 2019 (64 bit).</li> <li>- The Archer 6.9 SP2 Installation and Upgrade Guide removed the following topic: "Appendix G - Reconciling Advanced Workflow Apply Conditional Layout Action Changes." The Upgrade Installation checklist in Appendix D was updated to reflect this change.</li> <li>- The Archer 6.9 SP2 Installation and Upgrade Guide lists updated requirements as detailed in the Archer Qualified and Supported Environments available on RSA Link.</li> <li>- The "Advanced Workflow" section in the topic "Operation Risk Management Design" was updated to reflect the current workflow of self-assessments.</li> </ul>
Elasticsearch, Install/Upgrade	ARCHER-110183	6.9.2.1	When the Elasticsearch index rebuild processes PDF attachments, the rebuild does not complete successfully.
Export	CE-5684	6.9.2.2	The export component displays angle brackets (<, >) as HTML encoded in all file formats.
Export	CE-9616	6.9.2.2	Users can see encoded values instead of "<" and ">" symbols in the exported file.
Export, Global Print and Export, Reports	ARCHER-111875	6.9.2.1	If users add MS Word templates to Archer and export reports to PDF, they receive an error and the export is unsuccessful.
Export, Workspaces, Dashboards and iViews	CE-9625	6.9.2.2	Dashboard with empty iView charts fail to export.
Global Print and Export	ARCHER-114018	6.9.2.1	The record page and mail merge exports fail.
Global Print and Export, Globalization and Localization	ARCHER-107632	6.9.2.1	When users set to locales other than English export reports and hover over the Close icon on the Export dialogue box, the Close icon text is not translated.
Globalization and Localization	ARCHER-116479	6.9.2.1.2	The File Creation Restriction option changes after running the Archer installer.
Globalization and Localization	ARCHER-116677	6.9.2.1.2	The default time zone changes after running the Archer installer.
Globalization and Localization	CE-9502	6.9.2.2	On the Archer home page, when non-English locale users click Edit on a dashboard, the Cancel and Save buttons are not translated.
Globalization and Localization	CE-9549	6.9.2.2	The default time zone changes after running the Archer installer.
Globalization and Localization, Inline Edit	ARCHER-110356	6.9.2.1	If a module includes a Text Area field with Inline Edit, the name of the Inline Editor in search results, for a Spanish locale user, is not translated.
Globalization and Localization, UI	CE-9673	6.9.2.2	The Administration menu does not properly display accented characters for French locale users.
Globalization and Localization, User Profile	ARCHER-113160	6.9.2.1	The Archer Time Zone settings displays the incorrect time zone for Moscow.
HTML Sanitizer, Notifications	CE-9493	6.9.2.1.4	When users save Notification Templates, CSS color statements are normalized to rgba() format.
HTML Sanitizer, Notifications	CE-9831	6.9.2.2	When users save Notification Templates, CSS color statements are normalized to rgba() format.
Install/Upgrade	ARCHER-114937	6.9.2.1.2	The Archer installer does not remove the ArcherAssemblies symbolic link during upgrade if the Advanced Workflow Service is not installed.
Install/Upgrade	ARCHER-115804, CE-9521	6.9.2.1.2	When users upgrade to Archer 6.9 SP2, they receive a database collation conflict error.

Install/Upgrade	ARCHER-115846	6.9.2.1	
Install/Upgrade	CE-9558	6.9.2.2	The File Creation Restriction option changes after running the Archer installer.
Install/Upgrade	CE-9757	6.9.2.2	The Archer installer does not remove the ArcherAssemblies symbolic link during upgrade if the Advanced Workflow Service is not installed.
Keyboard Navigation, Workspaces, Dashboards and iViews	CE-9551	6.9.2.2	Navigating the "Workspace Options Menu" option using keyboard breaks the selection in "Workspace Options Menu."
Licensing, Questionnaires	ARCHER-105892	6.9.2.1	When users refresh the Archer license key, the status of all user created modules changes.
Mail Merge	ARCHER-105494	6.9.2.1	The Table of Contents links in exported Mail Merge documents do not function properly.
Notifications	ARCHER-104066	6.9.2.1	Scheduled Report Distributions that are scheduled to be sent out monthly are sent out twice a month.
Notifications	ARCHER-116089	6.9.2.1.2	When Admin Notifications are modified, users do not receive notifications.
Notifications	ARCHER-116097	6.9.2.1.2	Text fields are unavailable to select as recipients in On Demand Notifications.
Notifications	CE-9612	6.9.2.2	Text fields are no longer available for recipients in On Demand Notifications.
Notifications	CE-9700	6.9.2.2	When Admin Notifications are modified, users do not receive notifications.
Notifications	CE-9877	6.9.2.2	When users schedule Scheduled Report Distributions (SRD) in July, monthly, on the first day, the SRD is scheduled weekly.
Notifications, Reports	ARCHER-106746	6.9.2.1	Users see numerous Templates are missing when attempting to filter on them.
Notifications, Workflow (AWF)	ARCHER-114918	6.9.2.1	Users cannot receive Subscription notifications when AWF content enrollment is complete.
Packaging	CE-9100	6.9.2.2	Packaging fails to carry over values list items in the correct sort order.
Packaging, Workflow (AWF)	ARCHER-109422	6.9.2.1	Users receive an error when installing packages that include AWF rules.
Questionnaires	ARCHER-110068	6.9.2.1	When Question Rules use OR or brackets in the Advanced Logic Operator, the logic fails.
Record Page	ARCHER-106296	6.9.2.1	The record page layouts include Values List columns that are not configured properly.
Record Page	ARCHER-110064	6.9.2.1	In Edit mode, when users edit Text Area fields, long phrases are split into two instead of wrapping properly and moving to the next line.
Record Page	ARCHER-114596	6.9.2.1	Users can see Values list values layout positioning scrambled on layout.
Record Page	ARCHER-116250	6.9.2.1.2	Hyperlinks for files and FTP links in Text Fields do not work.
Record Page	CE-5233	6.9.2.2	In Google Chrome, when users press SHIFT + CTRL + ENTER to navigate links for Image, Voting, CAST, and Discussion field links on the record page, the key combination does not work.
Record Page	CE-9623	6.9.2.2	Values List Supporting Information Functionality does not work correctly when the values pop up option is used.
Record Page	CE-9637	6.9.2.2	Hyperlinks for files and FTP links in Text Fields do not work.
Record Page, Section 508	CE-9629	6.9.2.2	Focus is not retained when you close the lookup pop up for cross reference field.
Record Page, UI	ARCHER-107513	6.9.2.1	The Cross-Reference record lookup window is small and resizable, and does not display the content properly.
Record Page, Web Browser	ARCHER-116566	6.9.2.2	In Google Chrome, when users press SHIFT + CTRL + ENTER to navigate links for Attachment fields, the key combination does not work.
Record Page, Web Browser	ARCHER-116567	6.9.2.2	In Google Chrome, users press SHIFT + CTRL + ENTER to navigate links for Cross-Reference fields on the record page, the key combination does not work.
Reports	ARCHER-105809	6.9.2.1	When users run record or report searches using both the Equals and Does not Equal filters together, the search results return incorrect results.
Reports	ARCHER-110597	6.9.2.1	After users upgrade Archer to version 6.9 SP1, users cannot modify statistical reports.
Reports	CE-9463	6.9.2.2	Statistical reports that use Values List containing "<" or ">" characters display empty charts.
Reports	CE-9660	6.9.2.2	When users export Statistical reports that use Date values, the report provides incorrect values in all export formats.
Reports	CE-9789	6.9.2.2	Users receive unexpected error in Statistics Reports when Grouping by Department.
Reports, Search and Search Results	CE-9506	6.9.2.2	User receive an unexpected error when attempting to create a Statistics Report.
Rest API Suite	CE-9678	6.9.2.2	Even though users have Configuration Administrator access, the users cannot pull metadata of private fields using the API.

SAML, Training and Awareness	ARCHER-109435	6.9.2.1	When users log into Archer using SAML, users cannot view Quizzes in Training and Awareness Campaigns even with the Force Acceptance skip setting configured.
Search and Search Results	ARCHER-104004	6.9.2.1	When users search for records using the Advanced Search filter that includes logical operators such as (&, <, etc.), no results are returned.
Search and Search Results	ARCHER-109855	6.9.2.1	When users click the number to go to the next page on an application's Search Results page, the sorting order of displayed fields is incorrect.
Security	ARCHER-111634	6.9.2	Black Duck Discovered: underscore.js in Meridionalis is vulnerable to CVE-2021-23358.
Task-driven landing screen	ARCHER-106512	6.9.2.1	The Tasks widget on the Archer landing page incorrectly shows due dates as one day earlier than the actual due dates of tasks.
UI	CE-9427	6.9.2.2	When users select a specific cross-reference field in the Manage Columns option, the Refine by pane displays field values incorrectly.
Web Browser	CE-9659	6.9.2.2	In Google Chrome, when users press CTRL + SHIFT + ENTER, the Edit link does not work.
Workflow (AWF)	ARCHER-109795	6.9.2.1	Users cannot enroll records into Advanced Workflow.
Workflow (AWF)	ARCHER-112370	6.9.2.1	The AWF cleanup workflow job does not delete the AWF jobs.
Workspaces, Dashboards and iViews	ARCHER-108328	6.9.2.1	Changing the iView properties using a non-English locale user does not properly translate iView links on dashboard pages.
Workspaces, Dashboards and iViews	ARCHER-108776	6.9.2.1	When users hover over iView names on the Global iViews page, the page displays the incorrect ID.
Workspaces, Dashboards and iViews	ARCHER-116110	6.9.2.1.2	Dashboard names display "<" and ">" characters as "&gt;".
Workspaces, Dashboards and iViews	CE-9456	6.9.2.2	When dashboard names include apostrophes, the dashboard does not load.
Workspaces, Dashboards and iViews	CE-9500	6.9.2.2	When users configure a Quick Link iView with a Primary Graphic, users cannot remove that graphic.
Workspaces, Dashboards and iViews	CE-9627	6.9.2.2	Dashboards do not load from the Workspace and Navigation Menu.
Workspaces, Dashboards and iViews	CE-9653	6.9.2.2	Global iViews display &lt; and &gt; when the iView name uses the < and > characters.
Workspaces, Dashboards and iViews	CE-9657	6.9.2.2	When users navigate to Dashboards using Quick Links, the Workspace share and options menu do not open.
Workspaces, Dashboards and iViews	CE-9764	6.9.2.2	Dashboard names display "<" and ">" characters as "&gt;".

## Known Issues in Release 6.9.3

This section lists reported issues that remain unresolved as of the latest release. Wherever a workaround is available, it is noted or referenced in detail. For many of the workarounds in this section, you must have administrative privileges.

Component	Issue	Description
Access Control	ARCHER-89007	A proper message is not displayed when a non Admin user accesses the links to the backoffice pages through iView & Quicklinks.
Appearance	ARCHER-110841	When changing the menu background color, the text color is changed to reflect in the warning modals. There is no workaround at this time, however a fix will be available in an upcoming patch release.
Appearance	ARCHER-13566	Some user activity on an Archer webpage does not properly reset the session timeout, causing the warning message to appear randomly.
Appearance	ARCHER-77830	Trending Chart data displays in the UI only after a second save.
Appearance	ARCHER-78281	When setting a new background color for the Environment Bar, it does not load the Appearance page.
Application Builder	ARCHER-102070	When the Available Reference in a Cross-Reference field is set to the Contacts application, if users select a value for the Name field in the Record Lookup Configuration filter, they receive an error. <b>Workaround:</b> Select any of the other Name fields in the Record Lookup Configuration filters: -Name (First) -Name (Full) -Name (Last) -Name (Middle)
Application Builder	ARCHER-107863	Filtering by module type on the last page of results of the Application Builder Listing Page displays an empty results page.
Application Builder	ARCHER-110200	The Archer Online Documentation incorrectly states the total number of numeric characters that Numeric fields support in the topic "Adding Numeric Fields." As of Archer 6.9.2, Numeric fields support a total of 15 numeric characters.
Application Builder	ARCHER-112412	In all Rich Text Editors in Back Office, the user cannot currently create a link in the editor that opens in a new window. The end user clicking the link can always just right click on the link and open it in a new window or tab via their normal browser functionality.
Application Builder	ARCHER-115025	User can see &lt; and &gt; instead of < and > throughout Archer (Application Name, Solution Name, Workspace Name etc.)
Application Builder	ARCHER-115895	In Application Builder, when users add new values to a Values List through the associated Values List field, users have to reload the Values List field to view the new values.
Application Builder	ARCHER-117634	When users configure CAST field configuration rules and attempt to save incomplete rules, users do not receive a warning message.
Application Builder	ARCHER-118080	When fields are selected for sorting in the Record Lookup or Grid Display Properties section, the Save and Discard buttons are still active, even after saving changes.
Application Builder	ARCHER-118150	When users change a Cross-Reference field type to any other field type, the Associated Level field continues to display in the field creation pop-up. <b>Workaround:</b> Close and reopen the field creation pop-up and select a new field type.
Application Builder	ARCHER-119102	If users collapse the Properties panel in the Designer tab without saving changes, the changes may be lost. <b>Workaround:</b> To avoid the risk of losing changes, before collapsing the Properties panel, save the changes within the panel.
Application Builder	ARCHER-119103	If users navigate away from the Properties panel in the Designer tab without saving changes, this may result in unpredictable behavior. <b>Workaround:</b> To avoid the risk of losing changes, before navigating away from the Properties panel, save the changes within the panel.
Application Builder	ARCHER-119143	In Advanced Workflow, users cannot add new signatures or edit existing signatures.
Application Builder	ARCHER-119181	On the Modules listing page, grouping occurs by page instead of by the entire results set.
Application Builder	ARCHER-119425	The Applications Listing Page does not display the leading spaces in module names.
Application Builder	ARCHER-119470	The Structure grid of Application Properties does not display the leading spaces in Level names.



Application Builder	ARCHER-119489	User/Groups changes related to Private access for Cross-Reference fields will be lost if users update the Display Control properties or mark the field as Calculated, before saving the User/Groups changes. <b>Workaround:</b> Before updating the Display Control properties further or marking the field as a Calculated field, save any changes to the User/Groups selection related to Private access.
Application Builder	ARCHER-119492	Operators appear that are irrelevant to filtering within the Questionnaire Findings Generation page, including Changed, Changed To, Changed From, and Field Value Match.
Application Builder	ARCHER-119495	Users cannot open the Bulk Update Job Status window from the AWF Designer. <b>Workaround:</b> In the user profile menu, click Bulk Action History to view the Bulk Job Stats.
Application Builder	ARCHER-119500	Adding new applications from the App Builder Header Navigation is not possible for Leveled and Locked applications. <b>Workaround:</b> In the Properties tab, scroll to the Structure section and add a new level.
Application Builder	ARCHER-119508	Users who are not System Administrators cannot create new fields in Sub-Forms or Questionnaires. <b>Workaround:</b> -Questionnaires: General Users with CRUD access can create fields if the users are Configuration Administrations of those Questionnaires. -Sub-Forms: General Users with CRUD access can create fields if the users are Content Administrators of Applications that the Sub-Forms reference.
Application Builder	ARCHER-119542	The DDE rule condition applies the same filter as the filter in the Designer tab. <b>Workaround:</b> To see the full list of fields, reset the filter in the Designer tab.
Application Builder	ARCHER-119558	The Edit Layout button in Advanced Workflow is visible but users cannot edit layouts from within AWF. <b>Workaround:</b> Use the Layouts menu in Application Builder to edit the layouts.
Application Builder	ARCHER-119597	Bulk create action will fail if there is no referenced field selected for bulk create configuration on cross reference. <b>Workaround:</b> User must select at least 1 referenced field in scenario of bulk create from search results option is selected for cross reference.
Application Builder	ARCHER-119611	If users change the field selection in the Sorting or Filter sections of Cross-Reference fields before saving the previous selection, a blank screen may appear. <b>Workaround:</b> Save the selected field in the Sorting or Filter sections for Cross-Reference fields before updating the selection to any other field.
Application Builder	ARCHER-119741	When users save the objects on the Answers Values Sub-Form layout, the layout objects are not saved.
Application Builder	ARCHER-44013	An empty tab set causes the application copy process to generate an error and prevents data-driven event rules from being copied.
Application Builder	ARCHER-48798	Default text in the text area field is not removed by clicking the field. <b>Workaround:</b> Manually select and delete the default text within the text area field.
Application Builder	ARCHER-66315	Adding a new level to an application creates an empty Tasks and Activities field.
Application Builder, Offline Access	ARCHER-119744	Certain screens in Application Builder do not have translated field labels.
Application Builder, Questionnaire	ARCHER-119345	When creating a Questionnaire, after opening and closing the Question Library Record Lookup, and closing the Questionnaire details page the Record Lookup appears again. <b>Workaround:</b> Select an alternate module using the Applications dropdown OR using the ellipses in the top left.
Application Builder, Record Page	ARCHER-70083	For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users.
Bulk Operations	ARCHER-40769	When bulk update is enabled, the Create and Enable Delete options do not display.
Bulk Operations	ARCHER-41442	When searching for inactive users on Schedule Actions, inactive users display in the search results.

Bulk Operations	ARCHER-41755	When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.
Bulk Operations	ARCHER-41779	You cannot add the Manage Schedule link to the Quick Reference tab.
Bulk Operations	ARCHER-41838	If any of the records selected for Bulk Delete have already been deleted, Bulk Delete fails.
Bulk Operations	ARCHER-76594	The Calculation Editor, available when using the Calculated Operator In Bulk Create Reference Actions, does not correctly throw validation errors
Bulk Operations	ARCHER-96461	In Bulk Actions, when users configure internal calculated cross references, in the Group By option, they have to choose the number of fields in the Field Value Expression during the initial configuration. If users attempt to add or modify fields after saving the Bulk Action, the Bulk Action is not updated. <b>Workaround:</b> Delete the existing Bulk Action, create a new Bulk Action, and add all required fields when initially configuring the Action.
Caching, Packaging	ARCHER-112956	Job Engine not running job when redis cache is enabled.
Data Driven Events	CE-9843	When applications are copied, Matrix field values in DDE Rules are removed.
Data Feeds	ARCHER-111874	If a text field or a text area contains a string which is included in angle brackets (ex: <test>), this string including the brackets gets removed with
Data Feeds	ARCHER-47727	When a large source file is added to the Source Definition tab, an exception occurs.
Data Feeds	ARCHER-48616	When running a data feed using XSLT 3.0, if the Archer environment does not have internet access, it cannot validate the DTD and gives an error. <b>Workaround:</b> When running data feeds using XSLT 3.0, verify that your Archer environment has internet access.
Data Feeds	ARCHER-52938	When running the VSR Import data feed, the following error is included in the log files: Violation of PRIMARY KEY constraint 'PL_tblIVUserContent'
Data Gateway	ARCHER-85815	Connections must be deleted prior to deleting the associated target. <b>Workaround:</b> Delete connections first, then the associated target.
Data Import	ARCHER-40928	A faulted data import erroneously lists the number of records in the file as having been created, when in fact it created none.
Data Publications	ARCHER-87767	In the Data Publication UI, users can select and delete multiple job history rows together, using a master check box. However, if a filter has been applied to the list of job executions, users cannot select or delete multiple job executions at once.
Data Publications	ARCHER-88621	In the Data Publication UI, users can select and delete multiple job history rows together, using the select all master check box. However, if a filter has been applied to the list of job executions and users uncheck the select all check box, the job history page disappears. <b>Workaround:</b> Apply the filters before using the select all check box. Alternatively, users can individually select the rows in the grid and delete them, rather than using the select all check box.
Documentation	ARCHER-119499	The translated 6.9.3 Archer Control Panel help displays the incorrect Archer version number in both the Support and Services and the Product Information dropdowns.
Field Encryption	ARCHER-41772	The Self-Reference Calculation field can be marked for encryption. Encrypted fields cannot be used in calculations. <b>Workaround:</b> While editing the self-calculated field, if encryption related warning is shown, disable the encryption status, and then save the field.
Global Print and Export, Print and Export	ARCHER-118164	When users export record content to RTF format, the exported file does not include the RTF Template from Global Print and Export settings.
Globalization and Localization	ARCHER-119725	Report filters do not always display translated field names. This issue was reported earlier as ARCHER-82525 and has returned.
Globalization and Localization, Print and Export	ARCHER-113693	On export Report to PDF with Word template user can see content overlaps with the footer.
Globalization and Localization, Print and Export	ARCHER-48267	On exported PDF records, field names including Japanese and/or Chinese characters are not displayed properly. This only occurs when user locale language and language used for field names are different.
Globalization and Localization, Search and Search Results	ARCHER-46299	On all Ext pages with panels, the tooltips—which inform users that sections can be expanded or collapsed—display in English for all users, regardless of their language setting.

Help System	ARCHER-102505	The online help on some Back Office pages do not load their respective Online Help pages, but they load the Online Help home page. <b>Workaround:</b> Users can search for the relevant content from the Online Help home page.
Help System	ARCHER-75361	The following administration pages do not display the correct context-sensitive help topic: Dashboards, Discussion Forum Reports, Global iViews, Global Values Lists, Job Troubleshooting, Languages, Locales, Schedules, and Training and Awareness Campaigns.  The correct topics can be found by searching in the Archer Online Documentation.
Inline Edit	ARCHER-41827	When a Hierarchical Values List field display is not set to drop-down, the last value does not display correctly.
Install/Upgrade	CE-117804	When users upgrade Archer, the confirmation popup for the Archer Instance database upgrade shows an incorrect build number.
keyboard_nav, Reports, UI, WCAG 2.1	ARCHER-90536	In Google Chrome, choosing a report in Related Report using the TAB key traverses through all elements.
keyboard_nav, Search and Search Results,	ARCHER-90950	In Microsoft Edge, users cannot select more than one value in the Refine By pane using the TAB key.
Mobile App(s)	ARCHER-77586	When logging into the Archer Business Continuity & Disaster Recovery mobile application, users are unable to log in when using the full Archer URL. Users should use the Archer base URL to avoid this error.
Navigation	ARCHER-48703	After clicking a quick link that opens in a new window, the new window does not display correctly.
Navigation	ARCHER-52673	When using Internet Explorer or Safari, if the user routes through a text field on a page that does not use Microsoft Silverlight and then immediately clicks on a button, the user must click a second time to initiate the action.
Notifications	ARCHER-111139	The slider option in the new color picker would not update the Hex or the RGB code of the color in the first attempt. The value will be updated only when user selects a specific color from the palette. The issue doesn't stops users from picking the color of their choice using either the Hex/RGB codes or by directly clicking on the color palette.
Notifications	ARCHER-111561	On-Demand Notification not formatting table as configured
Notifications	ARCHER-116640	In Notifications, if the Subject content includes field names containing the : character, users receive a validation error.
Notifications	ARCHER-119708	On-Demand Notifications may not display newly created Letterheads.
Notifications	ARCHER-95257	When an administrator clicks on any report in the Notification Reports listing page, a blank white screen displays and there is considerable delay before the screen displays the report's details page. There is no workaround.
Offline Access	ARCHER-114914	User is unable to load little Archer Home page after offline sync.
Offline Access	ARCHER-88885	When a user is logged into the Archer user interface on the client machine and encounters an offline record conflict, the taskbar tray presents a selection option called Resolve Conflict. The Resolve Conflict selection option is inoperable. When a user is logged into the Archer user interface on the client machine and must restart record synchronization, the taskbar tray presents a selection option called Restart Sync. The Restart Sync selection option is inoperable.
Offline Access	ARCHER-91314	When Offline Access is upgraded, in order for the offline sync to be successful, disable the Offline Access checkbox for the instance in the Archer Control Panel, save the changes, and then enable the Offline Access checkbox for the same instance.
Offline Install	ARCHER-58656	When users upgrade Archer Offline access from a version pre-6.5 to 6.5 or later, the offline installer does not update the SQL Server 2012 LocalDB to SQL Server 2017 LocalDB and also the registry key. As a result, the offline access sync does not complete. <b>Workaround:</b> Uninstall SQL Server LocalDb manually, and also delete a key from the registry using the Registry Editor in order to upgrade a client that previously had Offline Access installed on it.  The registry key depends on unique IDs and user names, but will look similar to the following example: Computer\HKEY_CURRENT_USER\Software\Microsoft\Microsoft SQL Server\UserInstances\{0A643155-0194-4FCF-84D3-FA5DF16E36B1}  The key that needs to be removed will have a DataDirectory value similar to the following: C:\Users\usernameGoesHere\AppData\Local\Microsoft\Microsoft SQL Server Local DB\Instances\OfflineArcher

Print and Export, Search and Search Results; Workspaces, Dashboards, and iViews	ARCHER-118161	When Dashboards are exported to PDF format, all records are exported instead of the percentage configuration number of records.
Questionnaires	ARCHER-43967	If a questionnaire has Advanced Workflow configured with the Updated Records and User Initiated enrollment options, the User Initiated button does not appear.
Questionnaires	ARCHER-55683	In a Questionnaire configuration, creating a campaign with the same name as an existing campaign generates an error.
Questionnaires	ARCHER-70906	When a sub-form record is saved on a record containing multiple sub-forms, the save control brings you to the beginning (or topmost section) of the record rather than bringing you to the original scroll position.
React	ARCHER-81851	In Google Chrome, grid tool tips can overlap the header when scrolling.
React	ARCHER-87807	The new version of third party component used for rich text management in text areas modifies the HTML generation logic. The existing Header and Footer settings do not require change upon migration. However, if they are edited, users must ensure that the content format is updated again to the specified style.
React Common Component(s)	ARCHER-101438	When the Access Roles listing page loads, the Records Found message is displayed partially outside of the section, instead of completely within the section. The Manage Global Print and Export Settings page performs a similar behavior is when users add new templates.
React Common Component(s)	ARCHER-96544	In the Dual Pane Selector, rendering large lists may cause performance issues in the browser. If this issue occurs, use the Search field to reduce the number of selectable items.
Record Page	ARCHER-102102	When users select an option from the Target field drop-down in the Findings application, the ellipses to open the Record Lookup is not available for all options in the Target field.
Record Page	ARCHER-104625	In some applications, when users use the rich text editor and select the Delete Table option when there is no table present, the entire text field disappears. <b>Workaround:</b> Refresh the page to display the text field again.
Record Page	ARCHER-41877	When you add and attempt to copy a record containing the Last Updated field, the time in the Last Updated field changes while in Copy mode.
Record Page	ARCHER-51604	The Values drop-down list doesn't respect selection and deselection of a value if the user types in the value to select one from the drop-down list.
Record Page	ARCHER-64892	An image contained in a private image field, that is embedded in a text area field via the Image Copy and Paste feature or other means, will display in an email notification that contains that text area field if the receiving user has access to the text area field but not access to the image field.
Record Page	ARCHER-70972	When performing an inline edit with a cross-reference field containing a Field Value Match filter condition, selecting the lookup option throws an exception.
Record Page	ARCHER-83329	Cross-reference field selections are removed if the record is saved prior to filling out all required fields.
Record Page, UI	ARCHER-71765	When a user opens an Access pop-up window to review the access details for a specific record page, pressing Tab to navigate through the UI stops working.
Reports, Search and Search Results	ARCHER-77917	In a leveled application, the order of the levels selected for a report's Manage Columns is not maintained.
Search and Search Results	ARCHER-38890	When a statistical search field is moved up or down in the order, the associated statistical operation is lost and must be reselected.
Search and Search Results	ARCHER-56179	Count drill-in when sorting by a Values List value that is in the 2nd or more level does not display results.
Search and Search Results	ARCHER-65661	When an application has 8,000 or more records, if the standard PIN type is changed to the custom type by Value, the browser occasionally closes while opening a Map Report.
Search and Search Results	ARCHER-66161	Additional records imported using the Import option on the Map report page are not reflect in the Map. <b>Workaround:</b> After import, click Modify. Then, click Search and the Map will show the newly imported records.
Search and Search Results	ARCHER-67154	Modifying the Map Report results in loading the Advanced Search page forever for cross-reference and leveled applications.
Search and Search Results	ARCHER-69750	The Indexing Service does not respect the specified Content Batch Size parameter from the configuration file.
Search and Search Results	ARCHER-94530	The Sum row is automatically hidden in the Advanced Search Results page because Inline Edit is activated by default.

Search and Search Results	ARCHER-94687	When the Filter By pane is activated in the Advanced Search Results page, the Sum value of numeric fields are not updated.
Search and Search Results, Usability	ARCHER-89127	Horizontal scroll bar does not appear when manually resizing columns on the Search Results screen beyond the screen width.
Search and Search Results; Workspaces, Dashboards and iViews	ARCHER-97037	The EQUALS filter fails to return content when the field value contains an ampersand.
Section 508	ARCHER-106450	If a workspace does not include a dashboard, the screen reader does not narrate the Option Menu on the workspace home page.
Services	ARCHER-115309	Missing URL ACL's for core service and ops risk service.
Solutions, User Admin and Preferences, User Profile	ARCHER-77184	Users cannot paste text into back-office text area fields in the Microsoft Edge browser.
UI	ARCHER-69076	If a date selector is open and user tries to scroll the page, the date selector begins to scroll.
User Admin and Preferences	ARCHER-65417	On some front office pages, the Tab key may not focus on or open a tooltip icon as expected.
User Profile	ARCHER-76420	In Internet Explorer 11, using the keyboard command Ctrl+V to paste text that is 3,500 characters or longer into some back-office text areas results in the browser becoming unresponsive. <b>Workaround:</b> Right-click inside the text area, then click Paste.
Workflow (AWF)	ARCHER-103656	When designing the advanced workflow for a module, the Update Content node text field does not reflect the text when users type in the field.
Workflow (AWF)	ARCHER-47401	When working in the Advanced Workflow builder, interacting with the process or node properties pane causes the pane to scroll to the top, which makes configurations difficult to control.
Workflow (AWF)	ARCHER-55655	Orphan tasks that are in progress cannot complete after restarting Advanced Workflow.
Workspaces, Dashboards and iViews	ARCHER-101965	When General Users use the Advanced Search Quick Link, they receive an error.
Workspaces, Dashboards and iViews	ARCHER-102487	When creating a Global Landing page iView, adding a new configuration does not display Standard and Custom options. <b>Workaround:</b> - Back Office: iViews - Front Office: Add iView Content
Workspaces, Dashboards and iViews	ARCHER-116763	User cannot clear the background image of Landing Page iViews.
Workspaces, Dashboards and iViews	ARCHER-41794	Users with Create, Read, Update, and Delete rights to global dashboards from the Administration menu cannot edit global dashboards in the end-user interface.
Workspaces, Dashboards and iViews	ARCHER-76293	The Add New Personal Dashboard drop-down option fails to open after other drop-down options have been opened.
Workspaces, Dashboards and iViews	ARCHER-76294	In Mozilla Firefox, in the dashboard header Options menu, previously selected options remain highlighted.
Workspaces, Dashboards and iViews	ARCHER-87843	An unexpected error occurs when attempting to add a Quick Reference Link for the Job Monitor feature to any Workspace or administrator page.
Workspaces, Dashboards and iViews	ARCHER-96097	When adding a new video iView or editing an existing video iView to a dashboard, the new video iView does not load. There is no workaround at this time; however, a fix will be available in an upcoming patch release.
Workspaces, Dashboards and iViews	ARCHER-96810	When users select the help icon within the Manage Workspaces page, the displays an incorrect help page.
Workspaces, Dashboards and iViews	CE-5463	Users cannot clear the Primary Graphic when modifying a Global Search iView.