

# Archer® Suite

Version 6.13 and Later

**Release Notes** 

© 2020 - 2023 Archer Technologies. All Rights Reserved.	
C 2020 / Weller reciliologics. / Writights reserved.	
Davisad, Cantambay 2000	
Revised: September 2023	

# Fixed Issues in Release 6.13.0.2.2

This section is a cumulative list of issues that have been fixed in the current release.

Component	<u>Issue</u>	<u>Description</u>
Content Save and Delete	CE-120525	After upgrading to 6.13.0.2, the history log field configuration when set to track all fields was treated as untracked fields, thus the history of those fields was deleted.
Content Save and Delete	CE-120530	The History log cleanup process is not retaining history log if an exception is configured for one history log field and tracked in another.
Data Driven Events	CE-120481	When an Apply Conditional Layout Data-Driven Event triggers, the focus shifts to a different tab or section on the record page.
Data Feeds	CE-120010	Data feeds configured to attach files from the File Repository to multiple records fail in S3 enabled environments.
Data Feeds	CE-120025	Terminated data feed jobs lose their next scheduled occurrence.
Export	CE-120512	When exporting a record to PDF, RTF, or HTML, images are not properly embedded in SaaS/Hosted instances.
Notifications	CE-120501	Archer sends notifications to all possible recipients in group Record Permission fields, instead of only to the users with the correct Record Permissions.
Record Page	CE-120491	After a DDE (Data-Driven Event) triggers the Apply Conditional Layout action, the focus shifts to a different tab or section on the record page.
Workflow (AWF)	CE-120478	Advanced Workflow Rollback Points are missing after upgrading to 6.13 P2 and new ones are not created.

### Fixed Issues in Release 6.13.0.2.1 (SaaS Only)

This section is a cumulative list of issues that have been fixed in the current release.

<u>Component</u>	<u>Issue</u>	<u>Description</u>
Authentication, SAML	CE-120505	Unable to Login via SAML SSO using the OLD domain URL when customers perform domain migration.

# Fixed Issues in Release 6.13.0.2

This section is a cumulative list of issues that have been fixed in the current release.

Component	Issue	Description
Access Control		When accessing the Access Roles page for the first time, a prompt to save will appear.
Access Control: Reports, Export		When exporting the 'User Accounts All' report in CSV and PDF formats, Japanese characters display with incorrect formatting.
ACR, Mgmt & System Reports		The Archer Configuration Report repeats the top 10 Field Histories.
API (Web, Rest, other), Content API		The Content API request returns zero if a numerical field is empty.
Air (wes, nest, other), content Air	CL 120103	The content At Trequest retains zero if a numerical field is empty.
Appearance		The record page shows supporting information for the value list field before selecting a value.
Application Builder	CE-120182	Formula Editor shows functions in different colors for lower case versus upper case
Application Builder	CE-120201	Field dependencies were displaying all languages for each dependency.
Application Builder	CE-120203	The values lists in the formula editor were not sorted correctly.
Application Builder	CE-120218	When sorting is configured, the 'Save Properties' option is enabled on the cross-reference field properties page, and an unsaved changes warning appears when the user navigates away
Application Builder	CE-120246	The tracking ID type field was not selectable as a sorting criteria in the 'Grid Display Properties' of Cross Reference.
Application Builder		References to images were mistakenly removed in a limited subset of text boxes where only an image was present.
Application Builder, Calculated Cross References		When selecting over 1000 references for a calculated cross reference field, a warning message appears indicating that the maximum limit is 1000.
Application Builder, Calculations	CE-120169	In the Application Builder, the 'Begin Time' of the Recalculation schedule under the Calculation Tab would disappear if the browser language was set to a language other than English.
Application Builder, Calculations	CE-120224	If Appointment application includes multiple Scheduler fields, any calculated fields with formulas that contain Scheduler fields display incorrect values.
Application Builder, Questionnaires	CE-120258	The Campaigns Due Date does not accept the date value if the User's local format is not in US format.
Application Builder, Questionnaires, Record Permissions	CE-118638	A Cross Reference field cannot be deleted when there are any inherited record permission fields pointing to the referenced application even though there are other Cross Reference fields pointing to the same application.
Application Builder, UI	CE-120256	When a word is misspelled in the rich-text editor, no spelling suggestions are provided to correct the spelling.
Calculated Cross References	CE-120234	An unhandled exception occurs when attempting to create a record in the Control Procedures application.
Data Driven Events	CE-119770	Cross reference fields incorrectly trigger 'No Selection' DDE rules when they should not.
Data Driven Events	CE-120122	When an ACL action is configured to display a section within a tab, it only displays correctly for the first tab, but not for subsequent tabs.
Data Driven Events	CE-120126	Cross reference fields incorrectly trigger 'No Selection' DDE rules when they should not.
Data Feeds		When running a data feed that generates a significant number of warnings, the details of the warnings are not displayed.
Data Feeds	CE-120192	When trying to save a JavaScript data feed with a ClientID and Client Secret parameter exceeding 27 characters in the 'Protected' type, an error is thrown.
Data Import	CE-120021	When attempting to import a cross-reference field in a sub-form, it fails to import if the cross-reference is referencing itself.
Embedded Image	CE-119721	When switching tabs before saving, images are missing from image fields, and subsequently, the text area image fails to save after a File Repository cleanup.
Export, Globalization and Localization	CE-120217	The exported globalization report is missing columns E to H.

Globalization and Localization	CE-120268 The Global Values List of Values Popup type does not display results for non-native locale users.
Multilingual, Record Page	CE-120074 The hierarchical values list of Values popup display type shows the child values in English instead of the user's language.
Notifications	CE-119984 The default notification settings from the alias are not applied unless manually entered.
Notifications	CE-120165 When sending notifications from the same template to the same user in the 'To' field and another user in the 'CC' field, the CC recipients were incorrect.
Notifications	CE-120243 Users are unable to change the access of on-demand notifications from private to public.
Performance	CE-120302 Enhanced Global Navigation Menu stored procedure update causes performance degradation.
Questionnaires	CE-120231 Inactive Fields are available for selection in questionnaire campaign Target Generation Conditions
Questionnaires, Record Page	CE-120281 Duplicate values are added when using bulk operations to add values to a values list.
Record Page	CE-120161 When a non-sysadmin user attempts to edit the values list, an unexpected error is thrown.
Record Page	CE-120289 When editing a record, the date field value disappears if the field display type is changed.
Reports	CE-120221 The Statistical Report Drill Down throws an unexpected error caused by private field permissions within the Cross-Reference.
UI	CE-120191 The contrast ratio between foreground and background colors on the record page is incorrect.
UI	CE-120210 The data import configuration page displays incorrect Portuguese translation.
Workspaces, Dashboards and iViews	CE-119411 The presence of unlicensed solutions is causing the workspace configuration page to crash.
Workspaces, Dashboards and iViews	CE-119719 Filtering criteria is blank within Graphic Selector when edit an iView and click in the Description field.
Workspaces, Dashboards and iViews	CE-120077 The linked lists iView is set to embed in the existing window, but the URL is opening in a new window.

### Known Issues in Release 6.13.0.2

This section lists reported issues that remain unresolved as of the latest release. Wherever a workaround is available, it is noted or referenced in detail. For many of the workarounds in this section, you must have administrative privileges.

<u>Component</u>	<u>Issue</u>	Reported Version	<u>Description</u>
Access Control	ARCHER-135350	6.8	A proper message is not displayed when a non Admin user accesses the links to the backoffice pages through iView & Quicklinks.
Access Control	ARCHER-131163	6.9.3.3	On the Manage Users page, when Japanese locale administrators filter the Status column with multiple selections, an exception is thrown.
Access Control	ARCHER-101965	6.9.0.2	When General Users use the Advanced Search Quick Link, they receive an error.
Access Control, API (Web, Rest, other), Web API suite	ARCHER-137109	6.13, 6.13.0.1	When Advanced Workflow Actions by email is enabled, the webservice API fails to update the user information.
Access Control, Reports	ARCHER-130315	6.12, 6.12.0.4	For General users with CRUD access to the Application Report, the New Report button is greyed out.
Access Control: LDAP	ARCHER-123342	6.11	Users must click "Get Attributes" every time they encounter "No Attributes Found" or empty attribute lists in the LDAP configuration.
Appearance	ARCHER-110841	6.9.2	When changing the menu background color, the text color is changed to reflect in the warning modals.
Application Builder	ARCHER-135826	6.13.0.1	In Automatic Record Permissions fields, after rules are configured and Users/Groups added, the Users/Groups configuration must include a minimum of 1 User/Group.  Workarounds: 1. Once the Users/Groups configuration of the rule is populated, that configuration must include at least 1 entry. 2. Delete the Rule and create a new rule with the desired Rule > Users/Groups configuration.
Application Builder	ARCHER-133527	6.11.0.3 <i>,</i> 6.13	Users and Groups are grouped together in the selection section when more users and groups are selected.
Application Builder	ARCHER-133525	6.11.0.3 <i>,</i> 6.13	If there are large numbers of users with similar name, grouping is displayed for each character of the name.
Application Builder	ARCHER-132632	6.12, 6.12.0.5	Expanding the Scheduler field enables the "Save Properties" and "Discard Changes" buttons, even if no changes were made.
Application Builder	ARCHER-132483	6.11.0.3 <i>,</i> 6.12.0.5	In Values Lists fields, the image given in the description of the value is not saved.
Application Builder	ARCHER-131137	6.10.0.2, 6.9.3.1	When users update their Archer license, the Licensing Information page displays inaccurate Use Case information.  Workaround:  Perform iisreset to recover the correct information.
Application Builder	ARCHER-130829	6.11.0.3 <i>,</i> 6.12.0.4	In the Advanced Search page of applications, the greater than > and less than < characters are encoded.
Application Builder	ARCHER-130828	6.11.0.3 <i>,</i> 6.12.0.4	In Application Builder, in the Properties panel -> Default Search section, the greater than > and less than < characters are encoded
Application Builder	ARCHER-130827	6.11.0.3 <i>,</i> 6.12.0.4	In Application Builder, in the Calculations tab, the greater than> and less than< characters are encoded.
Application Builder	ARCHER-130826	6.11.0.3 <i>,</i> 6.12.0.4	In Application Builder, in the Advanced workflow tab, the greater than > and less than< characters are encoded.
Application Builder	ARCHER-129999	6.11.0.2.4, 6.12.0.3	In the Related Record Lookup Configuration page, after sorting the content and saving the page, the save prompt persists.
Application Builder	ARCHER-123532	6.11	In the Answer List, Display Rules, and Campaigns tabs, users need to click the Save or Discard buttons before performing any other actions such as Search, Filter, or Navigate away.
Application Builder	ARCHER-123435	6.10.0.2	In Calculated Cross Reference field Matching Filters, the "Field Value Contains Depth" Values do not show all levels for a hierarchical values list.
Application Builder	ARCHER-119181	6.9.3.3	On the Modules listing page, grouping occurs by page instead of by the entire results set.
Application Builder, Data Driven Events	ARCHER-138148	6.12.0.6.1, 6.13.0.2	When updating the rule for a Users/Group or Record Permission field, the operator 'Changed From' changes to 'Equals'.
Application Builder, Globalization and Localization	ARCHER-130951	6.12, 6.12.0.4	In Application Builer, the Matrix Field Configuration Column Axis Selection is not translated.

Application Builder, React Common Component(s)	ARCHER-130705	6.11.0.3, 6.12.0.3, 6.12.0.3.1, 6.12.0.4	In Application Builder, when creating and saving new Layout Objects, the Properties panel becomes blank.
Application Builder, Record Page	ARCHER-131117	6.12.0.4	The Greater Than > AND Less Than < symbols are encoded in field properties.
Application Builder, Record Page	ARCHER-127449	6.11.0.2.4, 6.12, 6.12.0.1	The maximum value for Record Permissions fields do not trigger validation properly when the criteria is not met.
Application Builder, Record Page	ARCHER-70083	6.6.0.2	For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users.
Bulk Operations	ARCHER-96461	6.9	In Bulk Actions, when users configure internal calculated cross references, in the Group By option, they have to choose the number of fields in the Field Value Expression during the initial configuration. If users attempt to add or modify fields after saving the Bulk Action, the Bulk Action is not updated.  Workaround:  Delete the existing Bulk Action, create a new Bulk Action, and add all required fields when initially configuring the Action.
Bulk Operations	ARCHER-76594	6.7	The Calculation Editor, available when using the Calculated Operator In Bulk Create Reference Actions, does not correctly throw validation errors when invalid characters are included in formulas. The inclusion of these invalid characters will cause the formula to not save. To save the formula, make sure it does not include any of the following characters: "\"<>/"&"\"<>/"
Bulk Operations	ARCHER-41838	6.3	If any of the records selected for Bulk Delete have already been deleted, Bulk Delete fail
Bulk Operations	ARCHER-41779	6.3	Users cannot add the Manage Schedule link to the Quick Reference tab
Bulk Operations	ARCHER-41442	6.3	When searching by username for inactive users on Schedule Actions, inactive users display in the search results.
Charts and Graphs	ARCHER-129859	6.11.0.3, 6.12.0.3	Full Stacked, Stacked, and Logarithmic graphs do not display zero counts in entries.
Charts and Graphs	ARCHER-123180	6.11	On mouseover, the transparency of the bubbles is reduced.  Workaround:  To improve the bubble text transparency, refresh the chart.
Charts and Graphs, Section 508	ARCHER-128640	6.12.0.2	The screen reader announces the Display Option and Chart types list as a link instead of a list or dropdown.
Common ExtJs components, React Common Component(s), UI	ARCHER-131148	6.11.0.2	The Column Header may not always appear when users navigate through various Back Office pages.
Data Driven Events	ARCHER-131149	6.9.2.2	When applications are copied, Matrix field values in DDE Rules are removed.
Data Feeds	ARCHER-131150	6.10.0.2	When imported Data Feeds are saved with monthly schedules, an exception is thrown.  Workaround:  Save the feeds with a Daily or Weekly schedule first, change it to a Monthly schedule, and Save.
Data Feeds	ARCHER-111874	6.9.2	,
Data Feeds	ARCHER-48616	6.4	When running a data feed using XSLT 3.0, if the Archer environment does not have internet access, it cannot validate the DTD and gives an error.  Workaround:  When running data feeds using XSLT 3.0, verify that your Archer environment has internet access
Data Feeds	ARCHER-47727	6.4	When a large source file is added to the Source Definition tab, an exception occurs.
Data Feeds, Data Import	ARCHER-128120	6.1, 6.12.0.1	Users cannot import data into Record Permissions field if user middle names include spaces.
Data Feeds, React Common Component(s)	ARCHER-127753	6.11.0.2.4, 6.12, 6.12.0.1	The Optimize Calculations option is exposed on the React version of the Manage Data Feeds page even when the option is disabled in the Archer Control Panel.
Data Gateway	ARCHER-85815	6.8	Connections must be deleted prior to deleting the associated target.  Workaround:  Delete connections first, then the associated target.
Data Import	ARCHER-40928	6.3	A faulted data import erroneously lists the number of records in the file as having been created, when in fact it created none

			The following Archer 6.13 Help topics include content updated for Archer 6.13.0.2, but the updated content is in English only:
Documentation	ARCHER-137331	6.13.0.1	6.13 Platform Help: - "Adding History Log Fields" - "Engage" - "Mail Merge Syntax" - "Exporting Records Mail Merge Method" - "Exporting Records Standard Method" - "Mapping Engage Fields"  6.13 Platform Help Topics removed: - "Configuring Engage" - "Mapping Engage Fields"  6.13 Archer Control Panel Help: - "Instance Configuration Settings" - "Configuring an Instance to use Global Navigation"  Engage Help: - "Configuring an Application or Questionnaire for Engage"
			- "Publishing Content Using the Engage Tab"
Documentation	ARCHER-136201	6.13.0.1	The following Archer 6.13 Help topics include content updated for Archer 6.13.0.1, but the updated content is in English only:  6.13 Platform Help:  - "Adding Scheduled Report Distributions"  - "Calculated Fields"  - "Enabling Automatic Generation of Findings for Questionnaires"  - "Using the Report Listing"  - "Saving and Viewing Reports"  - "Preparing the Servers"  6.13 Archer Control Panel Help:  - "Configuring an Instance for Single Sign-on"  The following Archer 6.13 Platform Help topics in the Restful API help have been re-categorized from Metadata to under User Management, but in the English version only. The content of the topics remain the same and is available in the translated versions of the Archer 6.13 Platform Help under the MetaData section.  - "User Segment"  - "Group Segment"  - "Role Segment"
Export	ARCHER-48267	6.3.0.1	On exported PDF records, field names including Japanese and/or Chinese characters are not displayed properly. This only occurs when user locale language and language used for field names are different.
Field Encryption	ARCHER-136987	6.13.0.1	If the field encryption job is not queued in the ACP System Jobs, the user must manually queue it for the first time.
Global Print and Export, Print and Export	ARCHER-118164	6.9.2.2	When users export record content to RTF format, the exported file does not include the RTF Template from Global Print and Export settings.
Keyboard Navigation, Reports, UI, WCAG 2.1	ARCHER-90536	6.8.0.1	In Google Chrome, choosing a report in Related Report using the TAB key traverses through all elements.
Notifications	ARCHER-136254	6.12.0.4	When a user creates a global report and the user is set to inactive and their roles are removed, the report sent part of the Scheduled Report Distribution notification is empty.
Notifications	ARCHER-131154	6.11	This note is applicable only if authentication is disabled at the SMTP server.  In Archer 6.11 and later, to send emails, in the ACP, if authentication is disabled at the SMTP server, clear the Authentication checkbox.
Notifications	ARCHER-111561	6.9.2	On Demand Notifications hide table borders and colors.

Notifications	ARCHER-111139	6.9.2	The slider option in the new color picker does not update the Hex or the RGB color codes in the first attempt. The color code values are only updated when users select specific colors from the pallette.
Offline Access	ARCHER-135349	6.9.2.1, 6.9.2.2	User is unable to load little Archer Home page after offline sync.
Offline Access	ARCHER-88885	6.8	When a user is logged into the Archer user interface on the client machine and encounters an offline record conflict, the taskbar tray presents a selection option called Resolve Conflict. The Resolve Conflict selection option is inoperable.  When a user is logged into the Archer user interface on the client machine and must restart record synchronization, the taskbar tray presents a selection option called Restart Sync. The Restart Sync selection option is inoperable.
Offline Install	ARCHER-58656	6.5	When users upgrade Archer Offline access from a version pre-6.5 to 6.5 or later, the offline installer does not update the SQL Server 2012 LocalDB to SQL Server 2017 LocalDB and also the registry key. As a result, the offline access sync does not complete.
Offline Sync	ARCHER-135347	6.12.0.2	The 6.12.0.2 Offline Sync fails with the error "Bulk load data conversion error".
Offline Sync	ARCHER-131155	6.10.0.2	The first sync of the Offline fresh install throws a Null reference error.
Packaging, Workflow (AWF)	ARCHER-132775	6.12, 6.12.0.5	When the package is installed by the default administrator, an exception is thrown in the workflow.
Questionnaires	ARCHER-134127	6.13	In the Safari and Firefox browsers, in Questionnaires, the question name and question text display are not aligned, both in record View and Edit modes.
Questionnaires	ARCHER-55683	6.4.1.1	In a Questionnaire configuration, creating a campaign with the same name as an existing campaign generates an error.
Record Page	ARCHER-138608	6.13.0.2	When accessing the environment using dual vanity URL, the image configured in the Advanced Formatting options is not displayed.
Record Page	ARCHER-135353	6.9.0.2	When users select an option from the Target field drop-down in the Findings application, the ellipses to open the Record Lookup is not available for all options in the Target field.
Record Page	ARCHER-133143	6.11.0.3, 6.12.0.1, 6.12.0.5, 6.13	In the View mode of record pages, when Values Lists values contain the character "<" and images, the image appears as the encoded characters (&It).
Record Page	ARCHER-132479	6.12, 6.12.0.5	Saving and Closing records throw an exception if Record Permission fields have a user name with a double quote (").
Record Page	ARCHER-129771	6.11.0.3, 6.12.0.3	Numeric Key Fields containing specific styles such as color cause encoding display issues.
Report Listing	ARCHER-128126	6.12, 6.12.0.1	On the Reports Listing page, when users click the Edit option, the associated application's default Advanced Search page opens instead of the selected report's Advanced Search page.
Report Listing	ARCHER-126676	6.12	On the Reports Listing Page, users cannot select applications using keyboard actions.
Report Object	ARCHER-136202	6.13, 6.13.0.1	Expanding the report selection in Report Object properties is throwing exception.
Report Object	ARCHER-132670	6.11.0.3, 6.12, 6.12.0.5	Report Object properties can be saved even if the required values in the filter condition are not provided.
Report Object	ARCHER-123347	6.10.0.2	If other Display Configurations are modified in Report Objects, users cannot select the Display option to Display Custom Object while Viewing or Editing the record.
Reports	ARCHER-131357	6.12, 6.12.0.4	Sharing and promoting reports to the Everyone group displays an unexpected error.
Reports	ARCHER-67154	6.6	Modifying the Map Report results in loading the Advanced Search page forever for cross-reference and leveled applications
Search and Search Results	ARCHER-135352		When the Filter By pane is activated in the Advanced Search Results page, the Sum value of numeric fields are not updated.
Search and Search Results	ARCHER-135351	6.8.0.3	The Sum row is automatically hidden in the Advanced Search Results page because Inline Edit is activated by default.
Search and Search Results	ARCHER-129857	6.11, 6.11.0.3, 6.12.0.3	In the Advanced Search Configuration, users cannot clear the Enforce Relationships Checkbox.  Workaround:  Hover over the Enforce Relationships checkbox and click the Space bar on the keyboard.
Search and Search Results	ARCHER-128100	6.12, 6.12.0.1	If cross-reference fields are configured with the Display Control as Single Column and the Display in data level tree structure option is selected, then the values of the cross-reference fields on search results pages are not displayed in a tree structure in the first attempt. If the report format is changed to Row/summary and then changed back to the default report format of Column Hierarchical, then the fields are displayed correctly.
Search and Search Results	ARCHER-125267	6.11	In Advanced Search Filter Criteria, finding users for the Users Group Field also displays the matching usernames.
Search and Search Results	ARCHER-125223	6.11	In Search Results pages, the Manage Columns option keeps attempting to load if reports have an empty Task Management cross-reference field.

Search and Search Results	ARCHER-56179	6.4.1.1	Count drill-in when sorting by a Values List value that is in the 2nd or more level does not display results.
Search and Search Results, Workspaces, Dashboards and iViews	ARCHER-97037	6.9	The EQUALS filter fails to return content when the field value contains an ampersand.
Section 508, Workspaces, Dashboards and iViews	ARCHER-106450	6.9.1.2	If a workspace does not include a dashboard, the screen reader does not narrate the Option Menu on the workspace home page.
Session	ARCHER-13566	6	Some user activity on an Archer webpage does not properly reset the session timeout, causing the warning message to appear randomly.
UI	ARCHER-132943	6.12, 6.12.0.5	Each time users click the image graphic selector, Archer displays the images in a different order.
Workflow (AWF)	ARCHER-131917	6.11.0.3, 6.12.0.5	When users recreates the transition rule for the Evaluate Content node, the previously deleted rule name is prepopulated in the Rule Designer.
Workflow (AWF)	ARCHER-131916	6.11.0.1, 6.12.0.5	Depending on the date, Advanced Workflow logs are not rolled over into a new log file.
Workflow (AWF)	ARCHER-55655	6.4.1.1	Orphan tasks that are in progress cannot complete after restarting Advanced Workflow.
Workflow (AWF)	ARCHER-47401	6.4	When working in the Advanced Workflow builder, interacting with the process or node properties pane causes the pane to scroll to the top, which makes configurations difficult to control
Workspaces, Dashboards and iViews	ARCHER-137042	6.13.0.1	When the environment is accessed using a dual vanity URL, images attached to text area fields do not load as expected.
Workspaces, Dashboards and iViews	ARCHER-135315	6.11.0.4, 6.12.0.6.1, 6.13	When a Classic dashboard is set as home, the dashboard name is not displayed in the toaster message
Workspaces, Dashboards and iViews	ARCHER-130971	6.11.0.3, 6.12.0.3, 6.12.0.4	Dashboards that include Report iViews with Admin Reports fail to export.
Workspaces, Dashboards and iViews	ARCHER-116763	6.9.2.2	User cannot clear the background image of Landing Page iViews.
Workspaces, Dashboards and iViews	ARCHER-96097	6.9	When adding a new video iView or editing an existing video iView to a dashboard, the new video iView does not load.
Workspaces, Dashboards and iViews	ARCHER-76294	6.7	In Mozilla Firefox, in the dashboard header Options menu, previously selected options remain highlighted.
Workspaces, Dashboards and iViews	ARCHER-41794	6.2.0.6	Users with Create, Read, Update, and Delete rights to global dashboards from the Administration menu cannot edit global dashboards in the end-user interface.

# Fixed Issues in Release 6.13.0.1.3

This section is a cumulative list of issues that have been fixed in the current release.

Component	<u>Issue</u>	<u>Description</u>
Questionnaires	CE-120358	In Questionnaires, when the Edit page is opened, DDEs fire the Set Values List actions.
Record Page	CE-120360	Users cannot access certain Application records that contain text fields with relative URLs.

# Fixed Issues in Release 6.13.0.1.2

This section is a cumulative list of issues that have been fixed in the current release.

<u>Component</u>	<u>Issue</u>	<u>Description</u>
Application Builder, HTML Sanitizer, Notifications	CE-120341	CSS Styling in HTML for Tables, Background Colors, and Fonts in Notifications is removed after a Save.
View Mode (Record)	CE-120343	An unexpected error occurs in View Mode of a Record when a hash link ( <a href="#"></a> ) is used in a text fied.

# Fixed Issues in Release 6.13.0.1.1

This section is a cumulative list of issues that have been fixed in the current release.

Component	<u>Issue</u>	<u>Description</u>	
Application Builder	CE-120284	References to images were mistakenly removed in a limited subset of text boxes where only an image was present.	
Database, Performance	CE-120336	Global Navigation menu takes longer to load post upgrade to 6.13.0.1.	

# Fixed Issues in Release 6.13.0.1

This section is a cumulative list of issues that have been fixed in the current release.

Component	<u>Issue</u>	<u>Description</u>		
Access Control: Reports	CE-120054	If the Security Events Report exceeds 10,000 records, exporting the report does not display all data.		
Access Control, API (Web, Rest, other), Web API suite	CE-119547	Updating the username using the Web Services API fails when the Advanced Workflow Actions By Email option is enabled.		
Application Builder, User Profile	CE-120189	For Portuguese locale users, the translation of the Include All Groups option is incorrect.		
Application Builder	CE-120086	Record page displays inactive required fields.		
Application Builder, Questionnaires	CE-120068	In Application Builder, users experience slowness when editing Question fields in Questionnaires.		
Application Builder, Calculations	CE-119574	If applications include multiple Scheduler fields, any calculated fields with formulas that contain Scheduler fields display incorrect values.		
Charts and Graphs	CE-120111	Changing the order of values on heat maps by sorting the axes does not work.		
Database	CE-119185	Even though field encryption is not enabled in the Archer Control Panel, the EncryptedFieldHistoryDataToggleActivity job runs, and consumes resources from the SQL Server.		
Database, Performance	CE-119827	Opening or saving Bulk Action Schedules takes between 15-30 seconds.		
·	CE-119827 CE-119857			
Data Feeds Data Feeds	CE-119837 CE-120139	When data feeds update the field content on several records that include same value, the system stops responding.  In data feeds, when saving any changes, the start time in the Run Configuration tab increases or decreases by one day.		
	CE-120139 CE-120141	Case sensitivity of usernames causes data imports to fail with the error "The data feed failed validation".		
Data Import	CE-120141 CE-119859	When reports are exported into PDF format, data in the last column is not displayed properly.		
Export	CE-119859 CE-120057	Italian locale users cannot export records in all formats.		
Export	CE-120037 CE-120093			
Export	CE-120093	Exported History Logs that include Date fields display the incorrect date.		
FileUploader, Packaging	CE-120041	The File Upload Window in the Package Install page does not provide a visual indicator that an upload is in progress and allows users to repeatedly start additional uploads until the initial upload is complete.		
Globalization and Localization	CE-119943	Date pickers for non-US locale users display content in the US locale.		
Globalization and Localization, Multilingual	CE-119635	On record pages with text area fields, the Paste Formatting Options help text appears only in English, despite the user locale.		
Management & System Reports	CE-120033	The Archer Configuration Report displays deleted users in the Configuration/Content Administrators columns.		
Master Report Listing, Reports, UI	CE-119639	After upgrading to Archer 6.12.0.1, the Reports Listing page does not function correctly in multiple places.		
Navigation, Record Page	CE-119549	In record pages, when users navigate between tab sections and navigate away from the record, the unsaved changes window does not appear.		
Notifications	CE-119422	In Letterheads, the header and footer have a character limit of 4000.		
Notifications	CE-119983	If accounts of users who created Global Reports are set to inactive, reports sent in Scheduled Distribution Report Notifications are empty.		
Notifications	CE-120092	Sent notifications include incorrect HTML.		
Notifications	CE-120130	When Application Notifications are saved with a blank filter row, an unexpected error occurs.		
Notifications	CE-120160	In Scheduled Report Distribution notifications, in the Content tab, users cannot search for report names with capitalized letters.		
Notifications	CE-120184	When opening a notification, an unexpected error occurs.		
Packaging	CE-119420	In Archer SaaS, after package installation, images inside textboxes search for the source environment company files.		
Packaging	CE-120088	If a value's GUID is already present in the DB, an error occurs during package installation while creating a Values List in an application.		

Questionnaires	CE-119930	Exported records display HTML tags( html ) even after selecting Exclude HTML formatting tags.			
Record Page	CE-120180	Opening a record in the Engagements application takes around one minute.			
Report Object, Reports	CE-119771	Report objects do not display the bottom of the reports, so users cannot view the record and page count.			
Report Object, Reports	CE-119798	Updating Report Object filters overwrites filters of the main Report.			
Reports	CE-119847	Users who are not owners of shared personal reports can modify the reports.			
Reports	CE-120047	When statistical reports return only one value, the legend color does not display the selected color.			
Security, Services	CE-119753	Modified UI login behavior for service account variance.			
UI	CE-120166	Elements that are on the same line as the Save and Discard buttons are not clickable.			
UI, Workflow (AWF)	CE-120059	The Advanced Workflow Action by email template footer text is incorrect.			
View Mode (Record)	CE-119558	On record pages, in text area fields, when users click deep links, Archer nests inside itself.			

### Known Issues in Release 6.13.0.1

This section lists reported issues that remain unresolved as of the latest release. Wherever a workaround is available, it is noted or referenced in detail. For many of the workarounds in this section, you must have administrative privileges.

<u>Component</u>	<u>lssue</u>	Reported Version	<u>Description</u>
Access Control	ARCHER-89007	6.8	A proper message is not displayed when a non Admin user accesses the links to the backoffice pages through iView & Quicklinks.
Access Control	ARCHER-131163	6.9.3.3.1	On the Manage Users page, when Japanese locale administrators filter the Status column with multiple selections, an exception is thrown.
Access Control, API (Web, Rest, other), Web API suite	ARCHER-137109	6.13, 6.13.0.1	Updating the user information using the Web Services API fails when the Advanced Workflow Actions By Email option is enabled.
Access Control, Reports	ARCHER-130315	6.12.0.4	For General users with CRUD access to the Application Report, the New Report button is greyed out.
Access Control: LDAP	ARCHER-123342	6.11	Users must click "Get Attributes" every time they encounter "No Attributes Found" or empty attribute lists in the LDAP configuration.
Appearance	ARCHER-13566	6.0	Some user activity on an Archer webpage does not properly reset the session timeout, causing the warning message to appear randomly.
Appearance	ARCHER-77830	6.7.0.1	Trending Chart data displays in the UI only after a second save.
Appearance	ARCHER-110841	6.9.2	When changing the menu background color, the text color is changed to reflect in the warning modals. There is no workaround at this time, however a fix will be available in an upcoming patch release.
Application Builder	ARCHER-115025	6.9.2.2	User can see < and > instead of < and > throughout Archer (Application Name, Solution Name, Workspace Name etc.).
Application Builder	ARCHER-119181	6.9.3.3	On the Modules listing page, grouping occurs by page instead of by the entire results set.
Application Builder	ARCHER-123435	6.10.0.2	In Calculated Cross Reference field Matching Filters, the "Field Value Contains Depth" Values do not show all levels for a hierarchical values list.
Application Builder	ARCHER-123532	6.11	In the Answer List, Display Rules, and Campaigns tabs, users need to click the Save or Discard buttons before performing any other actions such as Search, Filter, or Navigate away.
Application Builder	ARCHER-123924	6.11.0.1	When users delete Application Layouts, a warning message appears with the name of the Layout preceded with "\".
Application Builder	ARCHER-129999	6.11.0.2.4	In the Related Record Lookup Configuration page, after sorting the content and saving the page, the save prompt persists.
Application Builder	ARCHER-130705	6.11.0.3	In Application Builder, when creating and saving new Layout Objects, the Properties panel becomes blank.
Application Builder	ARCHER-130826	6.11.0.3	In Application Builder, in the Advanced Workflow tab, the greater than > and less than < characters are encoded.
Application Builder	ARCHER-130827	6.11.0.3	In Application Builder, in the Calculations tab, the greater than > and less than < characters are encoded.
Application Builder	ARCHER-130828	6.11.0.3	In Application Builder, in the Properties panel > Default Search section, the greater than > and less than < characters are encoded.
Application Builder	ARCHER-130829	6.11.0.3	In the Advanced Search page of applications, the greater than > and less than < characters are encoded.
Application Builder	ARCHER-130951	6.12	In Application Builder, the Matrix Field Configuration Column Axis Selection is not translated.
Application Builder	ARCHER-131117	6.12.0.4	The Greater Than > AND Less Than < symbols are encoded in field properties.
			When users update their Archer license, the Licensing Information page displays inaccurate Use Case information.
Application Builder	ARCHER-131137	6.9.3.1	Workaround:
			Perform lisreset to recover the correct information.
Application Builder	ARCHER-132483	6.11.0.3	In Values Lists fields, the image given in the description of the value is not saved.
Application Builder	ARCHER-132632	6.12	Expanding the Scheduler field enables the "Save Properties" and "Discard Changes" buttons, even if no changes were made.
			In the Record Lookup Configuration of cross-reference fields, the Save and Discard options always display when sorting is configured, and the unsaved
			changes popup appears when users navigate away.
Application Builder	ARCHER-133491	6.12	Workaround:
			- Click on Save to save the sorting changes.
			- Click on Discard if the unsaved changes popup appears while navigating away.
Application Builder	ARCHER-133525	6.11.0.3	If there are large numbers of users with similar name, grouping is displayed for each character of the name.
Application Builder	ARCHER-133527	6.11.0.3	Users and Groups are grouped together in the selection section when more users and groups are selected.
Application Builder, Attachments	ARCHER-131092	6.12	In Application Builder, in the Properties panel > Documentation section, attachment upload fails for files that are 0 Kb in size.
Application Builder, Record Page	ARCHER-70083	6.6.0.2	For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users.
Application Builder, Record Page	ARCHER-127449	6.11.0.2.4	The maximum value for Record Permissions fields do not trigger validation properly when the criteria is not met.
Archer Control Panel, Job Framework	ARCHER-135348	6.9.3.1.2	The "MaxThreadPerJobTypeMigrator" job fails on a Net-new Archer installation.
Bulk Operations	ARCHER-41442	6.3	When searching by username for inactive users on Schedule Actions, inactive users display in the search results.
Bulk Operations	ARCHER-41755	6.3	When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.
Bulk Operations	ARCHER-41779	6.3	Users cannot add the Manage Schedule link to the Quick Reference tab.

Bulk Operations	ARCHER-76594	6.7	The Calculation Editor, available when using the Calculated Operator In Bulk Create Reference Actions, does not correctly throw validation errors when invalid characters are included in formulas. The inclusion of these invalid characters will cause the formula to not save. To save the formula, make sure it does not include any of the following characters: "\"<>/"&"\"<>/"
Bulk Operations	ARCHER-41838	6.3	If any of the records selected for Bulk Delete have already been deleted, Bulk Delete fails.
Bulk Operations	ARCHER-96461	6.9	In Bulk Actions, when users configure internal calculated cross references, in the Group By option, they have to choose the number of fields in the Field Value Expression during the initial configuration. If users attempt to add or modify fields after saving the Bulk Action, the Bulk Action is not updated.  Workaround:  Delete the existing Bulk Action, create a new Bulk Action, and add all required fields when initially configuring the Action.
Calc Engine	ARCHER-129029	6.12.0.2	The Core Application Vulnerability Scan Results calculation fields error message displays an unhandled exception.
Calculated Cross References	ARCHER-128698	6.12.0.2	In cross-reference fields, when removing a filter from the Additional Filters, the filter condition is not applied, removing the field displays a dependence warning notice.
Charts and Graphs	ARCHER-123180	6.11	On mouseover, the transparency of the bubbles is reduced.  Workaround:  To improve the bubble text transparency, refresh the chart.
Charts and Graphs	ARCHER-128640	6.12.0.2	The screen reader announces the Display Option and Chart types list as a link instead of a list or dropdown
Charts and Graphs	ARCHER-129859	6.11.0.3	Full Stacked, Stacked, and Logarithmic graphs do not display zero counts in entries.
Common ExtJs Components, React Common Components, UI	ARCHER-131148	6.11.0.1.1	The Column Header may not always appear when users navigate through various Back Office pages.
Data Driven Events	ARCHER-131149	6.9.2.2	When applications are copied, Matrix field values in DDE Rules are removed.
Data Feeds	ARCHER-47727	6.4	When a large source file is added to the Source Definition tab, an exception occurs.
Data Feeds	ARCHER-48616	6.4	When running a data feed using XSLT 3.0, if the Archer environment does not have internet access, it cannot validate the DTD and gives an error.  Workaround:  When running data feeds using XSLT 3.0, verify that your Archer environment has internet access
Data Feeds	ARCHER-111874	6.9.2	If a text field or a text area contains a string which is included in angle brackets (ex: <test>), this string including the brackets gets removed with the update from an archer-archer data feed.</test>
Data Feeds	ARCHER-131150	6.10.0.1.1	When imported Data Feeds are saved with monthly schedules, an exception is thrown.  Workaround:  Save the feeds with a Daily or Weekly schedule first, change it to a Monthly schedule, and Save.
Data Feeds, Data Import	ARCHER-128120	6.10	Users cannot import data into Record Permissions fields if user middle names include spaces.
Data Feeds, React Common Components	ARCHER-127753	6.11.0.2.4	The Optimize Calculations option is exposed on the React version of the Manage Data Feeds page even when the option is disabled in the Archer Control Panel.
Data Gateway	ARCHER-85815	6.8	Connections must be deleted prior to deleting the associated target.  Workaround:  Delete connections first, then the associated target.
Data Import	ARCHER-40928	6.3	A faulted data import erroneously lists the number of records in the file as having been created, when in fact it created none.

			The following Archer 6.13 Help topics include content updated for Archer 6.13.0.1, but the updated content is in English only:
Documentation	ARCHER-136201	6.13	6.13 Platform Help: - "Adding Scheduled Report Distributions" - "Calculated Fields" - "Enabling Automatic Generation of Findings for Questionnaires" - "Using the Report Listing" - "Saving and Viewing Reports" - "Preparing the Servers"  6.13 Archer Control Panel Help: - "Configuring an Instance for Single Sign-on"  The following Archer 6.13 Platform Help topics in the Restful API help have been re-categorized from Metadata to under User Management, but in the English version only. The content of the topics remain the same and is available in the translated versions of the Archer 6.13 Platform Help under the MetaData section "User Segment" - "Group Segment"
			- "Role Segment"
Field Encryption	ARCHER-41772	6.3	The Self-Reference Calculation field can be marked for encryption. Encrypted fields cannot be used in calculations.  Workaround:  While editing the self-calculated field, if encryption related warning is shown, disable the encryption status, and then save the field.
Field Encryption	ARCHER-136987	6.13.0.1	If field encryption jobs are not queued in the Archer Control Panel System Jobs, users must manually queue the initial jobs.
Global Print and Export, Print and Export		6.9.2.2	When users export record content to RTF format, the exported file does not include the RTF Template from Global Print and Export settings.
Globalization and Localization	ARCHER-131151	6.11.0.1	For Chinese locale users, the Landing Page iView type is displayed in Spanish.
Globalization and Localization, Print and			On exported PDF records, field names including Japanese and/or Chinese characters are not displayed properly. This only occurs when user locale
Export	ARCHER-48267	6.3.0.1	language and language used for field names are different.
Inline Edit	ARCHER-41827	6.3	When a Hierarchical Values List field display is not set to drop-down, the last value does not display correctly.
keyboard_nav, Reports, UI, WCAG 2.1	ARCHER-90536	6.8.0.1	In Google Chrome, choosing a report in Related Report using the TAB key traverses through all elements.
keyboard_nav, Search and Search Results, Section 508, UI, WCAG 2.1	ARCHER-90950	6.8.0.1	In Microsoft Edge, users cannot select more than one value in the Refine By pane using the TAB key.
Login Home Page	ARCHER-128641	6.12.0.2	On the Archer User Login page, the screen reader announces the Login button as a login link.
Master Report Listing	ARCHER-126676	6.12	On the Reports Listing Page, users cannot select applications using keyboard actions.
Navigation	ARCHER-48703	6.4	After clicking a quick link that opens in a new window, the new window does not display correctly
Notifications	ARCHER-111139	6.9.2	The slider option in the new color picker does not update the Hex or the RGB color codes in the first attempt. The color code values are only updated when users select specific colors from the pallette.
Notifications	ARCHER-111561	6.9.2	On Demand Notifications hide table borders and colors.
Notifications	ARCHER-126951	6.12	For On-Prem customers, notifications will not be triggered if Password based authentication is selected in the Archer Control Panel for the mail server and if Archer is upgraded to version 6.12.  Workaround:  Save the instance notification settings in Archer Control Panel as soon as the Archer version is upgraded to 6.12.
Notifications	ARCHER-127313	6.12	When using data import for applications with Advanced Workflow Actions by Email enabled and with token-based authentication for the mail server, action emails are occasionally not sent.  Workaround:
Notifications	ARCHER-131154	6.11	In the Archer Control Panel, in the Notification section, change the "Number of retries" to 2.  This note is applicable only if authentication is disabled at the SMTP server. In Archer 6.11 and later, to send emails, in the ACP, if authentication is disabled at the SMTP server, clear the Authentication checkbox.
Offline Access	ARCHER-88885	6.8	When a user is logged into the Archer user interface on the client machine and encounters an offline record conflict, the taskbar tray presents a selection option called Resolve Conflict. The Resolve Conflict selection option is inoperable.  When a user is logged into the Archer user interface on the client machine and must restart record synchronization, the taskbar tray presents a selection option called Restart Sync. The Restart Sync selection option is inoperable.
Offline Access	ARCHER-114914	6.9.2.1	User is unable to load little Archer Home page after offline sync.
			The state of the s

			When users upgrade Archer Offline access from a version pre-6.5 to 6.5 or later, the offline installer does not update the SQL Server 2012 LocalDB to SQL Server 2017 LocalDB and also the registry key. As a result, the offline access sync does not complete.  Workaround:
000			Uninstall SQL Server LocalDb manually, and also delete a key from the registry using the Registry Editor in order to upgrade a client that previously had Offline Access installed on it.
Offline Install	ARCHER-58656	6.5	
			The registry key depends on unique IDs and user names, but will look similar to the following example:  Computer\HKEY_CURRENT_USER\Software\Microsoft\Microsoft SQL Server\UserInstances\{0A643155-0194-4FCF-84D3-FA5DF16E36B1}
			The key that needs to be removed will have a DataDirectory value similar to the following:
			C:\Users\usernameGoesHere\AppData\Local\Microsoft\Microsoft SQL Server Local DB\Instances\OfflineArcher
Offline Sync	ARCHER-131155	6.10.0.2	The first sync of the Offline fresh install throws a Null reference error.
Offline Sync	ARCHER-135347	6.12.0.2	The 6.12.0.2 Offline Sync fails with the error "Bulk load data conversion error".
Packaging, Workflow (AWF)	ARCHER-132775	6.12	When the package is installed by the default administrator, an exception is thrown in the workflow.
Questionnaires	ARCHER-55683	6.4.1.1	In a Questionnaire configuration, creating a campaign with the same name as an existing campaign generates an error.
Questionnaires	ARCHER-134127	6.13	In the Safari and Firefox browsers, in Questionnaires, the question name and question text display are not aligned, both in record View and Edit modes.
Record Page	ARCHER-102102	6.9.0.2	When users select an option from the Target field drop-down in the Findings application, the ellipses to open the Record Lookup is not available for all options in the Target field.
Record Page	ARCHER-129771	6.11.0.3	Numeric Key Fields containing specific styles such as color cause encoding display issues.
Record Page	ARCHER-131157	6.11.0.1	The clear button on the DDE Event Analyzer is preceded by the symbol '>'.
Record Page	ARCHER-133143	6.11.0.3	In the View mode of record pages, when Values Lists values contain the character "<" and images, the image appears as the encoded characters (<).
Record Page, Record Permissions	ARCHER-132479	6.12	Saving and Closing records throw an exception if Record Permission fields have users whose names include special characters.
Report Object	ARCHER-123347	6.10.0.2	If other Display Configurations are modified in Report Objects, users cannot select the Display option to Display Custom Object while Viewing or Editing the record.
Report Object	ARCHER-131104	6.12.0.4	When updating the values for a filter condition in Report Objects, the filter operator also changes.
Report Object	ARCHER-132670	6.11.0.3	Report Object properties can be saved even if the required values in the filter condition are not provided.
Reports	ARCHER-131357	6.12	Sharing and promoting reports to the Everyone group displays an unexpected error.
Reports, Search and Search Results	ARCHER-77917	6.7.0.1	In a leveled application, the order of the levels selected for a report's Manage Columns is not maintained.
Reports; Workspaces, Dashboards and iViews	ARCHER-130922	6.12.0.4	When Dashboards that include reports with HTML are exported in PPTX or PDF format, the export displays the HTML source code
Search and Search Results	ARCHER-56179	6.4.1.1	Count drill-in when sorting by a Values List value that is in the 2nd or more level does not display results.
Search and Search Results	ARCHER-65661	6.6	When an application has 8,000 or more records, if the standard PIN type is changed to the custom type by Value, the browser occasionally closes while opening a Map Report.
Search and Search Results	ARCHER-67154	6.6	Modifying the Map Report results in loading the Advanced Search page forever for cross-reference and leveled applications
Search and Search Results	ARCHER-94530	6.8.0.3	The Sum row is automatically hidden in the Advanced Search Results page because Inline Edit is activated by default.
Search and Search Results	ARCHER-94687	6.8.0.3	When the Filter By pane is activated in the Advanced Search Results page, the Sum value of numeric fields are not updated.
Search and Search Results	ARCHER-125223	6.11	In Search Results pages, the Manage Columns option keeps attempting to load if reports have an empty Task Management cross-reference field.
Search and Search Results	ARCHER-125267	6.11	In Advanced Search Filter Criteria, finding users for the Users Group Field also displays the matching usernames.
			form of the field and the field of the field
County and County Day 19	ADCUED 430400	6.13	If cross-reference fields are configured with the Display Control as Single Column and the Display in data level tree structure option is selected, then the
Search and Search Results	ARCHER-128100	6.12	values of the cross-reference fields on search results pages are not displayed in a tree structure in the first attempt. If the report format is changed to
			Row/summary and then changed back to the default report format of Column Hierarchical, then the fields are displayed correctly.
			In the Advanced Search Configuration, users cannot clear the Enforce Relationships Checkbox.
Search and Search Results	ARCHER-129857	6.11	Workaround:
			Hover over the Enforce Relationships checkbox and click the Space bar on the keyboard.
Search and Search Results; Workspaces, Dashboards and iViews	ARCHER-97037	6.9	The EQUALS filter fails to return content when the field value contains an ampersand.
Section 508	ARCHER-106450	6.9.1.2	If a workspace does not include a dashboard, the screen reader does not narrate the Option Menu on the workspace home page.
Section 508	ARCHER-129901	6.12.0.2	On the Reports Listing page, the screen reader announces links using the word "button".
			, 5,,

UI	ARCHER-132943	6.12	Each time users click the image graphic selector, Archer displays the images in a different order.
Workflow (AWF)	ARCHER-47401	6.4	When working in the Advanced Workflow builder, interacting with the process or node properties pane causes the pane to scroll to the top, which makes
Workhow (AVVF)	ANCHEN-47401	0.4	configurations difficult to control.
Workflow (AWF)	ARCHER-55655	6.4.1.1	Orphan tasks that are in progress cannot complete after restarting Advanced Workflow.
Workflow (AWF)	ARCHER-131916	6.11.0.3	Depending on the date, Advanced Workflow logs are not rolled over into a new log file.
Workflow (AWF)	ARCHER-131917	6.11.0.3	When users recreates the transition rule for the Evaluate Content node, the previously deleted rule name is prepopulated in the Rule Designer.
Workspaces, Dashboards and iViews	ARCHER-41794	6.2.0.6	Users with Create, Read, Update, and Delete rights to global dashboards from the Administration menu cannot edit global dashboards in the end-user interface.
Workspaces, Dashboards and iViews	ARCHER-76294	6.7	In Mozilla Firefox, in the dashboard header Options menu, previously selected options remain highlighted.
Workspaces, Dashboards and iViews	ARCHER-96097	6.9	When adding a new video iView or editing an existing video iView to a dashboard, the new video iView does not load.
Workspaces, Dashboards and iViews	ARCHER-101965	6.9.0.2	When General Users use the Advanced Search Quick Link, they receive an error.
Workspaces, Dashboards and iViews	ARCHER-116763	6.9.2.2	User cannot clear the background image of Landing Page iViews.
Workspaces, Dashboards and iViews	ARCHER-130971	6.12.0.3	Dashboards that include Report iViews with Admin Reports fail to export.
Workspaces, Dashboards and iViews ARCHER-135:	ADCHED 125107	RCHER-135197 6.13	On the Next Generation Dashboard, for General Users, statistical reports displays as no record which was created using private fields for which the
	ARCHER-155197		General users does not have access.
Workspaces, Dashboards and iViews	ARCHER-135315	6.11.0.4	When a Classic dashboard is set as home, the dashboard name is not displayed in the toaster message.
Workspaces, Dashboards and iViews	ARCHER-137042	6.13.0.1	When the environment is accessed using a dual vanity URL, images attached to text area fields do not load as expected.

# Fixed Issues in Release 6.13

This section is a cumulative list of issues that have been fixed since the last non-patch or service pack release, Archer 6.12.

<u>Component</u>	<u>Issue</u>	Fix Version	<u>Description</u>
API (Web, Rest, other)	CE-119908	6.13	Content Administrators can delete records using the SOAP API, even if the request includes an incorrect module ID.
Appearance	ARCHER-78281	6.13	Setting a new background color for the Environment Bar does not load the Appearance page.
Application Builder	ARCHER-44013	6.13	An empty tab set causes the application copy process to generate an error and prevents data-driven event rules from being copied.
Application Builder	ARCHER-48798	6.13	Clicking into text area fields does not remove the default text in the field.  Workaround:  Manually select and delete the default text within the text area field.
Application Builder	ARCHER-123354	6.13	The Reference Field Record Lookup Configuration display format of Column-Flat is not translated.
Application Builder	ARCHER-124376	6.13	When users search field names in Questionnaire Designer Layout Data Fields, the focus instantly moves to the Layout properties. As a result, the search phrase is entered into the Default Layout name field without user knowledge.
Application Builder	ARCHER-130028	6.13	In Application Builder, in Text Boxes, if the Description field includes HTML source code, clicking the text box enables the "Save Properties" option, even if no changes are made.
Application Builder	ARCHER-131254	6.13	The Data Field Objects Page of Sub-forms displays the Last Updated duration in UTC format instead of the user time zone.
Application Builder	CE-119517	6.13	In Application Builder, multi-line text fields configured with 'Display advanced formatting options" overlap other fields in the layout when the row span is set to greater than 1 row.
Application Builder	CE-119548	6.13	In Application Builder, Values Lists fields configured with "Display advanced formatting options" spans the entire row on record pages, even if the column span is set to 1 column.
Application Builder	CE-119643	6.13	In Application Builder, when users make changes to and save an application, the application save times out.
Application Builder	CE-119783	6.13	Users cannot unselect keys field of various levels in the cross-reference record lookup field configuration.
Application Builder	CE-119824	6.13, 6.12.0.5	In Application Builder, values lists items do not display the previews of images whose names include a space.
Application Builder	CE-119885	6.13	In Application Builder, when users search for fields on DDE rules pages, the Search box loses focus and the cursor disappears.
Application Builder	CE-119947	6.13	In the application listing page, filtering by solution throws an unexpected error.
Application Builder	CE-119976	6.13	In Application Builder, creating Question Cross Reference fields are unsuccessful under certain data conditions.
Application Builder	CE-120012	6.13	On record pages, in text area fields, the default text is not removed on mouse click.
Application Builder	CE-120049	6.13	Manually added specific dates in Date fields are not saved correctly.
Application Builder, Globalization and Localization	CE-120064	6.13	The timestamp of Global Values Lists' (GVL) Last Updated timestamp does not match between the Manage page and the GVL properties.
Calculations, Calculated Cross	CE-120087	6.13	The Deceloulate entire on the Coardy Decults note does not function properly
References, Reports	CE-12008/	0.15	The Recalculate option on the Search Results page does not function properly.
Charts and Graphs	CE-120016	6.13	An error occurs when loading the trending chart for certain content in applications.
Charts and Graphs, Reports	ARCHERSOL-15149	6.13	The Resilience Percentage reports in the Resilience Scorecard application display incorrect values.
Content API	CE-120008	6.13, 6.12.0.5.1	The content API returns an incorrect response for the metadata endpoint.

Data Driven Events	CE-119959	6.13	Deselecting values in Values Lists that are associated with Data Driven Events do not render all of the expected values.
Data Feeds	CE-119743	6.13	When clicking Run Now, reference data feeds run even though a prompt appears stating that "Any reference datafeed will not run."
Data Import	CE-120044	6.13	Data import into the user field fails for users missing middle names.
Data Publications	CE-119880	6.13, 6.12.0.5.1	Data Publications take a long time to run for applications that contain sub-forms with a large amount of content.
Data Publications	CE-120009	6.13, 6.12.0.5.1	If applications have less than 1000 records, exporting Smart Data Publications into CSV format results in missing headers.
Documentation	ARCHER-127081	6.13	When users edit and save shared reports, the reports need to be saved as personal or global reports. Users can choose to share the report again with participants.
Documentation	ARCHER-129989	6.13	The following Archer 6.12 Platform Help topics do not include the option in Application Builder cross-reference fields to allow and prevent users from adding records in the referenced application from edit mode: "Adding Cross-Reference Fields", "Adding Cross-Reference Questions", and "Adding Sub-Form Fields".
Export	CE-119945	6.13	In Advanced Search, when more than one Subform field is configured as a display filter, and the search results are exported as a report, the export does not include those filters.
Export	CE-119998	6.13	When English locale users export PDF reports with Japanese characters in the report title, the exported reports display the title as garbled text.
Globalization and Localization	CE-120051	6.13	When Korean locale users export PDF reports with Korean characters in the reports, the exported reports display the Korean glyphs as garbled text.
Globalization and Localization, Print and Export	ARCHER-113693	6.13	When reports are exported to PDF, using Microsoft Word templates, the main content overlaps with the footer.
Install/Upgrade, Questionnaires	CE-119979	6.13	In the Application listing page, when users open Questionaires, they receive an unexpected error.
Master Report Listing	CE-119641	6.13	The Reports listing page does not allow users to view the Report IDs.
Notifications	ARCHER-95257	6.13	When Administrators click on any report in the Notification Reports listing page, a blank white screen displays and there is considerable delay before the screen displays the report's details page.
Notifications	ARCHER-128082	6.13	An unexpected error occurs when users update and save the Password Changed Admin notification.
Notifications	CE-119889	6.13	When users save notifications that contain special characters in the notification body, a validation error is thrown.
Packaging	CE-119892	6.13	Package installations show a success message even though objects are not installed.
Packaging	CE-119972, ARCHER- 131897	6.13	When application schedules are installed through packages, the "Schedule Owners" and "Run as" users cannot be configured from the UI.
Packaging	CE-120020	6.13, 6.12.0.5.1	Package installation of applications configured with Advanced Workflow produce the error "WFUploadArchiveFailure" in certain scenarios. If you encounter this error, please contact Archer Technical Support.
Questionnaires	CE-119921, ARCHER- 70906	6.13	On record pages, in View mode, when navigating from Sub-forms back into the record page, the scroll position is not retained.
Questionnaires	CE-119966	6.13	In Questionnaires, the question name and question text display are not aligned in both record View and Edit modes.
Record Page	ARCHER-51604	6.13	The Values drop-down list does not respect selection and deselection of values if users enter the value to select one from the drop-down list.
Record Page	ARCHER-70972	6.13	When performing an inline edit with a cross-reference field containing a Field Value Match filter condition, selecting the lookup option throws an exception.
Record Page	ARCHER-83329	6.13	Cross-reference field selections are removed if users save the record before completing all required fields.
			· ·

Record Page	ARCHER-104625	6.13	In some applications, when users use the rich text editor and select the Delete Table option when there is no table present, the entire text field disappears.  Workaround:  Refresh the page to display the text field again.
Record Page	CE-119992	6.13	When creating new records from target applications, Data Driven Events are not triggered.
Search and Search Results	ARCHER-123383	6.13	In Search Results pages, users cannot select the Calendar display format. To select this display format, users must navigate to the Advanced Search page.
Search and Search Results	ARCHER-131158	6.13	Statistical Search with the Display Zero Values option throws an exception.
Search and Search Results, Usability	ARCHER-89127	6.13	On the Search Results screen, when manually resizing columns beyond the screen width, the horizontal scroll bar does not appear.
Solutions, User Admin and Preferences, User Profile	ARCHER-77184	6.13	In Microsoft Edge, users cannot paste text into back-office text area fields.
UI	CE-119996	6.13	The record page of core applications does not display the expand and collapse icon for some sections on the page.
UI	CE-119994	6.13	In the Master Reports listing page, the Actions button is center aligned instead of top aligned.
Workflow (AWF)	ARCHER-103656	6.13	When designing the advanced workflow for a module, the Update Content node text field does not reflect the text that users enter in the field.
Workflow (AWF)	ARCHER-125285	6.13	Advanced Workflow User-Initiated On-Demand Message Rule details are cleared after the Rule Criteria is selected.
Workflow (AWF)	CE-119953	6.13	In Advanced Workflow, during record re-enrollment, the rule validation message does not display when the rule criteria is not met.
Workflow (AWF)	CE-119954	6.13	In Advanced Workflow, after enrolling a record into the workflow, the record page toggles to View mode, and the actions menu is not visible when the page is toggled back to Edit mode.
Workflow (AWF)	CE-119965	6.13	When layouts only contain read-only fields, and when Advanced Workflow proceeds to the next action node, the layout does not change and displays an error.
Workspace Display	CE-119941	6.13	In the workspace display menu configuration, even if Questionnaires are placed at the top, Applications are still listed first.
Workspaces, Dashboards and iViews	ARCHER-96810	6.13	When users select the help icon within the Manage Workspaces page, the help displays an incorrect help page.  Workaround: In the Help Center search bar, search for Manage Workspaces, which provides the correct help content for Manage  Workspaces.
Workspaces, Dashboards and iViews	ARCHER-102487	6.13	When creating a Global Landing page iView, adding a new configuration does not display Standard and Custom options.  Workaround: - Back Office: iViews - Front Office: Add iView Content
Data Feeds	CE-120116	6.13, 6.12.0.6.1	In Archer Web Services Transporter data feeds, in the Source Definition tab, users cannot load the source data using the Run Search option.
Security	CE-119841	6.12.0.6.1	Please see CVE-2023-30639 in SA-6.
Data Import	CE-120069	6.12.0.6	If users are missing middle names, data import is unsuccessful.
Install/Upgrade, Questionnaires	CE-120070	6.12.0.6	When opening Questionnaires, users receive an unexpected error.
Appearance, Globalization and Localization	CE-119802	6.12.0.5	In globalization translation files, field and section names that contain the character '&' convert the character to '&'.
Application Builder	CE-119372	6.12.0.5	Users cannot add users/groups to the Qualified Users/Groups section since the dialog box did not correctly appear upon selection.

Application Builder	CE-119851	6.12.0.5	When General Users that have access to the Calculation Schedules page attempt to access the page, Archer throws an exception.
Application Builder	CE-119891	6.12.0.5	The Data Driven Events (DDE) Actions configuration changes made in the Authoritative Sources application are not saved.
Application Builder, Questionnaires	CE-119742	6.12.0.5	In Questionnaire Values List fields that include a large number of questionnaire filter properties, the rendering time increases significantly when values are updated.
Application Builder, Record Page	CE-119495	6.12.0.5	On record pages, when General Users lose access to fields or sections due to changes in field values, and those users save the record, Archer throws an exception.
Application Builder, Workflow (AWF)	CE-119830	6.12.0.5	In Advanced Workflow, the Evaluate Content node transition rule name is cleared if Configuration Administrators, but not System Administrators, configure the rule.
Archer Control Panel	CE-119866	6.12.0.5	In the Archer Control Panel, when reviewing job servers, the "Unsaved Changes" dialog incorrectly appears.
Bulk Operations	CE-119849	6.12.0.5	On Search Results pages, when reference fields are updated using Bulk Update, Archer ignores the record lookup filter conditions.
Charts and Graphs	CE-119759	6.12.0.5	In Statistical Reports that include two Group By aggregate functions, sorting by the Y-axis aggregate function does not work.
Content API	CE-119566	6.12.0.5	When fetching a particular level data using Content API, Archer intermittently returns 404 errors.
Content Save and Delete, Section 508	CE-119598	6.12.0.5	On search results pages, on the Manage Columns popup, when users attempt to move the focus onto Remove buttons, the screen reader does not announce the specific field being removed.
Data Feeds	CE-119665	6.12.0.5	Archer Web Services data feeds that use Statistical Reports that are grouped by the User Group or Record Permissions field fail to populate users whose last names include commas.
Data Feeds	CE-119680	6.12.0.5	Data feeds fail with a warning if the pipe ( _ ) delimiter is used.
Data Publications	CE-118427	6.12.0.5	When data feeds and data publications run concurrently on the same set of records, Archer creates duplicate entries in the Data Publication destination tables.
Export, Mail Merge	CE-118013	6.12.0.5	The table of contents in exported Mail Merge documents does not display the correct page numbers.
Export, Print	CE-119856	6.12.0.5	In History Log fields, the date and time displayed in the UI does not match the Date field on the Print page.
Global Print and Export	CE-119855	6.12.0.5	When exporting search results in CSV, HTML, or XML format, the Export dialog box does not include a title.
Globalization and Localization	CE-119628	6.12.0.5	If Campaign reports are due today, the due date is displayed as the following day.
Globalization and Localization	CE-118687	6.12.0.5	If workflow configuration translations are missing, while switching any application's languages, an error occurs.
Inline Edit	CE-119829	6.12.0.5	In cross-reference fields, prefixes of linked records' key fields are not displayed.
Job Framework	CE-119416	6.12.0.5 <i>,</i> 6.12.0.1	Archer shows that data feeds complete successfully even when the feeds throw critical errors.
Job Framework	CE-119897	6.12.0.5	The tblAsyncInstrumentation table cleanup times out for large XML records.
Logging, Workflow (AWF)	CE-119177	6.12.0.5	Advanced Workflow writes instance level logs to the root log folder and the logs do not roll over daily.
Master Report Listing	CE-119922	6.12.0.5	On the Management Reporting Reports Listing page, the Last Updated column displays the time in UTC instead of the user's local time.
Notifications	CE-119545	6.12.0.5	In Application Notifications, the notification content preview has a black outline that does not match the user defined Letterhead settings.
Notifications	CE-119837	6.12.0.5	In Subscription Notification filter criteria, if users attempt to configure reference fields, the browser freezes.
Notifications	CE-119864	6.12.0.5	Notifications configured as One Email are sent separately to users and non-users.
Notifications	CE-119865	6.12.0.5	Attachments of Scheduled Report Distribution Notifications include the date and time along with the attachment name.
Notifications	CE-119888	6.12.0.5	Users cannot create new Admin Notification templates after deleting all the existing templates.
Packaging	CE-119739	6.12.0.5	During package import, numeric range values are not fully imported.
Questionnaires	CE-119752	6.12.0.5	In Questionnaire Filter Property Lists, when the lists are modified, the help text is cleared.
Questionnaires	CE-119821	6.12.0.5	If the Target Application Condition value contains the character '&', the Questionnaire Show Rule does not function as expected.
			ехрестеа.

Record Page	CE-119935	6.12.0.5	Archer skips the required field validation step in certain applications.
Reports	CE-119685	6.12.0.5	Questionnaires are not available in the list of available applications to create reports.
SAML	CE-119706	6.12.0.5	SAML SSO enabled instances display the login screen for a few seconds before directing users to the home page.
Search and Search Results	CE-119648	6.12.0.5	Search results are not sorted as expected if the Advanced Search filter condition and sorting have the Sub-Form fields configured.
Security	CE-119705	6.12.0.5	Response calls pass unnecessary information in error messages.
Tools	CE-119924	6.12.0.5	LDAPTestSchema.aspx does not load the page, but instead, redirects to the home page.
UI	CE-119585	6.12.0.5	The screen reader incorrectly announces the "Chart Variations" and "Transparency" expandible and collapsible buttons.
Workflow (AWF)	CE-119932	6.12.0.5	The Advanced Workflow rule validation pop-up message does not appear if there is a Cross-Reference field with a tooltip icon.
Workflow (AWF)	CE-119646	6.12.0.5	The Advanced Workflow table cleanup times out, which causes the WP user data table to grow very large.
Workspaces, Dashboards and iViews	CE-119754	6.12.0.5	Links List iViews that are set to open links in a new window directs users to the home page.
Workspaces, Dashboards and iViews	CE-119832	6.12.0.5	Users can select inactive workspaces and dashboards as their personal home pages.
Workspaces, Dashboards and iViews	CE-119899	6.12.0.5	Link List embedded in a new window redirects users to a blank page if users select an available link.
Record Page	ARCHER-129881	6.12.0.4	In certain applications, when creating new records, an unexpected error occurs.
Access Control	CE-119735	6.12.0.4	For report administrators, the new Report Navigation button on the application search results page is greyed out.
ACR, Database	CE-119083	6.12.0.4	The Instance report fails to provide "Top 5 Concurrent User Peaks for the last 30 days" due to an Execution Timeout error.
Appearance	CE-119688	6.12.0.4	The focus on the search bar of the Archer instance homepage is not visible.
Appearance	CE-119689	6.12.0.4	The foreground and background colours on application report pages do not meet the WCAG 2 AA contrast ratio standards.
Application Builder	CE-119577	6.12.0.4	In Application Builder, if data is filtered or sorted in any columns, the columns revert to their default settings.
Application Builder, UI	CE-119593	6.12.0.4	On the Record and Layout Designer pages, field names are encoded.
Application Builder	CE-119597	6.12.0.4	In Application Builder, reordering calculation fields or updating the calculation schedule in the Calculation tab, does not update the Last Updated and Updated By fields.
Application Builder	CE-119750	6.12.0.4	In Application Builder, the rule builder does not format the less than < and greater than > characters as HTML.
Application Builder, Packaging, React Common Component(s)	CE-119769	6.12.0.4	After package installation, text box fields containing HTML are flagged for unsaved changes even after saving the field multiple times.
Application Builder, Questionnaries	CE-119806	6.12.0.4	In Questionnaires, users cannot save the question Category for cross-reference Question fields.
Calculations, Packaging	CE-119702	6.12.0.4	When new calculated fields are added or existing calculated field formulas are updated through package installation, the field values are not recalculated.
Data Feeds	CE-119575	6.12.0.4	In JavaScript Transporter data feeds, if users do not have full access rights, they cannot see the JavaScript file name and size.
Data Feeds	CE-119589	6.12.0.4	In data feeds, when the Source Connection tab is clicked, the page scrolls down automatically.
Data Feeds, Record Permissions	CE-119516	6.12.0.4	When data feeds run, the feeds do not correctly map users from one field to another.
Data Publications	CE-119447	6.12.0.4	Performance degrades on subsequent runs of Data Publication Jobs.
Database	CE-119749	6.12.0.4	Data feeds that match on the IP Address field are slow in performance.
Export; Workspaces, Dashboards and iViews	CE-119503	6.12.0.4	If dashboard names contain the character   , then dashboard exports fail.
Global Print and Export	CE-119819	6.12.0.4	In Archer SaaS, when printing records, values lists icons do not appear.
Global Search	CE-119835	6.12.0.4	In the Archer Control Panel, after upgrading to Archer 6.12.0.3.1, when the Rebuild Search Index function is performed, an error occurs.
Inline Edit	CE-119147	6.12.0.4	In Text Area fields with inline editing enabled, bullet points shift all text to the right of the text area.
	,		

Job Framework, Jobs	CE-119212	6.12.0.4	The Archer Control Panel Instance Report shows that there is SQL fragmentation with an index rebuild rate of over 30%, but the index rebuild process only performs for over 40% and pages over 1000.
Job Framework, Workflow (AWF)	CE-119701	6.12.0.4	In large environments, the WorkflowCleanupJobHander jobs fail with a timeout error.
Login Home Page	CE-119375	6.12.0.4	On the Archer instance home page, the Archived link is not accessible using keyboards.
Mail Merge	CE-119526	6.12.0.4	Values lists are exported in English for Spanish locale users during Mail Merge exports.
Packaging	CE-118893	6.12.0.4	When a package's Questionnaire has the Enable Findings option enabled, generating a package, disabling the Enable Findings option, and installing the package produces an error.
Packaging	CE-119826	6.12.0.4	When fields are removed from tracking in History Log fields, package installation does not reflect the field changes.
Packaging	CE-119484	6.12.0.4	The package installation log reports an error, if the values list field object contains more than 1000 values.
Reports	CE-119687	6.12.0.4	The screen reader does not focus on the GoToPage label.
Record Permissions	CE-119820	6.12.0.4	When Record Permission fields include a large number of users, and the field is configured for All Users, the field continues to load.
Security	CE-119218	6.12.0.4	Response call passed unnecessary information in the error message.
System Reports	CE-119534	6.12.0.4	Exporting the "Record View Detail" report does not display the expected results when a specific record is selected from the record filter.
UI	CE-119690	6.12.0.4	The foreground and background colours on the Search Results pages do not meet the WCAG 2 AA contrast ratio standards.
UI	CE-119766	6.12.0.4	In Manage Data Feeds, the Target column displays the names in the middle of the cell instead of the top of the cell.
UI	CE-119733	6.12.0.4	Data feeds currently running do not display the number of days in the feed duration.
Workflow (AWF)	CE-119699	6.12.0.4	When the Advanced Workflow Auditing Retention Policy is set to By Days in Application Builder and the changes are saved, the Retention policy is updated to By Jobs.
Workspaces, Dashboards and iViews	CE-119642	6.12.0.4	In Dashboards, iView content of type links list duplicates the header and footer when the links are clicked.
Workspaces, Dashboards and iViews	CE-119691	6.12.0.4	Screen readers announce image information incorrectly on dashboards.
Workspaces, Dashboards and iViews	CE-119789	6.12.0.4	When Quick Links with the "&" character are saved, "&" is automatically changed to "&" and causes the URLs to stop working.
Content API	ARCHER-130254	6.12.0.3.1	In new installations of Archer, the Content API fails with an error.
Application Builder, Workflow (AWF)	CE-119780	6.12.0.1.5	In Application Builder, performance issues cause timeouts when enrolling new records in Advanced Workflow.
Archer Control Panel	CE-119781	6.12.0.1.5	Navigating between job servers that contain MaxThreadPerJobType filter throws error after upgrade.
Workflow (AWF)	CE-119782	6.12.0.1.5	Workflow jobs display the Completed status while the workflow is still at an Evaluate Content node.
Access Control, Record Page	ARCHER-127981	6.12.0.3	The Edit References page keeps loading for the users who have limited access to the Manage Reference link in the Question Library record page.
Access Control: Access Roles, React Common Component(s)	CE-119425	6.12.0.3, 6.12.0.1.4	On the Manage Access Roles page, the filter option does not work for the Groups and Last Updated columns.
Appearance, Record Page	CE-119629	6.12.0.3, 6.12.0.1.4	The date picker does not display the navigation arrows to change the month.
Application Builder	CE-119342	6.12.0.3	When a Values List is updated, the Last Updated field of the Values List is not updated accordingly.
Application Builder	CE-119392	6.12.0.3	Inactive actions cannot be accessed through the associated rules.
Application Builder	CE-119542	6.12.0.3	In Application Builder, clicking text boxes displays the Save prompt even if no changes are made.
Application Builder	CE-119599	6.12.0.3	In the Value Detail window of Values Lists, the Rich Text Editor menu in the Description field covers the text field.
Application Builder	CE-119640	6.12.0.3	In the Designer tab, for layout objects, the prompt to save changes appears even when there are no changes.
Application Builder, React Common Component(s), Scheduler	CE-119658	6.12.0.3, 6.12.0.1.4	When the Recalculation Schedule Begin Time of 12:00 AM is set, the UI does not retain the time change.
Application Builder, Record Page	CE-119497	6.12.0.3	Text Key Fields that use prefixes with certain special characters cause encoding display issues.
-			

Archer Control Panel	CE-119022	6.12.0.3	In the Archer Control Panel, navigating between job servers that contain the MaxThreadPerJobType filter throws an error after upgrading.
Charts and Graphs	CE-119633	6.12.0.3 <i>,</i> 6.12.0.1.4	Labels and Titles for all charts are automatically enabled and cannot be turned off.
Database	CE-119679	6.12.0.3	When data feeds that include many related records run, the database performance is slow.
Export, Record Page	CE-119638	6.12.0.3	If layout objects have unsaved changes, records cannot be exported.
Jobs	CE-119649	6.12.0.3	When Data Feed aliases contain accent characters, the Data Feeds fail during execution.
Master Report Listing	ARCHER-127049	6.12.0.3	On the Report Listing page, clicking the help icon causes the Archer screen to go blank.
Master Report Listing	ARCHER-129440	6.12.0.3, 6.12.0.1.4	On the Report Listing page, when applying or clearing filters on any column, the checkbox selection on the page header is not retained.
Master Report Listing	CE-119571	6.12.0.3, 6.12.0.1.4	When using Single Sign-on and accessing the Reports Listing page, the page throws an unexpected error.
Navigation, UI	CE-119622	6.12.0.3	In the Administration Menu, users must double click the menu options to expand or collapse the sections.
Notifications	CE-119561	6.12.0.3, 6.12.0.1.4	Removing Letterheads from Notification Templates cause unexpected errors on save.
Notifications, Workflow (AWF)	CE-119652	6.12.0.3, 6.12.0.1.4	Advanced Workflow Action by Email does not send email messages.
Questionnaires	CE-119590	6.12.0.3	Within the Application Builder header, when switching between Applications, filter criteria in cross-reference fields do not display.
Record Page, UI	CE-119586	6.12.0.3	In the Record page, the screen reader announces the expandable/collapsible sections incorrectly.
Reports	CE-119621	6.12.0.3	In Full Stack Graphs, the graph axis displays numbers instead of the field labels.
UI	CE-119583	6.12.0.3	On the Archer home page, the screen reader announces home page elements twice.
Web Browser	CE-118935	6.12.0.3	In Firefox, when users click on the Record Lookup page for the first time, the page is blank.
Workflow (AWF)	CE-119455	6.12.0.3	Workflows that include a large number of nodes and transitional flows cannot be activated or saved.
Workspaces, Dashboards and iViews	CE-119683	6.12.0.3, 6.12.0.1.4	If dashboards with Global iViews contain system reports, the dashboards throw an exception.
Access Control; Workspaces, Dashboards and iViews	CE-119069	6.12.0.2	Quick Links to the Data Import pages of applications do not work correctly.
Application Builder	CE-119461	6.12.0.2	In Questionnaires, some sections do not provide the icon to expand and collapse the sections.
Application Builder	CE-119596	6.12.0.2	In React, for calculated Cross-Reference fields, users cannot save fields that include filters without values.
Calculated Cross References	CE-9340	6.12.0.2, 6.12.0.1.3	Calculations do not return the same result for both when content is updated versus when full module recalculations are completed.
Content Save and Delete, Data Import	CE-119329	6.12.0.2	After upgrading Archer, in the Master Controls application, saving records and Data Import both throw an error.
Data Feeds, UI	CE-119572	6.12.0.2	When opening the data feeds pages in React, users receive an error.
Data Import, UI	CE-119110	6.12.0.2	In the Data Import page, the columns are missing filtering capabilities.
Database	CE-119449	6.12.0.2	Users cannot save report objects that include the filter "Field value contains current record".
Global Search	CE-119216	6.12.0.2	Performing a Global Search with specific words redirects users to the Archer home page.
Jobs	CE-119617	6.12.0.2, 6.12.0.1.1	Upgrading to Archer release 6.12.0.1 results in very large log files being produced on the job engine(s) and jobs not being processed.
Jobs	CE-119644	6.12.0.2, 6.12.0.1.2	Upgrading to Archer release 6.12.0.1 results in very large log files being produced on the job engine(s) due to custom calc function exceptions.
Login Home Page	CE-119587	6.12.0.2	When the screen focus moves to an area on a page with many elements that does not include a visible list, the screen reader announces a list.
Notifications, Reports	CE-119540	6.12.0.2	When report names include unacceptable characters, such as " ", users do not receive email notifications for Scheduled Report Distributions.

Record Page	CE-119576	6.12.0.2	In Related Record fields that are configured with the Grid display control setting and the Column Span set to 1, the fields span both columns and overlay fields to the right.
Reports	CE-119270	6.12.0.2	In a statistical report, clicking to drill down into the drill down statistical results returns zero results, even though the link clicked shows that there are results to be displayed.
Reports	CE-119584	6.12.0.2	Chart options are incorrectly announced as links.
Task-Driven Landing Screen; Workspaces, Dashboards and iViews	CE-119582	6.12.0.2	Users cannot click the dropdown icon to view dashboard lists when using the on-screen keyboard.
UI	CE-119410	6.12.0.2	The loading spinner continues to stay on the page in environments with very slow connections.
User Profile	CE-119486	6.12.0.2	When logging into Archer as a user with a System Administrator role and clicking on Manage Notifications Subscriptions within a user's profile, the Email column displays the System Administrator's email address instead of that user's default email address.
Workflow (AWF)	CE-119442	6.12.0.2	Workflow jobs display the Completed status while the workflow is still at an Evaluate Content node.
Calculated Cross References, Performance	CE-119659, CE-119662	6.12.0.1.3	Calculated Cross Reference Filtering for No Selection is broken, which causes unintended relationships to be established and may lead to poor performance.
Master Report Listing	CE-119623	6.12.0.1.2	The Report Listing page is not accessible for users who do not have permission to the page.
Record Page	ARCHER-128163	6.12.0.1.1	In Internet Explorer, Record Save fails and Administration Quicklinks in the Administration Dashboard do not load.
Access Control: Reports	CE-118556	6.12.0.1	When exporting the Security Parameter Properties Report as a CSV file, characters are incorrectly formatted.
API (Web, Rest, Other), Content API	CE-119546	6.12.0.1	Content API calls to Get Endpoints or Get Metadata fail after upgrading to Archer 6.12.
Application Builder	CE-119440	6.12.0.1	In the React Application Builder layout objects, the Created By and Last Updated information are missing.
Application Builder	CE-119472	6.12.0.1	The Manage Application Notifications page displays the Application Level name instead of the Application name.
Application Builder	CE-119521	6.12.0.1	Cross reference configuration for display formats show the translations incorrectly.
Application Builder, UI	CE-119522	6.12.0.1	The General Information section of any On-Demand Application does not provide an option to expand or collapse the section.
Archer Control Panel	ARCHER-127134	6.12.0.1	In the Archer Control Panel, for non-English languages, fields overlap in the Token based Authentication section.
Archer Control Panel, SAML	CE-118975	6.12.0.1	When Single Sign-on is enabled, the custom Lockout Message does not work.
Config Service Client	CE-119219	6.12.0.1	In the Archer Configuration Service, the average stored procedure run time is high for usp_get_property_key_tag with large or varying data loads.
Content Save and Delete, Record Page, View Mode (Record)	CE-119429	6.12.0.1	In Values List fields, after saving values, the ">" symbol is converted to ">".
Data Driven Events	CE-118977	6.12.0.1	A DDE rule that includes a cross-reference field with the "No Selection" criteria does not trigger the DDE action if "No Selection" is selected from the cross-reference look up.
Data Driven Events, Questionnaires	CE-119082	6.12.0.1	When adding a new Questionnaire record from its target Application's Related Record field, the Set Date and Set Values List DDE do not start.
Data Feeds	CE-119303	6.12.0.1	Data Feeds produce an error when loading field if the proxy Name field does not contain the full URL.
Data Feeds	CE-119413	6.12.0.1	In Data Feeds, in the Run Configuration section, when enabling notifications for job status updates, users cannot add multiple email addresses.
Data Feeds	CE-119510	6.12.0.1	In Data Feeds, the Run Configuration tab > Schedule section displays the error message text " << <cmmn:range999>&gt;&gt;".</cmmn:range999>
Data Feeds, Job Framework	CE-119412	6.12.0.1	Convoy Data Feeds fail to complete with the exception "Unexpected DataFeed job error during child execution".
Data Feeds, File Repository	CE-119459	6.12.0.1	FTP Data Feeds do not run correctly due to a space in the source file name.
Keyboard Navigation, Record Page, UI	CE-119465	6.12.0.1	On record pages, when pressing Enter on a keyboard, Attachment fields of the single column type are not accessible.

Keyboard Navigation, Record Page, UI	CE-119466	6.12.0.1	When pressing Enter on the keyboard, the User Profile dialog page is not accessible.
Keyboard Navigation, UI	CE-119462	6.12.0.1	On the home page, focus on the Edit button is not clearly visible.
Keyboard Navigation, UI	CE-119463	6.12.0.1	On the home page, focus on the links dropdown is not clearly visible.
Logging, Notifications	CE-119444	6.12.0.1	Log entries for SendMessagesJobLogContext data in Notifications are incomplete.
Master Report Listing	ARCHER-126990	6.12.0.1	On the Reports Listing Page, report names save the character < as < and the character > as >.
Master Report Listing	ARCHER-127327	6.12.0.1	On the Reports Listing Page, the translation for the error message is incorrect on the last update filter when invalid dates are provided.
Notifications	CE-119364	6.12.0.1	Notifications fail with the error "Receiver email address is null or empty".
Notifications	ARCHER-128110	6.12.0.1	Email Notifications do not work when End User page links are part of the notification body.
Record Page	CE-119376	6.12.0.1	Hyperlinks on the record page are not accessible when clicking Enter through keyboard navigation.
Record Page	CE-119494	6.12.0.1	When tables are pasted into Text Area fields, the table structure changes.
Record Page, Scheduler	CE-119448	6.12.0.1	In Audit Engagement records, Scheduler fields do not load when appointments are added.
Record Permissions	CE-119454	6.12.0.1	Inactive users are not removed from fields.
Reports	CE-118140	6.12.0.1	For French locale users, on Report pages with 1000 or more records, when enabling the Delete option, the page does not load properly.
System Reports	CE-119400	6.12.0.1	The Access Control Rights by User report fails to report on permissions granted to users through roles that are assigned to the Everyone group.
UI	CE-119457	6.12.0.1	When closing Advanced Workflow using the "X" button and then navigating to Dashboards, the UI does not load.
UI	CE-119467	6.12.0.1	The screen reader does not announce the Workspace menu correctly.
User Profile	CE-119502	6.12.0.1	Non-english locale usernames are represented vertically due to unavailability of space in the header region.
Access Control: Access Roles	CE-118815	6.12	The Admin menu icon does not appear for Access Control Reports when access is granted to any report under it.
Application Builder	ARCHER-126196	6.12	After users click on Reset Default Filter, the sorting persists and does not reset to the default sort.
Application Builder	ARCHER-126197	6.12	After making changes to a selected rule, if users click on the Maximize icon without saving changes, and save the changes through the navigate away pop-up, the maximized pane does not load immediately.
Application Builder	CE-118548	6.12	Users cannot add application filters to the Control Standard Related Record field.
Application Builder	CE-118884	6.12	The Circular Field Reference Popups displays unnecessary HTML.
Application Builder	CE-118894	6.12	The formatting from the Show Panel Text field is not applied to the text in the UI.
Application Builder	CE-119005	6.12	In Application Builder, when encrypting or decrypting Attachment fields, the warning message string is not translated.
Application Builder	CE-119099	6.12	When the Display Scale on Windows machines are set to 150% (recommended settings) and the browser zoom is set to 100%, the Application menu covers the Object menu.
Application Builder	CE-119153	6.12	Adding and removing fields from History Log fields slows down this process in the UI.
Application Builder	CE-119178	6.12	In Application Builder, in the Panel Text field, Questionnaires will clear images in the field after saving the layout.
Application Builder	CE-119187	6.12	When adding values lists filters to rules, as users enter the search criteria, the values lists do not expand to display matching search results.
Application Builder	CE-119276	6.12	The display format option "Column - Flat" for the Cross-Reference field in Application Builder includes the text << <applications:columnflat>&gt;&gt;.</applications:columnflat>
Application Builder	CE-119286	6.12	In Application Builder, translations are missing for the Graphic/Image selector component.
Application Builder	CE-119287	6.12	In Application Builder, the cross-reference record lookup display fields configuration does not allow fields to be selected from the higher levels.
Application Builder	CE-119328	6.12	In Application Builder, in the Recalculation Schedule section, when the locale is a non-US locale, the BeginTime disappears.

Application Builder	CE-119343	6.12	When creating a new Questionnaire Values List field in the Application Builder, the Control Standards configuration carries over from a previously created Question field.
Application Builder, Calculations	CE-119057	6.12	The required field character '*' is removed on calculated fields that are configured as required fields.
Application Builder, Calculated Cross References	CE-118568	6.12	In Application Builder, when expanding properties, the field name under the Calculation Properties filter randomly disappears.
Application Builder, Record Permissions	CE-119301	6.12	After deleting users from Automatic Record Permissions field and saving the changes, the changes are not reflected.
Archer Control Panel	CE-119346	6.12	When generating the Archer Instance Report, the data feed report displays an error message when the startTime value is set to null for any one data feed record.
Archer Control Panel	CE-119351	6.12	The default locale is not populated for new users during the user creation process.
Archer Control Panel	CE-119367	6.12	The Archer Configuration Report Generation Job is scheduled by default on fresh installs or upgrades, instance refreshes, and new instance creation.
Charts and Graphs	CE-118903	6.12	Chart axis show English values for non-English locale user profiles.
Charts and Graphs	CE-119368	6.12	Changing the chart type throws an exception.
Data Driven Events	CE-119162	6.12	The Unsaved Changes popup does not allow rules to be associated with actions.
Data Feeds	CE-119207	6.12	If users import and save Data Feeds, the Service Account is not created.
Data Feeds	CE-119302	6.12	When users save Data Feeds that include Token Validation, users receive a validation message popup.
Data Feeds	CE-119304	6.12	The Data Feed Run Details page shows incorrect message text.
Data Feeds	CE-119371	6.12	Replacing the General User role causes failures when creating Data Feed Service accounts in Data Feed Manager.
Data Feeds, Notifications	CE-118103	6.12	Data Feed job status notifications display the Data Feed alias instead of the Data Feed name.
Data Publications	CE-119356	6.12	Data Publication fails when all content records in any application previously published are deleted with the error "Value cannot be null. Parameter name: source".
Documentation	ARCHER-125097	6.12	The "calcfunctions" help is missing and Calculation Functions help does not work.  Workaround:  Users can access the Archer Platform Help landing page: https://help.archerirm.cloud/platform_611
Documentation, Elastic Search	ARCHER-123702	6.12	Elasticsearch is being deprecrated, and users cannot set up or use Elasticsearch in the Archer Control Panel.
Documentation	CE-119266	6.12	The Data Feeds documentation in the Archer Platform Help does not include sufficient content about reference feeds.
Documentation	CE-119309	6.12	The "Building Questionnaires" topic in the Archer Platform Help does not include documentation about the Question Format Style Override option.
File Repository	CE-119441	6.12	Values Lists icons do not appear in exports post File Repository migration.
Globalization and Localization	CE-118933	6.12	In Manage Locales, if many users are assigned to the same locale, the page becomes unresponsive.
Notifications	CE-119307	6.12	The field names with special characters such as 'É' are encoded when used in the Notification template subject line.
Packaging	CE-118256	6.12	The "Map Package" button does not respond for at least 30 seconds and up to several minutes for some packages.
Packaging	CE-119258	6.12	Package installation fails with the error "cannot insert duplicate key." Duplicate Layout Objects are created during Manual Package Mapping and Installation.
Packaging, Workflow (AWF)	CE-119188	6.12	When Advanced Workflow for a Questionnaire is installed with a package, the AWF is installed without transitions.
Questionnaires	CE-119045	6.12	In Questionnaires, if Question fields are configured with help text "below" the question, the text does not appear in the correct place.
Questionnaires	CE-119210	6.12	The Save button fails to remove deleted Authoritative Source References or Control Standards content.
Questionnaires, Reports	CE-119084	6.12	When opening certain Campaign History Reports, an error occurs.
Questionnanes, reports	0	0.12	Tricil opening delitani dampaign motor y reports, an error dedator

React Common Component(s)	CE-119468	6.12	A hard coded debugging private IP address for React.js has been identified.
Record Page	CE-119067	6.12	In Edit mode, the History Log field hyperlink is not aligned with the History Log field name.
Record Page	CE-119373	6.12	Text Question Field wrapping is different between View Mode and Edit Mode.
Reports	CE-119330	6.12	When running reports with specific search criteria, an unexpected error occurs.
	CE-119138	C 12	When users select to display reports under report objects, the reports display in a small window instead of displaying over
Report Object		6.12	the entire width and height.
UI	CE-118941	6.12	In React pages, changing Questionnaire properties throws a "Validation Error."
Workspaces, Dashboards and iViews	CE-119010	6.12	When updating certain Quick Links, users receive an Unexpected Error.

### Known Issues in Release 6.13

This section lists reported issues that remain unresolved as of the latest release. Wherever a workaround is available, it is noted or referenced in detail. For many of the workarounds in this section, you must have administrative privileges.

Comported Single Version ARCHER.9007 A BACHER.9017 8.8 Approx message is not displayed when a non Admin user accesses the links to the backoffice pages through view & Quiddinins. Access Control ARCHER.9017 6.120.4 G.120.4 In Canada Control ARCHER.9017 6.120.4 In Canada Control ARCHER.9017 6.100.4			<u>Reported</u>	
Access Control (APPCHS 131163	<u>Component</u>	<u>Issue</u>	<u>Version</u>	<u>Description</u>
Access Control. Deports ACRES Control. Deport ACRES CONTROL DEP ACRES CONTROL DE ACRES CONTROL	Access Control	ARCHER-89007	6.8	A proper message is not displayed when a non Admin user accesses the links to the backoffice pages through iView & Quicklinks.
ACCESS LOTOR: LIDAP ACCISER 13540 6.0 Some user activity on an Archer webges deen not properly rest the session timeout, counge the warning message to appear amonemy. Appearance ACCISER 13540 6.9.2 free in the Lina Configuration. ACCISER 13540 6.9.2 free in the Lina Configuration and ACCISER 13540 6.9.2 free will be available in an upcoming patch release. Application Builder ACCISER 13540 5.0.0 so the Modeller is in a upcoming patch release. Application Builder ACCISER 13540 5.0.0 so the Modeller is in a upcoming patch release. Application Builder ACCISER 13540 5.0.0.2 in Calculated COSS Reference field Machaging Filters, the "Field Value Contains Depth" Values do not show all levels for a hierarchical values list. Application Builder ACCISER 13540 5.0.0.2 in Calculated COSS Reference field Machaging Filters, the "Field Value Contains Depth" Values do not show all levels for a hierarchical values list. Application Builder ACCISER 13540 5.0.0.2 in Calculated COSS Reference field Machaging Filters, the "Field Value Contains Depth" Values do not show all levels for a hierarchical values list. Application Builder ACCISER 13540 5.0.0.1 in Application Builder, on Navigets away. Application Builder ACCISER 13540 5.0.1 in Application Builder, on Navigets away. Application Builder ACCISER 13540 5.0.1 in Application Builder, the Parel Field Value Contains Depth" Values do not show all levels for a hierarchical values list. Application Builder ACCISER 13540 6.0.1 in Application Builder, the Parel Field Value Contains Depth Values do not show all levels for a hierarchical values list. Application Builder ACCISER 13540 6.0.1 in Application Builder, the Parel Field Value Contains Depth Values do not show all levels for a hierarchical values list. Application Builder ACCISER 13540 6.0.1 in Application Builder, the Parel Field Value dissections is immediated 2,000 character and the ACCISER 13540 6.0.1 in Application Builder, where a read of the ACCISER 13540 6.0.1 in Application Builder, where a read of the ACCISER 13540 6.0.1	Access Control	ARCHER-131163	6.9.3.3.1	On the Manage Users page, when Japanese locale administrators filter the Status column with multiple selections, an exception is thrown.
Apperance ARCHER-13666 ARCHER-13661 ARCHER-1	Access Control, Reports	ARCHER-130315	6.12.0.4	For General users with CRUD access to the Application Report, the New Report button is greyed out.
Apperance ARCHER 17830 6.7.0.1 Trending Chart data displays in the UI only after a second sive. Apperance ARCHER 110841 6.9.2 When changing the men background color, the text color is changed to reflect in the warning models. There is no workaround at this time, however a Application Builder ARCHER 110841 6.9.2 in User can see flat and bethroughout Archer (Application Name, Solution Name, Workspace Name etc.). Application Builder ARCHER 112845 6.10.0 User can see flat and bethroughout Archer (Application Name, Solution Name, Workspace Name etc.). Application Builder ARCHER 12945 6.10.0 In the Answer List, Display Rules, and Campaigns Table, users need to click the Save or Discard buttons before performing any other actions such as Search, Bittler, or Navigate away. Application Builder ARCHER 12954 6.11.0.1 In the Answer List, Display Rules, and Campaigns Table, users need to click the Save or Discard buttons before performing any other actions such as Search, Bittler, or Navigate away. Application Builder ARCHER 12954 6.11.0.1 In Application Builder, the Panel Text field in sections is limited to 2000 characters. Application Builder ARCHER 13005 6.11.0.3 In Application Builder, the Panel Text field in sections is limited to 2000 characters. Application Builder ARCHER 13005 6.11.0.3 In Application Builder, in the Activation state and the state of the available and Application Builder, in Application Builder, in the Activation and Search page of applications to the Application Builder, in the Activation and Search page of applications builder ARCHER 13005 6.11.0.3 In Application Builder, in the Professor than 3 and less than - characters are encoded. Application Builder ARCHER 13137 6.9.3 In Application Builder, in the Professor than 3 and less than - characters are encoded. Application Builder ARCHER 13137 6.9.3 In Application Builder, in the Professor than 5 and less than - characters are encoded. Application Builder ARCHER 13349 5.11.0 3 In Application Builder, the Archer Carbon Search page of applications, th	Access Control: LDAP	ARCHER-123342	6.11	Users must click "Get Attributes" every time they encounter "No Attributes Found" or empty attribute lists in the LDAP configuration.
Appleratione ARCHER 110841 6.9.2 When changing the menu background color, the text color is changed to reflect in the warring modals. There is no workaround at this time, however a fix will be available in an upcoming patch release. Application Builder ARCHER 112035 Application Builder ARCHER 122035 Application Builder ARCHER 122035 Application Builder ARCHER 123032 Application Builder ARCHER 123032 Application Builder ARCHER 123032 Application Builder ARCHER 123032 Application Builder ARCHER 123034 Application Builder ARCHER 130055 ARCHER 130055 APPLICATION ARCHER 130055 APPLICATI	Appearance	ARCHER-13566	6.0	Some user activity on an Archer webpage does not properly reset the session timeout, causing the warning message to appear randomly.
Application Builder Applic	Appearance	ARCHER-77830	6.7.0.1	Trending Chart data displays in the UI only after a second save.
Application Builder ARCHER 139181 6.9.3.3 On the Modules listing page, grouping occurs by page instead of by the entire results set. Application Builder ARCHER 123322 6.11 Application Builder ARCHER 123322 6.11 Application Builder ARCHER 123322 6.11 Application Builder ARCHER 123322 6.11. Application Builder ARCHER 123924 6.11.0.1 When users deletex Application Layouts, a warning message appears with the name of the Layout preceded with "V. Application Builder ARCHER 123925 6.11.0.3 In Application Builder ARCHER 123926 6.11.0.3 In Application Builder ARCHER 13005 6.11.0.3 In Application Builder A	Appearance	ARCHER-110841	6.9.2	
Application Builder ARCHER-123435 6.10 .2 in Calculated Cross Reference field Matching Filters, the "Field Value Contains Depth" Values do not show all levels for a hierarchical values list.  Application Builder ARCHER-123522 6.11 In the Answer LLS, hisplay Rules, and Campaigns tabs, users need to click the Save or Discard buttons before performing any other actions such as Search, Filter, or Navigate away.  Application Builder ARCHER-123924 6.11.1 Men users delete Application Layouts, a warring message appears with the name of the Layout preceded with "\".  Application Builder ARCHER-123999 6.11.0.2.4 In the Related Record Lookup Configuration page, after sorting the content and saving the page, the save prompt persists.  Application Builder ARCHER-139826 6.11.0.3 In Application Builder, in the Advanced Workflow tab, the greater than > and less than c characters are encoded.  Application Builder ARCHER-139826 6.11.0.3 In Application Builder, in the Advanced Workflow tab, the greater than > and less than c characters are encoded.  Application Builder ARCHER-139827 6.11.0.3 In Application Builder, in the Properties panel > Default Search section, the greater than > and less than c characters are encoded.  Application Builder ARCHER-139828 6.11.0.3 In Application Builder, in the Properties panel > Default Search section, the greater than > and less than c characters are encoded.  Application Builder ARCHER-139931 6.12 In Application Builder, in the Properties panel > Default Search section, the greater than > and less than < characters are encoded.  Application Builder ARCHER-139931 6.12 In Application Builder, in the Properties panel > Default Search section, the greater than > and less than < characters are encoded.  Application Builder ARCHER-139931 6.12 In Application Builder, in the Properties panel > Default Search section, the greater than > and less than < characters are encoded.  Application Builder ARCHER-139931 6.12 In Application Builder, in the Properties panel > Default Search section is not transla	Application Builder	ARCHER-115025	6.9.2.2	User can see & It and & gt instead of < and > throughout Archer (Application Name, Solution Name, Workspace Name etc.).
Application Builder ARCHER-123924 Application Builder ARCHER-123925 Application Builder ARCHER-123926 Application Builder ARCHER-123926 Application Builder ARCHER-123927 Application Builder ARCHER-123927 Application Builder ARCHER-123928 Application Builder ARCHER-123928 APPLICATION BUILDER ARCHER-123928 Application Builder ARCHER-123928 APPLICATION BUILDER ARCHER-123929 ARCHER	Application Builder	ARCHER-119181	6.9.3.3	On the Modules listing page, grouping occurs by page instead of by the entire results set.
Application Builder ARCHER-12932 Application Builder ARCHER-12944 Application Builder ARCHER-12945 Application Builder ARCHER-12954 Application Builder ARCHER-12954 APPLICATION BUILDER ARCHER-12955 APPLICATION BUILDER ARCHER-12955 ARCHER-13955 ARCHER-13955 ARCHER-13956 ARCHER-13956 ARCHER-13957 APPLICATION BUILDER ARCHER-13957 ARCHER-13958 ARCHER-13958 ARCHER-13959 APPLICATION BUILDER ARCHER-13959 ARC	Application Builder	ARCHER-123435	6.10.0.2	In Calculated Cross Reference field Matching Filters, the "Field Value Contains Depth" Values do not show all levels for a hierarchical values list.
Application Builder ARCHER-12964 6.1.0.2 In Application Builder, the Panel Text field in sections is limited to 2000 characters. Application Builder ARCHER-13099 6.11.0.2 In Application Builder ARCHER-13095 6.11.0.3 In Application Builder, when creating and saving new Layout Objects, the Properties panel becomes blank. Application Builder ARCHER-130826 6.11.0.3 In Application Builder, when creating and saving new Layout Objects, the Properties panel becomes blank. Application Builder ARCHER-130827 6.11.0.3 In Application Builder, in the Advanced Workflow tab, the greater than 3 and less than 4 characters are encoded. Application Builder ARCHER-130828 6.11.0.3 In Application Builder, in the Properties panel > Default Search section, the greater than 3 and less than 4 characters are encoded. Application Builder ARCHER-130829 6.10.3 In Application Builder, in the Properties panel > Default Search section, the greater than 3 and less than 4 characters are encoded. Application Builder ARCHER-130829 6.10.3 In Application Builder, the Marrix Field Configuration Column Axis Selection is not translated. Application Builder ARCHER-13117 6.9.3.1 Workaround:  Application Builder ARCHER-13117 6.9.3.1 Workaround:  Workaround:  Application Builder ARCHER-132639 6.1.0.3 In Values Lists fields, the image given in the description of the value is not saved.  Application Builder ARCHER-132639 6.1.0.3 In Values Lists fields, the image given in the description of the value is not saved.  Application Builder ARCHER-133659 6.1.0.3 In Values Lists fields, the image given in the description of the value is not saved.  Application Builder ARCHER-133659 6.1.0.3 In Values Lists fields, the image given in the description of the value is not saved.  Application Builder ARCHER-133659 6.1.0.3 Users and Groups are grouped to Expert Save Properties' and "Discard Changes' buttons, even if no changes were made. In the Record Lookup Configuration of cross-reference fields, the Save and Discard options always display when sorting is configured, and	Application Builder	ARCHER-123532	6.11	
Application Builder ARCHER-12999 5.11.0.24 In the Related Record Lookup Configuration page, after sorting the content and saving the page, the save prompt persists. Application Builder ARCHER-13075 6.11.0.3 In Application Builder, when creating and saving new Layout Objects, the Properties panel becomes blank. Application Builder ARCHER-130826 6.11.0.3 In Application Builder, in the Advanced Workflow tab, the greater than > and less than < characters are encoded. Application Builder ARCHER-130828 6.10.0.3 In Application Builder, in the Foathers panel > Default Search section, the greater than > and less than < characters are encoded. Application Builder ARCHER-130828 6.10.0.3 In Application Builder, in the Properties panel > Default Search section, the greater than > and less than < characters are encoded. Application Builder ARCHER-130829 6.10.0 In the Advanced Search page of applications, the greater than > and less than < characters are encoded. Application Builder ARCHER-130951 6.2 In the Advanced Search page of applications, the greater than > and less than < characters are encoded. Application Builder ARCHER-13117 6.9.1 The Advanced Search page of applications, the greater than > and less than < characters are encoded. Application Builder ARCHER-13117 6.9.3.1 Workaround:  Application Builder ARCHER-13117 6.9.3.1 Variacound: Application Builder ARCHER-13137 6.9.3.1 Variacound: Perform isreset to recover the correct information. Application Builder ARCHER-13249 5.1.2 Expanding the Scheduler field enables the "Save Properties" and "Discard Changes" buttons, even if no changes were made.  In the Record Lookup Configuration of cross-reference fields, the Save and Discard Options always display when sorting is configured, and the unsaved changes popup appears when users analgate away.  Application Builder ARCHER-13352 6.11.0.3 Users and Groups are grouped together in the selection section when more users and groups are selected.  Application Builder, Record Page ARCHER-133520 6.10.1 The maximum value for Record	Application Builder	ARCHER-123924	6.11.0.1	When users delete Application Layouts, a warning message appears with the name of the Layout preceded with "\".
Application Builder ARCHER-13075 6.11.0.3 In Application Builder, when creating and saving new Layout Objects, the Properties panel becomes blank. Application Builder ARCHER-130827 6.11.0.3 In Application Builder, in the Advanced Workflow tab, the greater than > and less than < characters are encoded. Application Builder ARCHER-130828 6.11.0.3 In Application Builder, in the Advanced Workflow tab, the greater than > and less than < characters are encoded. Application Builder ARCHER-130828 6.11.0.3 In Application Builder, in the Properties panel > Default Search section, the greater than > and less than < characters are encoded. Application Builder ARCHER-130829 6.11.0.3 In Application Builder, in the Properties panel > Default Search section, the greater than > and less than < characters are encoded. Application Builder ARCHER-130829 6.11.0.3 In Application Builder, in the Advanced Search page of applications, the greater than > and less than < characters are encoded. Application Builder ARCHER-13117 6.12.0 The Greater Than > ARCHER-13117 6.12.0 The Greate	Application Builder	ARCHER-129644	6.11	In Application Builder, the Panel Text field in sections is limited to 2000 characters.
Application Builder ARCHER-130826 6.11.0.3 In Application Builder, in the Advanced Workflow tab, the greater than > and less than < characters are encoded. Application Builder ARCHER-130828 6.11.0.3 In Application Builder, in the Properties panel > Default Search section, the greater than > and less than < characters are encoded. Application Builder ARCHER-130828 6.11.0.3 In Application Builder, in the Properties panel > Default Search section, the greater than > and less than < characters are encoded. Application Builder ARCHER-130828 6.11.0.3 In Application Builder, in the Properties panel > Default Search section, the greater than > and less than < characters are encoded. Application Builder ARCHER-130951 6.12 In Application Builder, the Mark 160 Configuration Column Axis Selection is not translated. Application Builder ARCHER-13117 6.12.0.4 The Greater Than > AND Less Than < symbols are encoded in field properties.  Application Builder ARCHER-131137 6.9.3.1 Workaround:  Application Builder ARCHER-131137 6.9.3.1 Workaround:  Application Builder ARCHER-132483 6.11.0.3 In Values Lists fields, the image given in the description of the value is not saved. Application Builder ARCHER-133491 6.12 Expanding the Scheduler field enables the "Save Properties" and "Discard Changes" buttons, even if no changes were made.  In Record Lookup Configuration Builder (Citics on Save to save the sorting changes popup appears when users navigate away.  Application Builder ARCHER-133527 6.11.0.3 In Application Builder, and the unsaved changes popup appears when users navigate away.  Application Builder ARCHER-133525 6.11.0.3 Users and Groups are grouped together in the selection section when more users and groups are selected.  Application Builder, Attachments ARCHER-133527 6.11.0.3 Users and Groups are grouped together in the selection section when more users and groups are selected.  Application Builder, Record Page ARCHER-13098 6.6.0.2 For all control types besides value pop-ups, the exclude inactive users option for a record p	Application Builder	ARCHER-129999	6.11.0.2.4	In the Related Record Lookup Configuration page, after sorting the content and saving the page, the save prompt persists.
Application Builder ARCHER-130827 6.11.0.3 In Application Builder, in the Calculations tab, the greater than > and less than < characters are encoded. Application Builder ARCHER-130828 6.11.0.3 In Application Builder, in the Properties panel > Default Search section, the greater than > and less than < characters are encoded. Application Builder ARCHER-130829 6.11.0.3 In the Advanced Search page of applications, the greater than > and less than < characters are encoded. Application Builder ARCHER-130817 6.12.0.4 The Greater Than > AND Less reacter than > and less than < characters are encoded. Application Builder ARCHER-131137 6.12.0.4 The Greater Than > AND Less reacted than As a polication for the Advanced of a polication is not translated. Application Builder ARCHER-131137 6.9.3.1 Workaround: Application Builder ARCHER-131137 6.9.3.1 Workaround: Application Builder ARCHER-131137 6.9.3.1 In Values Lists fields, the image given in the description of the value is not saved. Application Builder ARCHER-132632 6.12 Expanding the Scheduler field enables the "Save Properties" and "Discard Changes" buttons, even if no changes were made.  In the Record Lookup Configuration of cross-reference fields, the Save and Discard options always display when sorting is configured, and the unsaved changes popula appears when users navigate away.  Workaround: - Click on Save to save the sorting changes Click on Save to save to save the sorting changes Click on Save to save the sorting changes Click on Save to save the sorting changes Click on Save to save to save the sorting changes Click on Save to save the sorting changes Click on Save to save the sorting cha	Application Builder	ARCHER-130705	6.11.0.3	In Application Builder, when creating and saving new Layout Objects, the Properties panel becomes blank.
Application Builder ARCHER-130828 6.11.0.3 In Application Builder, in the Properties panel > Default Search section, the greater than > and less than < characters are encoded. Application Builder ARCHER-130829 6.11.0.3 In the Advanced Search page of applications, the greater than > and less than < characters are encoded. Application Builder ARCHER-130917 6.12. In Application Builder, the Martiel Configuration Column Aus's Selection is not translated. Application Builder ARCHER-131117 6.12.04 The Greater Than > AND Less Than < symbols are encoded in field properties.  Application Builder ARCHER-131137 6.9.3.1 Workaround:  Application Builder ARCHER-131137 6.9.3.1 Workaround:  Application Builder ARCHER-132483 6.11.0.3 In Values Lists fields, the image given in the description of the value is not saved.  Application Builder ARCHER-133549 6.12 Expanding the Scheduler field enables the "Save Properties" and "Discard Changes" buttons, even if no changes were made.  In the Record Lookup Configuration of cross-reference fields, the Save and Discard options always display when sorting is configured, and the unsaved changes oppul appears when users navigate away.  Application Builder ARCHER-133559 6.11.0.3 If there are large numbers of users with similar name, grouping is displayed for each character of the name.  Application Builder, ARCHER-133509 6.12. In Application Builder, in the Properties panel > Documentation section, attachment upload falls for files that are 0 Kb in size.  Application Builder, Record Page ARCHER-13548 6.9.3.1.2 The maximum value for Record Permissions fields do not trigger validation properly when the criteria is not met.  Archer Control Panel, Job Framework ARCHER-13458 6.9.3.1.2 The "MaxThreadPeriobTypeMigrator" job cases a schedule or action, inactive users display in the search results.  Bulk Operations ARCHER-14759 6.3 When searching by users mane from job cases a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have acce	Application Builder	ARCHER-130826	6.11.0.3	In Application Builder, in the Advanced Workflow tab, the greater than > and less than < characters are encoded.
Application Builder APPLIC	Application Builder	ARCHER-130827	6.11.0.3	In Application Builder, in the Calculations tab, the greater than > and less than < characters are encoded.
Application Builder ARCHER-130951 6.12 In Application Builder, the Matrix Field Configuration Column Axis Selection is not translated. Application Builder ARCHER-131177 6.12.04 The Greater Than - AND Less Than - Symbols are encoded in field properties. When users update their Archer license, the Licensing Information page displays inaccurate Use Case information.  Application Builder ARCHER-131377 6.9.3.1 Workaround: Perform iisreset to recover the correct information.  Application Builder ARCHER-132483 6.1.0.3 In Values Lists fields, the image given in the description of the value is not saved.  Application Builder ARCHER-132632 6.12 Expanding the Scheduler field enables the "Save Properties" and "Discard Changes" buttons, even if no changes were made.  In the Record Lookup Configuration of cross-reference fields, the Save and Discard options always display when sorting is configured, and the unsaved changes popup appears when users navigate away.  Workaround:  - Click on Save to save the sorting changes Click on Discard if the unsaved changes popup appears while navigating away.  Application Builder ARCHER-133525 6.11.0.3 If there are large numbers of users with similar name, grouping is displayed for each character of the name.  Application Builder, ARCHER-133527 6.11.0.3 Users and Groups are grouped together in the selection section when more users and groups are selected.  Application Builder, Record Page ARCHER-131092 6.12 In Application Builder, in the Properties panel > Documentation section, attachment upload fails for files that are 0 Kb in size.  Application Builder, Record Page ARCHER-70083 6.6.0.2 For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users.  Application Builder, Record Page ARCHER-13548 6.9.3.1.2 The "MaxThreadPeriobTypeMigrator" job fails on a Net-new Archer installation.  Bulk Operations ARCHER-341449 6.3 When searching by usernamen for inactive users on Schedule Actions, inactive us	Application Builder	ARCHER-130828	6.11.0.3	In Application Builder, in the Properties panel > Default Search section, the greater than > and less than < characters are encoded.
Application Builder ARCHER-13117 6.12.0.4 The Greater Than > AND Less Than < symbols are encoded in field properties.  Application Builder ARCHER-131137 6.9.3.1 When users update their Archer license, the Licensing Information page displays inaccurate Use Case information.  Application Builder ARCHER-132483 6.11.0.3 In Values Lists fields, the image given in the description of the value is not saved.  Application Builder ARCHER-132632 6.12 Expanding the Scheduler field enables the "Save Properties" and "Discard Changes" buttons, even if no changes were made.  In the Record Lookup Configuration of cross-reference fields, the Save and Discard options always display when sorting is configured, and the unsaved changes popup appears when users navigate away.  Workaround:  - Click on Save to save the sorting changes.  - Click on Discard if the unsaved changes popup appears while navigating away.  Application Builder ARCHER-133525 6.11.0.3 If there are large numbers of users with similar name, grouping is displayed for each character of the name.  Application Builder, Attachments ARCHER-133527 6.11.0.3 Users and Groups are grouped together in the selection section when more users and groups are selected.  Application Builder, Record Page ARCHER-13092 6.12 In Application Builder, in the Properties panel > Documentation section, attachment upload fails for files that are 0 Kb in size.  Application Builder, Record Page ARCHER-127449 6.10.0.2 For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users of under installation.  Bulk Operations ARCHER-14142 6.3 When searching by username for inactive users on Schedule Actions, inactive users display in the search results.  When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access on the date of the Manage Schedule link to the Quick Reference tab	Application Builder	ARCHER-130829	6.11.0.3	In the Advanced Search page of applications, the greater than > and less than < characters are encoded.
When users update their Archer license, the Licensing Information page displays inaccurate Use Case information.  Application Builder ARCHER-131137 6.9.3.1 Workaround:  Application Builder ARCHER-132483 6.11.0.3 In Values Lists fields, the image given in the description of the value is not saved.  Application Builder ARCHER-132632 6.12 Expanding the Scheduler field enables the "Save Properties" and "Discard Changes" buttons, even if no changes were made.  In the Record Lookup Canifogration of cross-reference fields, the Save and Discard options always display when sorting is configured, and the unsaved changes popup appears when users navigate away.  Application Builder ARCHER-133491 6.12 Workaround:  - Click on Save to save the sorting changes.  - Click on Discard if the unsaved changes popup appears while navigating away.  Application Builder ARCHER-133527 6.11.0.3 Users and Groups are grouped together in the selection section when more users and groups are selected.  Application Builder, Attachments ARCHER-131092 6.12 In Application Builder, in the Properties panel > Documentation section, attachment upload fails for files that are 0 Kb in size.  Application Builder, Record Page ARCHER-127449 6.11.0.2.4 The maximum value for Record Permissions fields do not trigger validation properly when the criteria is not met.  Archer Control Panel, Job Framework ARCHER-135348 6.9.3.1.2 The "MaxThreadPerJobTypeMigrator" job fails on a Net-new Archer installation.  Bulk Operations ARCHER-41755 6.3 When searching by username for inactive users on Schedule Actions, inactive users display in the search results.  When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.  Users cannot add the Manage Schedule link to the Quick Reference tab	Application Builder	ARCHER-130951	6.12	In Application Builder, the Matrix Field Configuration Column Axis Selection is not translated.
Application Builder ARCHER-131137 6.9.3.1 Workaround: Perform lisreset to recover the correct information.  Application Builder ARCHER-132483 6.11.0.3 In Values Lists fields, the image given in the description of the value is not saved.  Application Builder ARCHER-132632 6.12 Expanding the Scheduler field enables the "Save Properties" and "Discard Changes" buttons, even if no changes were made.  In the Record Lookup Configuration of cross-reference fields, the Save and Discard options always display when sorting is configured, and the unsaved changes popup appears when users navigate away.  Application Builder ARCHER-133491 6.12 Workaround: - Click on Save to save the sorting changes Click on Discard if the unsaved changes popup appears while navigating away.  Application Builder ARCHER-133525 6.11.0.3 If there are large numbers of users with similar name, grouping is displayed for each character of the name.  Application Builder ARCHER-133527 6.11.0.3 Users and Groups are grouped together in the selection section when more users and groups are selected.  Application Builder, Attachments ARCHER-131092 6.12 In Application Builder, in the Properties panel > Documentation section, attachment upload fails for files that are 0 Kb in size.  Application Builder, Record Page ARCHER-70083 6.6.0.2 For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users Archer Control Panel, Job Framework ARCHER-135348 6.9.3.1.2 The "MaxThreadPerlobTypeMigrator" job fails on a Net-new Archer installation.  Bulk Operations ARCHER-41755 6.3 When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.  When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.	Application Builder	ARCHER-131117	6.12.0.4	The Greater Than > AND Less Than < symbols are encoded in field properties.
Application Builder ARCHER-132483 6.11.0.3 In Values Lists fields, the image given in the description of the value is not saved.  Application Builder ARCHER-132632 6.12 Expanding the Scheduler field enables the "Save Properties" and "Discard Changes" buttons, even if no changes were made.  In the Record Lookup Configuration of cross-reference fields, the Save and Discard options always display when sorting is configured, and the unsaved changes popup appears when users navigate away.  Application Builder ARCHER-133491 6.12 Workaround:  - Click on Save to save the sorting changes.  - Click on Discard if the unsaved changes popup appears while navigating away.  Application Builder ARCHER-133525 6.11.0.3 If there are large numbers of users with similar name, grouping is displayed for each character of the name.  Application Builder, Attachments ARCHER-133527 6.11.0.3 Users and Groups are grouped together in the selection section when more users and groups are selected.  Application Builder, Record Page ARCHER-131092 6.12 In Application Builder, in the Properties panel > Documentation section, attachment upload fails for files that are 0 Kb in size.  Application Builder, Record Page ARCHER-70083 6.6.0.2 For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users.  Archer Control Panel, Job Framework ARCHER-135348 6.9.3.1.2 The "MaxThreadPerJobTypeMigrator" job fails on a Net-new Archer installation.  Bulk Operations ARCHER-41755 6.3 When searching by username for inactive users on Schedule Actions, inactive users display in the search results.  Bulk Operations ARCHER-41779 6.3 Users cannot add the Manage Schedule link to the Quick Reference tab				When users update their Archer license, the Licensing Information page displays inaccurate Use Case information.
Application Builder ARCHER-132483 6.11.0.3 In Values Lists fields, the image given in the description of the value is not saved.  Application Builder ARCHER-132632 6.12 Expanding the Scheduler field enables the "Save Properties" and "Discard Changes" buttons, even if no changes were made.  In the Record Lookup Configuration of cross-reference fields, the Save and Discard options always display when sorting is configured, and the unsaved changes popup appears when users navigate away.  Application Builder ARCHER-133491 6.12 Workaround:  - Click on Save to save the sorting changes Click on Save the sorting changes Click on Save to save the sorting changes Click on Save to save the sorting changes spoup appears while navigating away.  If the manual changes (populary appears while navigating away.  If the manual changes (populary appears while navigating away.  If the manual changes (populary appears wh	Application Builder	ARCHER-131137	6.9.3.1	Workaround:
Application Builder APCHER-132632 6.12 Expanding the Scheduler field enables the "Save Properties" and "Discard Changes" buttons, even if no changes were made. In the Record Lookup Configuration of cross-reference fields, the Save and Discard options always display when sorting is configured, and the unsaved changes poung appears when users navigate away.  Application Builder APCHER-133491 APPLICATION ARCHER-133525 APPLICATION ARCHER-133525 APPLICATION ARCHER-133525 APPLICATION ARCHER-133527 APPLICATION ARCHER-133527 APPLICATION BUILDER APP				Perform iisreset to recover the correct information.
Application Builder ARCHER-133491 APPLICATION BUILDER ARCHER-133491 APPLICATION BUILDER ARCHER-133491 APPLICATION BUILDER ARCHER-1335491 APPLICATION BUILDER ARCHER-1335491 APPLICATION BUILDER ARCHER-1335493 APPLICATION BUILDER ARCHER-133555 APPLICATION BUILDER ARCHER-133555 APPLICATION BUILDER ARCHER-133556 APPLICATION BUILDER ARCHER-133557 APPLICATION BUILDER ARCHER-13092 ARCHER-13092 ARCHER-13093 ARCHER-13093 ARCHER-13093 ARCHER-135348 ARCHER-13094 ARCHER-13094 ARCHER-13094 ARCHER-13094 ARCHER-13095 ARCHER-13094 ARCHER-13095 ARCHER-13094 ARCHER-13094 ARCHER-13095 ARCHER-13094	Application Builder	ARCHER-132483	6.11.0.3	In Values Lists fields, the image given in the description of the value is not saved.
Application Builder ARCHER-133491 6.12 Workaround: - Click on Save to save the sorting changes Click on Discard if the unsaved changes popup appears while navigating away.  Application Builder ARCHER-133525 6.11.0.3 If there are large numbers of users with similar name, grouping is displayed for each character of the name.  Application Builder ARCHER-133527 Application Builder ARCHER-131092 ARCHER-1310	Application Builder	ARCHER-132632	6.12	Expanding the Scheduler field enables the "Save Properties" and "Discard Changes" buttons, even if no changes were made.
Application Builder ARCHER-133491 6.12 Workaround: - Click on Save to save the sorting changes Click on Discard if the unsaved changes popup appears while navigating away.  Application Builder ARCHER-133525 6.11.0.3 If there are large numbers of users with similar name, grouping is displayed for each character of the name.  Application Builder ARCHER-133527 6.11.0.3 Users and Groups are grouped together in the selection section when more users and groups are selected.  Application Builder, Attachments ARCHER-131092 6.12 In Application Builder, in the Properties panel > Documentation section, attachment upload fails for files that are 0 Kb in size.  Application Builder, Record Page ARCHER-70083 6.6.0.2 For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users.  Application Builder, Record Page ARCHER-127449 6.11.0.2.4 The maximum value for Record Permissions fields do not trigger validation properly when the criteria is not met.  Archer Control Panel, Job Framework ARCHER-135348 6.9.3.1.2 The "MaxThreadPerJobTypeMigrator" job fails on a Net-new Archer installation.  Bulk Operations ARCHER-41745 6.3 When searching by username for inactive users on Schedule Actions, inactive users display in the search results.  When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.  Bulk Operations ARCHER-41779 6.3 Users cannot add the Manage Schedule link to the Quick Reference tab				In the Record Lookup Configuration of cross-reference fields, the Save and Discard options always display when sorting is configured, and the unsaved
- Click on Save to save the sorting changes Click on Discard if the unsaved changes popup appears while navigating away.  Application Builder ARCHER-133525 6.11.0.3 If there are large numbers of users with similar name, grouping is displayed for each character of the name.  Application Builder ARCHER-133527 6.11.0.3 Users and Groups are grouped together in the selection section when more users and groups are selected.  Application Builder, Attachments ARCHER-131092 6.12 In Application Builder, in the Properties panel > Documentation section, attachment upload fails for files that are 0 Kb in size.  Application Builder, Record Page ARCHER-70083 6.6.0.2 For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users.  Application Builder, Record Page ARCHER-127449 6.11.0.2.4 The maximum value for Record Permissions fields do not trigger validation properly when the criteria is not met.  Archer Control Panel, Job Framework ARCHER-135348 6.9.3.1.2 The "MaxThreadPerJobTypeMigrator" job fails on a Net-new Archer installation.  Bulk Operations ARCHER-41442 6.3 When searching by username for inactive users on Schedule Actions, inactive users display in the search results.  When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.  Bulk Operations ARCHER-41779 6.3 Users cannot add the Manage Schedule link to the Quick Reference tab				changes popup appears when users navigate away.
- Click on Discard if the unsaved changes popup appears while navigating away.  Application Builder ARCHER-133525 6.11.0.3 If there are large numbers of users with similar name, grouping is displayed for each character of the name.  Application Builder ARCHER-133527 6.11.0.3 Users and Groups are grouped together in the selection section when more users and groups are selected.  Application Builder, Attachments ARCHER-131092 6.12 In Application Builder, in the Properties panel > Documentation section, attachment upload fails for files that are 0 Kb in size.  Application Builder, Record Page ARCHER-70083 6.6.0.2 For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users.  Application Builder, Record Page ARCHER-127449 6.11.0.2.4 The maximum value for Record Permissions fields do not trigger validation properly when the criteria is not met.  Archer Control Panel, Job Framework ARCHER-135348 6.9.3.1.2 The "MaxThreadPerJobTypeMigrator" job fails on a Net-new Archer installation.  Bulk Operations ARCHER-41442 6.3 When searching by username for inactive users on Schedule Actions, inactive users display in the search results.  When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.  Bulk Operations ARCHER-41779 6.3 Users cannot add the Manage Schedule link to the Quick Reference tab	Application Builder	ARCHER-133491	6.12	Workaround:
Application Builder ARCHER-133525 6.11.0.3 If there are large numbers of users with similar name, grouping is displayed for each character of the name.  Application Builder ARCHER-133527 6.11.0.3 Users and Groups are grouped together in the selection section when more users and groups are selected.  Application Builder, Attachments ARCHER-131092 6.12 In Application Builder, in the Properties panel > Documentation section, attachment upload fails for files that are 0 Kb in size.  Application Builder, Record Page ARCHER-70083 6.6.0.2 For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users.  Application Builder, Record Page ARCHER-127449 6.11.0.2.4 The maximum value for Record Permissions fields do not trigger validation properly when the criteria is not met.  Archer Control Panel, Job Framework ARCHER-135348 6.9.3.1.2 The "MaxThreadPerJobTypeMigrator" job fails on a Net-new Archer installation.  Bulk Operations ARCHER-41442 6.3 When searching by username for inactive users on Schedule Actions, inactive users display in the search results.  When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.  Bulk Operations ARCHER-41779 6.3 Users cannot add the Manage Schedule link to the Quick Reference tab				- Click on Save to save the sorting changes.
Application Builder ARCHER-133527 6.11.0.3 Users and Groups are grouped together in the selection section when more users and groups are selected.  Application Builder, Attachments ARCHER-131092 6.12 In Application Builder, in the Properties panel > Documentation section, attachment upload fails for files that are 0 Kb in size.  Application Builder, Record Page ARCHER-70083 6.6.0.2 For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users.  Application Builder, Record Page ARCHER-127449 6.11.0.2.4 The maximum value for Record Permissions fields do not trigger validation properly when the criteria is not met.  Archer Control Panel, Job Framework ARCHER-135348 6.9.3.1.2 The "MaxThreadPerJobTypeMigrator" job fails on a Net-new Archer installation.  Bulk Operations ARCHER-41442 6.3 When searching by username for inactive users on Schedule Actions, inactive users display in the search results.  When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.  Bulk Operations ARCHER-41779 6.3 Users cannot add the Manage Schedule link to the Quick Reference tab				- Click on Discard if the unsaved changes popup appears while navigating away.
Application Builder, Attachments ARCHER-131092 6.12 In Application Builder, in the Properties panel > Documentation section, attachment upload fails for files that are 0 Kb in size.  Application Builder, Record Page ARCHER-70083 6.6.0.2 For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users.  Application Builder, Record Page ARCHER-127449 6.11.0.2.4 The maximum value for Record Permissions fields do not trigger validation properly when the criteria is not met.  Archer Control Panel, Job Framework ARCHER-135348 6.9.3.1.2 The "MaxThreadPerJobTypeMigrator" job fails on a Net-new Archer installation.  Bulk Operations ARCHER-41442 6.3 When searching by username for inactive users on Schedule Actions, inactive users display in the search results.  When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.  Bulk Operations ARCHER-41779 6.3 Users cannot add the Manage Schedule link to the Quick Reference tab	Application Builder	ARCHER-133525	6.11.0.3	If there are large numbers of users with similar name, grouping is displayed for each character of the name.
Application Builder, Record Page ARCHER-10083 6.6.0.2 For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users.  Application Builder, Record Page ARCHER-127449 6.11.0.2.4 The maximum value for Record Permissions fields do not trigger validation properly when the criteria is not met.  Archer Control Panel, Job Framework ARCHER-135348 6.9.3.1.2 The "MaxThreadPerJobTypeMigrator" job fails on a Net-new Archer installation.  Bulk Operations ARCHER-41442 6.3 When searching by username for inactive users on Schedule Actions, inactive users display in the search results.  When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.  Bulk Operations ARCHER-41779 6.3 Users cannot add the Manage Schedule link to the Quick Reference tab	Application Builder	ARCHER-133527	6.11.0.3	Users and Groups are grouped together in the selection section when more users and groups are selected.
Application Builder, Record Page ARCHER-127449 6.11.0.2.4 The maximum value for Record Permissions fields do not trigger validation properly when the criteria is not met.  Archer Control Panel, Job Framework ARCHER-135348 6.9.3.1.2 The "MaxThreadPerJobTypeMigrator" job fails on a Net-new Archer installation.  Bulk Operations ARCHER-41442 6.3 When searching by username for inactive users on Schedule Actions, inactive users display in the search results.  When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.  Bulk Operations ARCHER-41779 6.3 Users cannot add the Manage Schedule link to the Quick Reference tab	Application Builder, Attachments	ARCHER-131092	6.12	In Application Builder, in the Properties panel > Documentation section, attachment upload fails for files that are 0 Kb in size.
Archer Control Panel, Job Framework ARCHER-135348 6.9.3.1.2 The "MaxThreadPerJobTypeMigrator" job fails on a Net-new Archer installation.  Bulk Operations ARCHER-41442 6.3 When searching by username for inactive users on Schedule Actions, inactive users display in the search results.  When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.  Bulk Operations ARCHER-41779 ARCHE	Application Builder, Record Page	ARCHER-70083	6.6.0.2	For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users.
Archer Control Panel, Job Framework ARCHER-135348 6.9.3.1.2 The "MaxThreadPerJobTypeMigrator" job fails on a Net-new Archer installation.  Bulk Operations ARCHER-41442 6.3 When searching by username for inactive users on Schedule Actions, inactive users display in the search results.  When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.  Bulk Operations ARCHER-41779 ARCHE	Application Builder, Record Page	ARCHER-127449	6.11.0.2.4	The maximum value for Record Permissions fields do not trigger validation properly when the criteria is not met.
Bulk Operations ARCHER-41755 6.3 When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.  Bulk Operations ARCHER-41779 6.3 Users cannot add the Manage Schedule link to the Quick Reference tab		ARCHER-135348	6.9.3.1.2	
Bulk Operations ARCHER-41755 6.3 When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display.  Bulk Operations ARCHER-41779 6.3 Users cannot add the Manage Schedule link to the Quick Reference tab	Bulk Operations	ARCHER-41442	6.3	When searching by username for inactive users on Schedule Actions, inactive users display in the search results.
· ·		ARCHER-41755	6.3	When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have
Bulk Operations ARCHER-41838 6.3 If any of the records selected for Bulk Delete have already been deleted, Bulk Delete fails.	Bulk Operations	ARCHER-41779	6.3	Users cannot add the Manage Schedule link to the Quick Reference tab
	Bulk Operations	ARCHER-41838	6.3	If any of the records selected for Bulk Delete have already been deleted, Bulk Delete fails.

Bulk Operations	ARCHER-76594	6.7	The Calculation Editor, available when using the Calculated Operator In Bulk Create Reference Actions, does not correctly throw validation errors when invalid characters are included in formulas. The inclusion of these invalid characters will cause the formula to not save. To save the formula, make sure it does not include any of the following characters: "\"<>/"&"\"<>/"
Bulk Operations	ARCHER-96461	6.9	In Bulk Actions, when users configure internal calculated cross references, in the Group By option, they have to choose the number of fields in the Field Value Expression during the initial configuration. If users attempt to add or modify fields after saving the Bulk Action, the Bulk Action is not updated.  Workaround:  Delete the existing Bulk Action, create a new Bulk Action, and add all required fields when initially configuring the Action.
Calc Engine	ARCHER-129029	6.12.0.2	The Core Application Vulnerability Scan Results calculation fields error message displays an unhandled exception.
Calculated Cross References	ARCHER-128698	6.12.0.2	In cross-reference fields, when removing a filter from the Additional Filters, the filter condition is not applied, removing the field displays a dependence warning notice.
Charts and Graphs	ARCHER-123180	6.11	On mouseover, the transparency of the bubbles is reduced.  Workaround:  To improve the bubble text transparency, refresh the chart.
Charts and Graphs	ARCHER-128640	6.12.0.2	The screen reader announces the Display Option and Chart types list as a link instead of a list or dropdown
Charts and Graphs	ARCHER-129859	6.11.0.3	Full Stacked, Stacked, and Logarithmic graphs do not display zero counts in entries.
Common ExtJs Components, React Common Components, UI	ARCHER-131148	6.11.0.1.1	The Column Header may not always appear when users navigate through various Back Office pages.
Data Driven Events	ARCHER-131149	6.9.2.2	When applications are copied, Matrix field values in DDE Rules are removed.
Data Feeds	ARCHER-47727	6.4	When a large source file is added to the Source Definition tab, an exception occurs.
Data Feeds	ARCHER-48616	6.4	When running a data feed using XSLT 3.0, if the Archer environment does not have internet access, it cannot validate the DTD and gives an error. <b>Workaround:</b> When running data feeds using XSLT 3.0, verify that your Archer environment has internet access
Data Feeds	ARCHER-111874	6.9.2	If a text field or a text area contains a string which is included in angle brackets (ex: <test>), this string including the brackets gets removed with the update from an archer-archer data feed.</test>
Data Feeds	ARCHER-131150	6.10.0.1.1	When imported Data Feeds are saved with monthly schedules, an exception is thrown.  Workaround:  Save the feeds with a Daily or Weekly schedule first, change it to a Monthly schedule, and Save.
Data Feeds, Data Import	ARCHER-128120	6.10	Users cannot import data into Record Permissions fields if user middle names include spaces.
Data Feeds, React Common Components	ARCHER-127753	6.11.0.2.4	The Optimize Calculations option is exposed on the React version of the Manage Data Feeds page even when the option is disabled in the Archer Control Panel.
Data Gateway	ARCHER-85815	6.8	Connections must be deleted prior to deleting the associated target.  Workaround:  Delete connections first, then the associated target.
Data Import	ARCHER-40928	6.3	A faulted data import erroneously lists the number of records in the file as having been created, when in fact it created none.
Field Encryption	ARCHER-41772	6.3	The Self-Reference Calculation field can be marked for encryption. Encrypted fields cannot be used in calculations.  Workaround:  While editing the self-calculated field, if encryption related warning is shown, disable the encryption status, and then save the field.
Global Print and Export	ARCHER-128957	6.11	In Manage Global Print and Export Settings, the "Default" column header is not translated.
Global Print and Export, Print and Export	ARCHER-118164	6.9.2.2	When users export record content to RTF format, the exported file does not include the RTF Template from Global Print and Export settings.
Globalization and Localization	ARCHER-131151	6.11.0.1	For Chinese locale users, the Landing Page iView type is displayed in Spanish.
Globalization and Localization, Print and Export	ARCHER-48267	6.3.0.1	On exported PDF records, field names including Japanese and/or Chinese characters are not displayed properly. This only occurs when user locale language and language used for field names are different.
Inline Edit	ARCHER-41827	6.3	When a Hierarchical Values List field display is not set to drop-down, the last value does not display correctly
keyboard_nav, Reports, UI, WCAG 2.1	ARCHER-90536	6.8.0.1	In Google Chrome, choosing a report in Related Report using the TAB key traverses through all elements.
keyboard_nav, Search and Search Results, Section 508, UI, WCAG 2.1	ARCHER-90950	6.8.0.1	In Microsoft Edge, users cannot select more than one value in the Refine By pane using the TAB key.
Login Home Page	ARCHER-128641	6.12.0.2	On the Archer User Login page, the screen reader announces the Login button as a login link.
Master Report Listing	ARCHER-126676	6.12	On the Reports Listing Page, users cannot select applications using keyboard actions.

ARCHER-128126	6.12	On the Reports Listing page, when users click the Edit option, the associated application's default Advanced Search page opens instead of the selected report's Advanced Search page.
ARCHER-48703	6.4	After clicking a quick link that opens in a new window, the new window does not display correctly
ARCHER-134951	6.13	When users close a report page, they are directed to the dashboard home page instead of the Edit Dashboard page.
ARCHER-111139	6.9.2	The slider option in the new color picker does not update the Hex or the RGB color codes in the first attempt. The color code values are only updated when users select specific colors from the pallette.
ARCHER-111561	6.9.2	On Demand Notifications hide table borders and colors.
ARCHER-126951	6.12	For On-Prem customers, notifications will not be triggered if Password based authentication is selected in the Archer Control Panel for the mail server and if Archer is upgraded to version 6.12.  Workaround:  Save the instance notification settings in Archer Control Panel as soon as the Archer version is upgraded to 6.12.
ARCHER-127313	6.12	When using data import for applications with Advanced Workflow Actions by Email enabled and with token-based authentication for the mail server, action emails are occasionally not sent.  Workaround:  In the Archer Control Panel, in the Notification section, change the "Number of retries" to 2.
ARCHER-131154	6.11	This note is applicable only if authentication is disabled at the SMTP server. In Archer 6.11 and later, to send emails, in the ACP, if authentication is disabled at the SMTP server, clear the Authentication checkbox.
ARCHER-88885	6.8	When a user is logged into the Archer user interface on the client machine and encounters an offline record conflict, the taskbar tray presents a selection option called Resolve Conflict. The Resolve Conflict selection option is inoperable.  When a user is logged into the Archer user interface on the client machine and must restart record synchronization, the taskbar tray presents a selection option called Restart Sync. The Restart Sync selection option is inoperable.
ARCHER-114914	6.9.2.1	User is unable to load little Archer Home page after offline sync.
ARCHER-58656	6.5	When users upgrade Archer Offline access from a version pre-6.5 to 6.5 or later, the offline installer does not update the SQL Server 2012 LocalDB to SQL Server 2017 LocalDB and also the registry key. As a result, the offline access sync does not complete.  Workaround:  Uninstall SQL Server LocalDb manually, and also delete a key from the registry using the Registry Editor in order to upgrade a client that previously had Offline Access installed on it.  The registry key depends on unique IDs and user names, but will look similar to the following example:  Computer\HKEY_CURRENT_USER\Software\Microsoft\Microsoft SQL Server\UserInstances\{0A643155-0194-4FCF-84D3-FA5DF16E36B1}
		The key that needs to be removed will have a DataDirectory value similar to the following:
ADCHED_121155	6 10 0 2	C:\Users\usernameGoesHere\AppData\Local\Microsoft\Microsoft SQL Server Local DB\Instances\OfflineArcher  The first sync of the Offline fresh install throws a Null reference error.
		The 6.12.0.2 Offline Sync fails with the error "Bulk load data conversion error".
		When the package is installed by the default administrator, an exception is thrown in the workflow.
ARCHER-55683	6.4.1.1	In a Questionnaire configuration, creating a campaign with the same name as an existing campaign generates an error.
ARCHER-134127	6.13	In the Safari and Firefox browsers, in Questionnaires, the question name and question text display are not aligned, both in record View and Edit modes.
ARCHER-41877	6.3	When you add and attempt to copy a record containing the Last Updated field, the time in the Last Updated field changes while in Copy mode
ARCHER-102102	6.9.0.2	When users select an option from the Target field drop-down in the Findings application, the ellipses to open the Record Lookup is not available for all options in the Target field.
ARCHER-129771	6.11.0.3	Numeric Key Fields containing specific styles such as color cause encoding display issues.
ARCHER-131157	6.11.0.1	The clear button on the DDE Event Analyzer is preceded by the symbol '>'.
ARCHER-133143	6.11.0.3	In the View mode of record pages, when Values Lists values contain the character "<" and images, the image appears as the encoded characters (&It).
ARCHER-132479	6.12	Saving and Closing records throw an exception if Record Permission fields have users whose names include special characters.
ARCHER-123346	6.10.0.2	In Report Objects, selecting the Display report as 'When the Page Loads' makes 'Save Properties' unresponsive. Additionally, 'Discard Property Changes' throws an unexpected error and retains the changes without discarding.
	ARCHER-134951  ARCHER-134951  ARCHER-111139  ARCHER-111561  ARCHER-126951  ARCHER-126951  ARCHER-127313  ARCHER-131154  ARCHER-131154  ARCHER-88885  ARCHER-131155  ARCHER-131155  ARCHER-135347  ARCHER-132775  ARCHER-134127  ARCHER-134127  ARCHER-134127  ARCHER-134127  ARCHER-131157  ARCHER-131157  ARCHER-131157  ARCHER-131157  ARCHER-131157	ARCHER-134951 6.13  ARCHER-111139 6.9.2  ARCHER-111561 6.9.2  ARCHER-126951 6.12  ARCHER-127313 6.12  ARCHER-131154 6.11  ARCHER-88885 6.8  ARCHER-14914 6.9.2.1  ARCHER-131155 6.10.0.2  ARCHER-135347 6.12.0.2  ARCHER-132775 6.12  ARCHER-134127 6.13  ARCHER-134127 6.13  ARCHER-134127 6.3  ARCHER-129771 6.11.0.3  ARCHER-131157 6.11.0.1  ARCHER-13143 6.11.0.3  ARCHER-13143 6.11.0.3  ARCHER-13143 6.11.0.3  ARCHER-132479 6.12

Report Object	ARCHER-123347	6.10.0.2	If other Display Configurations are modified in Report Objects, users cannot select the Display option to Display Custom Object while Viewing or Editing the record.
Report Object	ARCHER-123348	6.10.0.2	The Advanced Operator Logic help and warning messages overlap with the Display Report Options in the Report object Filter conditions.
Report Object	ARCHER-131104	6.12.0.4	When updating the values for a filter condition in Report Objects, the filter operator also changes.
Report Object	ARCHER-132670	6.11.0.3	Report Object properties can be saved even if the required values in the filter condition are not provided.
Reports	ARCHER-131357	6.12	Sharing and promoting reports to the Everyone group displays an unexpected error.
Reports, Search and Search Results	ARCHER-77917	6.7.0.1	In a leveled application, the order of the levels selected for a report's Manage Columns is not maintained.
Reports; Workspaces, Dashboards and			·
iViews	ARCHER-130922	6.12.0.4	When Dashboards that include reports with HTML are exported in PPTX or PDF format, the export displays the HTML source code
Search and Search Results	ARCHER-56179	6.4.1.1	Count drill-in when sorting by a Values List value that is in the 2nd or more level does not display results.
Search and Search Results	ARCHER-65661	6.6	When an application has 8,000 or more records, if the standard PIN type is changed to the custom type by Value, the browser occasionally closes while opening a Map Report.
Search and Search Results	ARCHER-67154	6.6	Modifying the Map Report results in loading the Advanced Search page forever for cross-reference and leveled applications
Search and Search Results	ARCHER-94530	6.8.0.3	The Sum row is automatically hidden in the Advanced Search Results page because Inline Edit is activated by default.
Search and Search Results	ARCHER-94687	6.8.0.3	When the Filter By pane is activated in the Advanced Search Results page, the Sum value of numeric fields are not updated.
Search and Search Results	ARCHER-125223	6.11	In Search Results pages, the Manage Columns option keeps attempting to load if reports have an empty Task Management cross-reference field.
Search and Search Results	ARCHER-125267	6.11	In Advanced Search Filter Criteria, finding users for the Users Group Field also displays the matching usernames.
Search and Search Results	ARCHER-128100	6.12	If cross-reference fields are configured with the Display Control as Single Column and the Display in data level tree structure option is selected, then the values of the cross-reference fields on search results pages are not displayed in a tree structure in the first attempt. If the report format is changed to Row/summary and then changed back to the default report format of Column Hierarchical, then the fields are displayed correctly.
Search and Search Results	ARCHER-129857	6.11	In the Advanced Search Configuration, users cannot clear the Enforce Relationships Checkbox.  Workaround:  Hover over the Enforce Relationships checkbox and click the Space bar on the keyboard.
Search and Search Results; Workspaces, Dashboards and iViews	ARCHER-97037	6.9	The EQUALS filter fails to return content when the field value contains an ampersand.
Section 508	ARCHER-106450	6.9.1.2	If a workspace does not include a dashboard, the screen reader does not narrate the Option Menu on the workspace home page.
Section 508	ARCHER-129901	6.12.0.2	On the Reports Listing page, the screen reader announces links using the word "button".
UI	ARCHER-132943	6.12	Each time users click the image graphic selector, Archer displays the images in a different order.
Workflow (AWF)	ARCHER-47401	6.4	When working in the Advanced Workflow builder, interacting with the process or node properties pane causes the pane to scroll to the top, which makes configurations difficult to control.
Workflow (AWF)	ARCHER-55655	6.4.1.1	Orphan tasks that are in progress cannot complete after restarting Advanced Workflow.
Workflow (AWF)	ARCHER-131916	6.11.0.3	Depending on the date, Advanced Workflow logs are not rolled over into a new log file.
Workflow (AWF)	ARCHER-131917	6.11.0.3	When users recreates the transition rule for the Evaluate Content node, the previously deleted rule name is prepopulated in the Rule Designer.
Workspaces, Dashboards and iViews	ARCHER-41794	6.2.0.6	Users with Create, Read, Update, and Delete rights to global dashboards from the Administration menu cannot edit global dashboards in the end-user interface.
Workspaces, Dashboards and iViews	ARCHER-76294	6.7	In Mozilla Firefox, in the dashboard header Options menu, previously selected options remain highlighted.
Workspaces, Dashboards and iViews	ARCHER-96097	6.9	When adding a new video iView or editing an existing video iView to a dashboard, the new video iView does not load.
Workspaces, Dashboards and iViews	ARCHER-101965	6.9.0.2	When General Users use the Advanced Search Quick Link, they receive an error.
Workspaces, Dashboards and iViews	ARCHER-116763	6.9.2.2	User cannot clear the background image of Landing Page iViews.
Workspaces, Dashboards and iViews	ARCHER-130971	6.12.0.3	Dashboards that include Report iViews with Admin Reports fail to export.
Workspaces, Dashboards and iViews	ARCHER-131973	6.13	Dashboard names on the Nav Menu and widget titles in Multiple Charts saves the characters "<" as "<", "&" as "\$amp;", and ">" as ">".
Workspaces, Dashboards and iViews	ARCHER-135192	6.13	In Next Generation Dashboard, on the Multiple Chart widget, administrators can view only the title of personal reports of other users, but no data is present.
Workspaces, Dashboards and iViews	ARCHER-135197	6.13	On the Next Generation Dashboard, for General Users, statistical reports displays as no record which was created using private fields for which the General users does not have access
Workspaces, Dashboards and iViews	ARCHER-135320	6.13	In Safari, in the URL field of the browser, when users click enter on their keyboard, they receive an unexpected error.  Workaround:  Option 1: Click the refresh button in the browser.  Option 2: Right-click on the browser page and select Reload Page.

Workspaces, Dashboards and iViews	ARCHER-135315	6.11.0.4	When a Classic dashboard is set as home, the dashboard name is not displayed in the toaster message.
Workspaces, Dashboards and iViews	ARCHER-135426	6.13	When multiple chart widget names match titles of iViews or other widgets, users receive an error.