



Archer[®] Suite

Version 6.11 and Later

Release Notes



Contact Information

RSA Link at <https://community.rsa.com> contains a knowledgebase that answers common questions and provides solutions to known problems, product documentation, community discussions, and case management.

Trademarks

RSA Conference Logo, RSA, and other trademarks, are trademarks of RSA Security LLC or its affiliates ("RSA"). For a list of RSA trademarks, go to <https://www.rsa.com/en-us/company/rsa-trademarks>. Other trademarks are trademarks of their respective owners.

License Agreement

This software and the associated documentation are proprietary and confidential to RSA Security LLC or its affiliates are furnished under license, and may be used and copied only in accordance with the terms of such license and with the inclusion of the copyright notice below. This software and the documentation, and any copies thereof, may not be provided or otherwise made available to any other person.

No title to or ownership of the software or documentation or any intellectual property rights thereto is hereby transferred. Any unauthorized use or reproduction of this software and the documentation may be subject to civil and/or criminal liability.

This software is subject to change without notice and should not be construed as a commitment by RSA.

Third-Party Licenses

This product may include software developed by parties other than RSA. The text of the license agreements applicable to third-party software in this product may be viewed on the product documentation page on RSA Link. By using this product, a user of this product agrees to be fully bound by terms of the license agreements.

Note on Encryption Technologies

This product may contain encryption technology. Many countries prohibit or restrict the use, import, or export of encryption technologies, and current use, import, and export regulations should be followed when using, importing or exporting this product.

Distribution

Use, copying, and distribution of any RSA Security LLC or its affiliates ("RSA") software described in this publication requires an applicable software license.

RSA believes the information in this publication is accurate as of its publication date. The information is subject to change without notice.

THE INFORMATION IN THIS PUBLICATION IS PROVIDED "AS IS." RSA MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WITH RESPECT TO THE INFORMATION IN THIS PUBLICATION, AND SPECIFICALLY DISCLAIMS IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2020-2022 RSA Security LLC or its affiliates. All Rights Reserved.

Revised: March 2022

Fixed Issues in Release 6.11

This section is a cumulative list of issues that have been fixed since the last non-patch or service pack release, Archer 6.10.

Note: When users upgrade from Archer versions prior to 6.9.1.1 to Archer versions 6.9.1.1 or above, the work item cleanup to improve the Advanced Workflow performance might delay the installation.

| Component | Issue | Fix Version | Description |
|------------------------------------------|---------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ACP, Queuing Service | CE-9594 | 6.10 | Repeated use of "Refresh in place" on Index rebuild causes the Queuing Service to run out of disk space. |
| Application Builder | CE-118195 | 6.10 | Users cannot track Record Permission fields in the History Log. |
| Application Builder | CE-117996 | 6.10 | When users configure Users/Groups List fields in Sub-forms, in the Field Population section, users cannot select the Default option for the Record Creator. |
| Application Builder | CE-117992 | 6.10 | In Archer 6.9.3, users cannot set the Minimum and Maximum values for a Question: Values List. |
| Application Builder | CE-117965 | 6.10 | In Application Builder, users cannot configure the Panel text for section headers. As a result, the Panel text is not displayed in records. |
| Application Builder, Data Publications | CE-117902 | 6.10 | On the Manage Applications page, the filters for the following columns do not function properly: Type, Action, and Last Updated. |
| Application Builder, Questionnaires | CE-118266 | 6.10 | Users cannot create or add new Question fields in Questionnaires. |
| Attachments | CE-118072 | 6.10 | Attachment field upload dialog boxes in records do not correctly reflect the maximum attachment size configured for that field in Application Builder. |
| Calc Engine, Calculated Cross References | CE-117881 | 6.10 | When Calculated fields evaluate values, that depends on the order in which values are created in Values Lists. |
| Calculations | CE-118082 | 6.10 | Text values in calculated Text fields remove the last double quote of values. |
| Data Feeds | CE-118156 | 6.10 | In Archer 6.9.3.0.3, on the Run Configuration tab of Data Feed Manager, the Run After option is spelled as Run Afterr. |
| Documentation | ARCHER-119499 | 6.10 | The translated 6.9.3 Archer Control Panel help displays the incorrect Archer version number in both the Support and Services and the Product Information dropdowns. |
| HTML Sanitizer, Notifications | CE-117858 | 6.10 | Self Referencing URL's become relative in Back Office, which break URL's in Letterheads and Notification Templates on content save. |
| Job Framework, Questionnaires | CE-9527 | 6.10 | Findings do not generate properly. |
| Notifications | CE-118081 | 6.10 | When saving Scheduled Report Notifications with the notification time set, the time changes. |
| Record Page | CE-117964 | 6.10 | Records do not display the help text configured in Application Builder for different sections on Layouts. |
| Record Page | CE-117922 | 6.10 | When users attempt to submit and save records, required attributes are not enforced for fields, until any interaction with those fields are complete (no data entry). |
| Reports | CE-118239 | 6.10 | When Cross-Reference fields include Text fields as the Key field, and Inline Edit is enabled, the ellipsis icon is not visible. |
| UI | CE-118057 | 6.10 | Performance is slow in certain parts of the new Back Office pages. |
| Workspaces, Dashboards and iViews | CE-117938 | 6.10 | The embedded HTML code for Video iViews are not saved, causing those iViews not to function properly. |
| Application Builder | CE-118546 | 6.10.0.1 | The Description field in Text Box Layout Objects cannot contain 2000 characters or more of text. |
| Application Builder | CE-118484 | 6.10.0.1 | The Cross Application Status Tracking field (Scorecard) and Default field are both missing translations. |
| Application Builder, Database | CE-9601 | 6.10.0.1 | Users cannot save changes made to Applications. |
| Content Save and Delete, Record Page | CE-118253 | 6.10.0.1 | For Spanish locale users, AWF update content nodes clear any date fields configured as Date and Time. |
| Data Driven Events, Report Object | CE-9467 | 6.10.0.1 | Apply Conditional Layout does not hide or display a report object until the record is saved. |
| Data Feeds, Data Import | CE-118438 | 6.10.0.1 | Users cannot clear Cross-Reference or Related Record fields through Data Import/Data Feeds where the Key Field is Tracking ID. |

| | | | |
|-----------------------------------------|-----------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Database, Faceted Search | CE-118482 | 6.10.0.1 | Stored procedure usp_search_count_content_value_list will now show more consistent performance |
| Database, Performance | CE-118375 | 6.10.0.1 | Users cannot save records in multiple applications due to a performance issue with the stored procedures. |
| Inline Edit | CE-118206 | 6.10.0.1 | In Google Chrome and Microsoft Edge, when users click Cancel after editing Values Lists in search results, an Unexpected Error occurs. |
| Inline Edit, Search and Search Results | CE-118565 | 6.10.0.1 | In Google Chrome, in Advanced Search, when users change Values Lists values first using Inline Edit, they receive an error. |
| Login Home Page, UI | CE-9876 | 6.10.0.1 | When users sign in and out of Archer using SSO, they cannot use their correct credentials to manually log in again. |
| Mail Merge | CE-118371 | 6.10.0.1 | Mail Merge export fails if the template access is set to private and assigned only with groups (UserGroup). |
| Mail Merge | CE-118542 | 6.10.0.1 | Mail Merges run in jobs with email notifications remove images from Text Area fields. |
| Notifications | CE-118527 | 6.10.0.1 | Application Notifications do not display Application names. |
| Packaging | CE-118138 | 6.10.0.1 | On the package installation screen, unselecting objects causes the screen to go blank. |
| Packaging | CE-118576 | 6.10.0.1 | When users map the out-of-the-box AllAccessRoles Package, they receive an error. |
| Questionnaires | CE-118416 | 6.10.0.1 | In Questionnaire Campaigns, the Target Generation Conditions operator options in the dropdown is empty for the Record Status field type. |
| Questionnaires | CE-118488 | 6.10.0.1 | Once daily Campaigns run, users cannot schedule the Campaigns again for the same day. |
| Questionnaires | CE-118551 | 6.10.0.1 | In Campaigns, under the Target Generation Conditions, the operators are not available for Related Record fields. |
| Record Page | CE-118536 | 6.10.0.1 | Users cannot add records when Applications are configured with Help Text set to Below. |
| Reports, Search and Search Results | CE-118432 | 6.10.0.1 | Statistical Reports configured with Display Totals do not display all information. |
| Attachments | CE-118691 | 6.10.0.1.1 | When records are saved, Attachment fields may lose their references (links). |
| Calculations | CE-118685 | 6.10.0.1.1 | During full module recalculations, Calculated Cross-Reference fields ignore additional related filters and link all blank records. |
| Data Feeds | CE-118665 | 6.10.0.1.1 | When Data Feed names include special characters, the feeds fail with the error "The given path's format is not supported." |
| Application Builder | CE-118824 | 6.10.0.1.2 | Calculations fail for any Calculated fields that depend on the fields in the Campaign / Finding records generated by the Campaign & Findings generation job. |
| Calc Engine | CE-118826 | 6.10.0.1.2 | Calculation Jobs do not complete. |
| Job Framework, Jobs | CE-118812 | 6.10.0.1.2 | Jobs lose their schedule when set to Monthly schedules that use 12 Month interval configurations. |
| Mail Merge | CE-118810 | 6.10.0.1.2 | Performing Mail Merge truncates Image and Text content in Text Area fields. |
| Access Control: LDAP | CE-118658 | 6.10.0.2 | Users cannot remove LDAP attributes from User Field Mappings once they have been set. |
| Application Builder | CE-118350 | 6.10.0.2 | In Values Lists fields, users cannot deselect the Advanced Formatting option. |
| Application Builder | CE-118402 | 6.10.0.2 | When values are imported into Values Lists configured with a custom sort order, the imported values lose their sort order. |
| Application Builder | CE-118433 | 6.10.0.2 | Users cannot select the Hyperlink Selected Value(s) in View Mode option for Calculated Values List fields. |
| Application Builder | CE-118517 | 6.10.0.2 | Setting the Default Search display format in Applications to Column-Flat throws an exception. |
| Application Builder | CE-118537 | 6.10.0.2 | Users cannot save History Log fields when the Retention Policy is configured as Entries. |
| Application Builder | CE-118592 | 6.10.0.2 | In the Application Builder Page, the number '0' is displayed at the corner of the page. |
| Application Builder | CE-118593 | 6.10.0.2 | In the Tracking ID prefix and suffix properties, the character "&" is incorrectly encoded. |
| Application Builder | CE-118680 | 6.10.0.2 | On the Layout Builder grid, the filters for the Last Updated column are disabled. |
| Application Builder | CE-118698 | 6.10.0.2 | The Date filter value in formats such as 'dd/MM/yyyy' swaps to the 'MM/dd/yyyy' format in the Record Lookup page. |
| Application Builder | CE-118716 | 6.10.0.2 | Users cannot select Attachment fields in Related Record field Record Lookup Configuration. |
| Application Builder, Calculations | CE-118421 | 6.10.0.2 | Calculated field names that includes any special characters cannot be renamed. |
| Application Builder, Record Permissions | CE-118479 | 6.10.0.2 | If Archer has more than 1000 users, the Automatic Record Permission field rule does not display the users. |
| Application Builder, Record Permissions | CE-118599 | 6.10.0.2 | After removing the Record Creator option from the Record Permission Field settings, the Record Creator option is still set as Default. |
| Application Builder, UI | CE-118674 | 6.10.0.2 | In the Navigation Menu and the Menu dropdown, the Announcements option is duplicated. |

| | | | |
|------------------------------------------|---------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attachments | CE-9504 | 6.10.0.2 | When records including Attachment fields are saved, the fields may lose data. |
| Calculated Cross References | CE-118513 | 6.10.0.2 | When a Cross-Reference field is a Calculated Field, in the referenced application's Related Record Field, the Edit Field Display dialog box (under Grid Display Properties) does not display any Display Fields. |
| Calculations | CE-118685 | 6.10.0.2 | During full module recalculations, Calculated Cross-Reference fields ignore additional related filters and link all blank records. |
| Charts and Graphs | CE-118524 | 6.10.0.2 | The Chart Marker for the Average statistic only updates when the marker settings are saved again. |
| Data Driven Events | CE-118533 | 6.10.0.2 | When Data Driven Event Rules are saved with conditions that refer to Record Permission fields, an exception is thrown. |
| Data Feeds | CE-118665 | 6.10.0.2 | When Data Feed names include special characters, the feeds fail with the error "The given path's format is not supported." |
| Database, Data Publications | CE-118320 | 6.10.0.2 | Data Publication job failures cause duplicate child jobs to be created with the error FK_tblAsyncJobHold_tblAsyncJobQueue. |
| Globalization and Localization | CE-118684 | 6.10.0.2 | On Manage Languages page, the header label for the Default column is displayed as "CMMN:DEFAULT." |
| Globalization and Localization | CE-118690 | 6.10.0.2 | Strings in Archer for Spanish locale users appear in German instead of Spanish. |
| IIS Web Server | CE-118574 | 6.10.0.2 | Pop-up Values List fields that includes values that exceed the limit of 2048 characters throws a 404 - File or Directory Not Found error. |
| Job Framework, Jobs | CE-118465 | 6.10.0.2 | Jobs lose their schedule when set to a Monthly schedule that uses a 12 Month interval configuration. |
| Mail Merge | CE-118711 | 6.10.0.2 | Performing Mail Merge truncated Image and Text content in Text Area fields. |
| Notifications | CE-118223 | 6.10.0.2 | Notifications associated with a Letterhead that include Header and Footer images, but no content, are not sent with the images. |
| Notifications | CE-118676 | 6.10.0.2 | If the same field name is added multiple times in Notification subjects, a validation error is thrown. |
| Notifications, Workflow (AWF) | CE-118346 | 6.10.0.2 | Values of Application On Demand Notifications with Date fields (configured with Date and Time) in both the subject and the body do not match the values of those same fields in the application records. |
| Questionnaires | CE-118369 | 6.10.0.2 | In Questionnaires, users cannot set the correct answer for Values List questions. |
| Questionnaires | CE-118710 | 6.10.0.2 | If the Findings Generation filter is not configured, updating the questionnaire status throws an exception. |
| Record Page | CE-118681 | 6.10.0.2 | When users navigate to the next page in the search results, the sort order is not retained. |
| Record Page | CE-118746 | 6.10.0.2 | Users cannot view History Logs in records due to an unexpected error. |
| Record Permissions | CE-118704 | 6.10.0.2 | In Leveled Applications, the parent level record permission field is not displayed in the child level unrestricted Inherited Record Permission configuration. |
| Search and Search Results | CE-118569 | 6.10.0.2 | The Contains filter in the Search operation does not return any data for old records that contain the character '&'. |
| Search and Search Results | CE-9471 | 6.10.0.2 | Filtered results based on Cross-Reference field definition filters are displayed even when no match is found at the specific keyword search level for a specified search keyword. |
| Section 508, WCAG 2.0 2.1.1(A), WCAG 2.1 | CE-9802 | 6.10.0.2 | In the Search Results page, JAWS does not announce the sort status of fields. |
| Application Builder | ARCHER-120706 | 6.11 | The DDE rule condition applies the same filter as the filter in the Designer tab. Workaround: To see the full list of fields, reset the filter in the Designer tab. |
| Application Builder, Advanced Workflow | CE-118272 | 6.11 | Applications display the Save changes prompt when navigating from the Advanced Workflow tab to the Designer tab. |
| Application Builder, Record Page | CE-118751 | 6.11 | When users click the default text in Text fields, the text is not cleared. |
| Data Feeds | ARCHER-121309 | 6.11 | Clicking on the Save and Close button from any Data Feed page returns users to the Archer home page instead of the Data Feed Listing page. |
| Documentation | ARCHER-120999 | 6.11 | When selecting, creating, or copying associated actions from rules, the Archer UI displays an ellipsis icon. However, the documentation states to use the + icon. Users of Archer 6.10 should use the ellipsis icon to work with associated actions from rules. |

| | | | |
|---------------------------------------------------------------------------------|-----------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Documentation | CE-118317 | 6.11 | The following documentation is only available in the English version of the Archer Online Documentation. |
| Documentation, Help System | ARCHER-121175 | 6.11 | Installing a Package - Note: Sub-forms are only installed by packaging if selected for install in addition to an application or questionnaire, which contains a sub-form field referencing that sub-form. |
| Sankey Chart and Combination Markers charts | | | Sankey Chart and Combination Markers charts are not represented in the documentation. |
| Print and Export, Search and Search Results; Workspaces, Dashboards, and iViews | ARCHER-118161 | 6.11 | When Dashboards are exported to PDF format, all records are exported instead of the percentage configuration number of records. |
| Record Page | CE-118785 | 6.11 | Unchecking "Remove the default text on mouse-click" still removes the default text on click. |
| Solutions | ARCHERSOL-12502 | 6.11 | After removing the Discussion Forum functionality, there is no section available to enter Comments. |
| Workspaces, Dashboards and iViews | CE-118282 | 6.11 | Adding Private Links List iViews to Dashboards grays out the Dashboards. |

Known Issues in Release 6.11

This section lists reported issues that remain unresolved as of the latest release. Wherever a workaround is available, it is noted or referenced in detail. For many of the workarounds in this section, you must have administrative privileges.

| Component | Issue | Description |
|------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Access Control | ARCHER-89007 | A proper message is not displayed when a non Admin user accesses the links to the backoffice pages through iView & Quicklinks. |
| Access Control | CE-118800 | On the Manage Users page, when Japanese locale administrators filter the Status column with multiple selections, an exception is thrown. |
| Access Control: LDAP | ARCHER-123342 | The user must click "Get Attributes" every time they encounter "No Attributes Found" or empty attribute lists in the LDAP configuration. |
| Appearance | ARCHER-110841 | When changing the menu background color, the text color is changed to reflect in the warning modals. There is no workaround at this time, however a fix will be available in an upcoming patch release. |
| Appearance | ARCHER-13566 | Some user activity on an Archer webpage does not properly reset the session timeout, causing the warning message to appear randomly. |
| Appearance | ARCHER-77830 | Trending Chart data displays in the UI only after a second save. |
| Appearance | ARCHER-78281 | When setting a new background color for the Environment Bar, it does not load the Appearance page. |
| Application Builder | ARCHER-115025 | User can see < and > instead of < and > throughout Archer (Application Name, Solution Name, Workspace Name etc.). |
| Application Builder | ARCHER-118080 | When fields are selected for sorting in the Record Lookup or Grid Display Properties section, the Save and Discard buttons are still active, even after saving changes. |
| Application Builder | ARCHER-119181 | On the Modules listing page, grouping occurs by page instead of by the entire results set. |
| Application Builder | ARCHER-119611 | If users change the field selection in the Sorting or Filter sections of Cross-Reference fields before saving the previous selection, a blank screen may appear. Workaround: Save the selected field in the Sorting or Filter sections for Cross-Reference fields before updating the selection to any other field. |
| Application Builder | ARCHER-123354 | The Reference Field Record Lookup Configuration display format of Column-Flat is not translated. |
| Application Builder | ARCHER-123435 | In Calculated Cross Reference field Matching Filters, the "Field Value Contains Depth" Values do not show all levels for a hierarchical values list. |
| Application Builder | ARCHER-123532 | In the Answer List, Display Rules, and Campaigns tabs, users need to click the Save or Discard buttons before performing any other actions such as Search, Filter, or Navigate away. |
| Application Builder | ARCHER-44013 | An empty tab set causes the application copy process to generate an error and prevents data-driven event rules from being copied. |
| Application Builder | ARCHER-48798 | Default text in the text area field is not removed by clicking the field. Workaround: Manually select and delete the default text within the text area field. |
| Application Builder | CE-118738 | In Application Builder, users cannot update the Default Search Display Format to options other than Column-Hierarchical. |
| Application Builder, Questionnaire | ARCHER-119345 | When creating a Questionnaire, after opening and closing the Question Library Record Lookup, and closing the Questionnaire details page the Record Lookup appears again. Workaround: Select an alternate module using the Applications dropdown OR using the ellipses in the top left. |
| Application Builder, Record Page | ARCHER-70083 | For all control types besides value pop-ups, the exclude inactive users option for a record permission field configuration does not exclude inactive users. |
| Bulk Operations | ARCHER-41442 | When searching for inactive users on Schedule Actions, inactive users display in the search results. |
| Bulk Operations | ARCHER-41755 | When users attempt to access a schedule or action to which they do not have access using deep links, an alert message stating that the users do not have access does not display. |
| Bulk Operations | ARCHER-41779 | Users cannot add the Manage Schedule link to the Quick Reference tab. |
| Bulk Operations | ARCHER-41838 | If any of the records selected for Bulk Delete have already been deleted, Bulk Delete fails. |
| Bulk Operations | ARCHER-76594 | The Calculation Editor, available when using the Calculated Operator In Bulk Create Reference Actions, does not correctly throw validation errors when invalid characters are included in formulas. The inclusion of these invalid characters will cause the formula to not save. To save the formula, make sure it does not include any of the following characters: "\"<>/"&"<>/" |

| | | |
|-----------------------------------------------------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Bulk Operations | ARCHER-96461 | In Bulk Actions, when users configure internal calculated cross references, in the Group By option, they have to choose the number of fields in the Field Value Expression during the initial configuration. If users attempt to add or modify fields after saving the Bulk Action, the Bulk Action is not updated. Workaround: Delete the existing Bulk Action, create a new Bulk Action, and add all required fields when initially configuring the Action. |
| Caching, IIS Web Server, Job Framework | CE-118819 | While fetching Archer metadata from Redis cache, due to network latency, the data will not be returned in the specified duration. Archer will throw an error in the logs. Workaround: Add a new key to the web.config file of the web application and app.config of ArcherTech.JobFramework.Job.exe.config, named "RedisSyncTimeout", with a value between 1000 and 5000, for customers using Archer versions between Archer 6.9.3 and 6.11. |
| Charts and Graphs | ARCHER-123180 | On mouseover, the transparency of the bubbles is reduced. Workaround: To improve the bubble text transparency, refresh the chart. |
| Data Driven Events | CE-9843 | When applications are copied, Matrix field values in DDE Rules are removed. |
| Data Feeds | ARCHER-111874 | If a text field or a text area contains a string which is included in angle brackets (ex: <test>), this string including the brackets gets removed with the update from an archer-archer data feed. |
| Data Feeds | ARCHER-47727 | When a large source file is added to the Source Definition tab, an exception occurs. |
| Data Feeds | ARCHER-48616 | When running a data feed using XSLT 3.0, if the Archer environment does not have internet access, it cannot validate the DTD and gives an error. Workaround: When running data feeds using XSLT 3.0, verify that your Archer environment has internet access. |
| Data Feeds | ARCHER-52938 | When running the VSR Import data feed, the following error is included in the log files: Violation of PRIMARY KEY constraint 'PL_tbIIIVUserContent' |
| Data Feeds | CE-118803 | When imported Data Feeds are saved with monthly schedules, an exception is thrown. Workaround: Save the feeds with a Daily or Weekly schedule first, change it to a Monthly schedule, and Save. |
| Data Gateway | ARCHER-85815 | Connections must be deleted prior to deleting the associated target. Workaround: Delete connections first, then the associated target. |
| Data Import | ARCHER-40928 | A faulted data import erroneously lists the number of records in the file as having been created, when in fact it created none. |
| Documentation, Elastic Search | ARCHER-123702 | Elasticsearch is being deprecated, and users cannot set up or use Elasticsearch in the Archer Control Panel. |
| Field Encryption | ARCHER-41772 | The Self-Reference Calculation field can be marked for encryption. Encrypted fields cannot be used in calculations. Workaround: While editing the self-calculated field, if encryption related warning is shown, disable the encryption status, and then save the field. |
| Global Print and Export, Print and Export | ARCHER-118164 | When users export record content to RTF format, the exported file does not include the RTF Template from Global Print and Export settings. |
| Globalization and Localization, Print and Export | ARCHER-113693 | On export Report to PDF with Word template user can see content overlaps with the footer. |
| Globalization and Localization, Print and Export | ARCHER-48267 | On exported PDF records, field names including Japanese and/or Chinese characters are not displayed properly. This only occurs when user locale language and language used for field names are different. |
| Globalization and Localization, Search and Search Results | ARCHER-46299 | On all Ext pages with panels, the tooltips—which inform users that sections can be expanded or collapsed—display in English for all users, regardless of their language setting. |
| Help System | ARCHER-102505 | The Archer Online Documentation on some Back Office pages do not load their respective Online Documentation pages, but they load the Online Documentation home page. Workaround: Users can search for the relevant content from the Online Documentation home page. |
| Inline Edit | ARCHER-41827 | When a Hierarchical Values List field display is not set to drop-down, the last value does not display correctly. |
| Install/Upgrade | ARCHER-123951 | The Migration script of the Engage Custom objects might cause errors during the upgrade process where there are some existing Engage custom objects with the particular dynamic variables in the custom object script. |

| | | |
|--------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| keyboard_nav, Reports, UI, WCAG 2.1 | ARCHER-90536 | In Google Chrome, choosing a report in Related Report using the TAB key traverses through all elements. |
| keyboard_nav, Search and Search Results, Section 508, UI, WCAG 2.1 | ARCHER-90950 | In Microsoft Edge, users cannot select more than one value in the Refine By pane using the TAB key. |
| Mobile App(s) | ARCHER-77586 | When logging into the Archer Business Continuity & Disaster Recovery mobile application, users are unable to log in when using the full Archer URL. Users should use the Archer base URL to avoid this error. |
| Navigation | ARCHER-48703 | After clicking a quick link that opens in a new window, the new window does not display correctly. |
| Notifications | ARCHER-111139 | The slider option in the new color picker does not update the Hex or the RGB color codes in the first attempt. The color code values are only updated when users select specific colors from the palette. |
| Notifications | ARCHER-111561 | On-Demand Notification not formatting table as configured |
| Notifications | ARCHER-111561 | On Demand Notifications hide table borders and colors. |
| Notifications | ARCHER-95257 | When an administrator clicks on any report in the Notification Reports listing page, a blank white screen displays and there is considerable delay before the screen displays the report's details page. There is no workaround. |
| Offline Access | ARCHER-114914 | User is unable to load little Archer Home page after offline sync. |
| Offline Access | ARCHER-88885 | When a user is logged into the Archer user interface on the client machine and encounters an offline record conflict, the taskbar tray presents a selection option called Resolve Conflict. The Resolve Conflict selection option is inoperable. When a user is logged into the Archer user interface on the client machine and must restart record synchronization, the taskbar tray presents a selection option called Restart Sync. The Restart Sync selection option is inoperable. |
| Offline Install | ARCHER-58656 | When users upgrade Archer Offline access from a version pre-6.5 to 6.5 or later, the offline installer does not update the SQL Server 2012 LocalDB to SQL Server 2017 LocalDB and also the registry key. As a result, the offline access sync does not complete. Workaround: Uninstall SQL Server LocalDb manually, and also delete a key from the registry using the Registry Editor in order to upgrade a client that previously had Offline Access installed on it. The registry key depends on unique IDs and user names, but will look similar to the following example: Computer\HKEY_CURRENT_USER\Software\Microsoft\Microsoft SQL Server\UserInstances\{0A643155-0194-4FCF-84D3-FA5DF16E36B1} The key that needs to be removed will have a DataDirectory value similar to the following: C:\Users\usernameGoesHere\AppData\Local\Microsoft\Microsoft SQL Server Local DB\Instances\OfflineArcher |
| Offline Sync | CE-118788 | The first sync of the Offline fresh install throws a Null reference error. |
| Questionnaires | ARCHER-55683 | In a Questionnaire configuration, creating a campaign with the same name as an existing campaign generates an error. |
| Questionnaires | ARCHER-70906 | When a sub-form record is saved on a record containing multiple sub-forms, the save control brings you to the beginning (or topmost section) of the record rather than bringing you to the original scroll position. |
| Record Page | ARCHER-102102 | When users select an option from the Target field drop-down in the Findings application, the ellipses to open the Record Lookup is not available for all options in the Target field. |
| Record Page | ARCHER-104625 | In some applications, when users use the rich text editor and select the Delete Table option when there is no table present, the entire text field disappears. Workaround: Refresh the page to display the text field again. |
| Record Page | ARCHER-41877 | When you add and attempt to copy a record containing the Last Updated field, the time in the Last Updated field changes while in Copy mode. |
| Record Page | ARCHER-51604 | The Values drop-down list doesn't respect selection and deselection of a value if the user types in the value to select one from the drop-down list. |
| Record Page | ARCHER-70972 | When performing an inline edit with a cross-reference field containing a Field Value Match filter condition, selecting the lookup option throws an exception. |
| Record Page | ARCHER-83329 | Cross-reference field selections are removed if the record is saved prior to filling out all required fields. |
| Report Object | ARCHER-123346 | In Report Objects, selecting the Display report as 'When the Page Loads' makes 'Save Properties' unresponsive. Additionally, 'Discard Property Changes' throws an unexpected error and retains the changes without discarding. |

| | | |
|--------------------------------------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Report Object | ARCHER-123347 | If other Display Configurations are modified in Report Objects, users cannot select the Display option to Display Custom Object while Viewing or Editing the record. |
| Report Object | ARCHER-123348 | The Advanced Operator Logic help and warning messages overlap with the Display Report Options in the Report object Filter conditions. |
| Reports, Search and Search Results | ARCHER-77917 | In a leveled application, the order of the levels selected for a report's Manage Columns is not maintained. |
| Search and Search Results | ARCHER-123383 | In Search Results pages, users cannot select the Calendar display format and must instead go to the Advanced Search page to select this display format. |
| Search and Search Results | ARCHER-56179 | Count drill-in when sorting by a Values List value that is in the 2nd or more level does not display results. |
| Search and Search Results | ARCHER-65661 | When an application has 8,000 or more records, if the standard PIN type is changed to the custom type by Value, the browser occasionally closes while opening a Map Report. |
| Search and Search Results | ARCHER-67154 | Modifying the Map Report results in loading the Advanced Search page forever for cross-reference and leveled applications. |
| Search and Search Results | ARCHER-69750 | The Indexing Service does not respect the specified Content Batch Size parameter from the configuration file. |
| Search and Search Results | ARCHER-94530 | The Sum row is automatically hidden in the Advanced Search Results page because Inline Edit is activated by default. |
| Search and Search Results | ARCHER-94687 | When the Filter By pane is activated in the Advanced Search Results page, the Sum value of numeric fields are not updated. |
| Search and Search Results, Usability | ARCHER-89127 | Horizontal scroll bar does not appear when manually resizing columns on the Search Results screen beyond the screen width. |
| Search and Search Results; Workspaces, Dashboards and iViews | ARCHER-97037 | The EQUALS filter fails to return content when the field value contains an ampersand. |
| Section 508 | ARCHER-106450 | If a workspace does not include a dashboard, the screen reader does not narrate the Option Menu on the workspace home page. |
| Solutions, User Admin and Preferences, User Profile | ARCHER-77184 | Users cannot paste text into back-office text area fields in the Microsoft Edge browser. |
| Workflow (AWF) | ARCHER-103656 | When designing the advanced workflow for a module, the Update Content node text field does not reflect the text when users type in the field. |
| Workflow (AWF) | ARCHER-47401 | When working in the Advanced Workflow builder, interacting with the process or node properties pane causes the pane to scroll to the top, which makes configurations difficult to control. |
| Workflow (AWF) | ARCHER-55655 | Orphan tasks that are in progress cannot complete after restarting Advanced Workflow. |
| Workspaces, Dashboards and iViews | ARCHER-101965 | When General Users use the Advanced Search Quick Link, they receive an error. |
| Workspaces, Dashboards and iViews | ARCHER-102487 | When creating a Global Landing page iView, adding a new configuration does not display Standard and Custom options. Workaround: - Back Office: iViews - Front Office: Add iView Content |
| Workspaces, Dashboards and iViews | ARCHER-116763 | User cannot clear the background image of Landing Page iViews. |
| Workspaces, Dashboards and iViews | ARCHER-41794 | Users with Create, Read, Update, and Delete rights to global dashboards from the Administration menu cannot edit global dashboards in the end-user interface. |
| Workspaces, Dashboards and iViews | ARCHER-76293 | The Add New Personal Dashboard drop-down option fails to open after other drop-down options have been opened. |
| Workspaces, Dashboards and iViews | ARCHER-76294 | In Mozilla Firefox, in the dashboard header Options menu, previously selected options remain highlighted. |
| Workspaces, Dashboards and iViews | ARCHER-96097 | When adding a new video iView or editing an existing video iView to a dashboard, the new video iView does not load. There is no workaround at this time; however, a fix will be available in an upcoming patch release. |
| Workspaces, Dashboards and iViews | ARCHER-96810 | When users select the help icon within the Manage Workspaces page, the displays an incorrect help page. Workaround: Users can search for Manage Workspaces in the search bar, which provides the correct help content for Manage Workspaces. |